

Emission Sources - Maximum Allowable Emission Rates

Permit Number 80572

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates (6)	
			lbs/hour	TPY (4)
1, 1A	Primary and Backup Feed Hoppers (5)	PM	0.04	0.15
		PM ₁₀	0.02	0.07
		PM _{2.5}	<0.01	0.01
2,3	Primary and Backup (Jaw) Crushers (5)	PM	0.08	0.28
		PM ₁₀	0.04	0.14
		PM _{2.5}	0.01	0.02
4	Primary Screen Tower (5)	PM	0.19	0.69
		PM ₁₀	0.06	0.23
		PM _{2.5}	0.01	0.02
5	Secondary (VSI) Crusher (5)	PM	0.03	0.11
		PM ₁₀	0.01	0.05
		PM _{2.5}	<0.01	0.01
18	Feed Hopper to Dryer 1 (5)	PM	0.02	0.04
		PM ₁₀	0.02	0.02
		PM _{2.5}	0.01	0.01
18A	Feed Hopper to Dryer 2 (5)	PM	0.01	0.02
		PM ₁₀	0.01	0.01
		PM _{2.5}	<0.01	<0.01

Emission Sources - Maximum Allowable Emission Rates

H-1	Feed Hopper to Dryer 3 (5)	PM	0.02	0.04
		PM ₁₀	0.01	0.02
		PM _{2.5}	0.01	0.01
21	Screen House No. 1 Scrubber Stack	PM	0.06	0.17
		PM ₁₀	0.02	0.06
		PM _{2.5}	0.01	0.01
SH-2	Screen House No. 2 Baghouse Stack	PM	0.01	0.03
		PM ₁₀	0.01	0.01
		PM _{2.5}	0.01	0.01
SILO1-8	Storage Silos 1-8 and Truck Loadout Bin Vents	PM	<0.01	<0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
LO-1	Truck Loadout Area 1 (5)	PM	0.07	0.13
		PM ₁₀	0.03	0.06
		PM _{2.5}	0.01	0.01
LO-2	Truck Loadout Area 2 (5)	PM	0.05	0.05
		PM ₁₀	0.02	0.03
		PM _{2.5}	0.01	0.01
SPFUG	Stockpiles (5)	PM	--	0.25
		PM ₁₀	--	0.12
		PM _{2.5}	--	0.02
MHFUG	Conveyor Transfers (5)	PM	0.20	0.74
		PM ₁₀	0.06	0.24

Emission Sources - Maximum Allowable Emission Rates

		PM _{2.5}	0.02	0.07
20	Dryer No. 1 Scrubber Stack	PM	3.00	9.00
		PM ₁₀	3.00	9.00
		PM _{2.5}	0.24	0.73
		NO _x	4.65	13.95
		CO	2.62	7.87
		SO ₂	0.17	0.52
		VOC	0.28	0.84
20A	Dryer No. 2 Baghouse Stack	PM	1.00	3.00
		PM ₁₀	1.00	3.00
		PM _{2.5}	0.07	0.22
		NO _x	1.61	4.84
		CO	0.78	2.35
		SO ₂	0.05	0.16
		VOC	0.08	0.25
DRY-3	Dryer No. 3 Baghouse Stack	PM	3.00	9.00
		PM ₁₀	3.00	9.00
		PM _{2.5}	0.46	1.38
		NO _x	9.62	28.86
		CO	4.92	14.75
		SO ₂	0.33	0.16
DRY-3	Dryer No. 3 Baghouse Stack	VOC	0.52	1.57

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources, use area name or fugitive source name.

(3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented

Emission Sources - Maximum Allowable Emission Rates

- PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as represented
- PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter
- CO - carbon monoxide

(4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.

(5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.

(6) Planned startup and shutdown emissions are included. Maintenance activities are not authorized by this permit.

Date: August 30, 2018