EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number T-17893

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air	Contaminant	Emission F	Rates *
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY
1	Receiving Pit No. 1		PM PM ₁₀	3.06 0.45	
2	Receiving Pit No. 2	PM ₁₀	PM 0.45	3.06	
3	Floor Auger	PM ₁₀	PM 0.75	5.10	
	Total Receiving	PM ₁₀	PM	0.03	0.18
4	Loadout Spout No. 1		PM PM ₁₀	9.63 3.25	
5	Loadout Spout No. 2	PM ₁₀	PM 3.25	9.63	
6	Loadout Auger No. 1	PM ₁₀	PM 3.25	9.63	
7	Loadout Auger No. 2	PM ₁₀	PM 0.97	2.89	
8	Loadout Auger No. 3	PM ₁₀	PM 0.97	2.89	
9	Seed Tank Loadout No. 1	PM ₁₀	PM 0.75	2.21	

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *
Point No. (1)	Name (2)	Name (3)	lb/hr TPY
10	Seed Tank Loadout No. 2	PM PM ₁₀ 0.75	2.21
11	Seed Tank Loadout No. 3	PM PM ₁₀ 0.75	2.21
12	Seed Tank Loadout No. 4	PM PM ₁₀ 0.75	2.21
13	Seed Tank Loadout No. 5	PM PM ₁₀ 0.75	2.21
14	Seed Tank Loadout No. 6	PM PM ₁₀ 0.75	2.21
	Total Loadout	PM PM ₁₀	0.93 0.31

⁽¹⁾ Emission point identification - either specific equipment designation or emission point number from plot plan.

Dated <u>March 5, 2003</u>

⁽²⁾ Specific point source name. For fugitive sources use area name or fugitive source name.

 ⁽³⁾ PM - particulate matter, suspended in the atmosphere, including PM₁₀
PM₁₀ - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.

^{*} Refer to Special Condition No. 1 for throughput limitations and basis of emission rates.