EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 19601

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Emission *	Source	Air Contaminant	<u>Emission</u>	Rates
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
H-401/H-402	Sulfur Heater/Methane 6.83	Heater	NO _x	1.56
		SO_2 PM_{10}	0.01 0.21	0.04
		CO VOC	0.52 0.04	2.30 0.20
H-501/H-502	Sulfur Heater/Methane 6.83	Heater	NO_x	1.56
		SO_2 PM_{10} CO	0.01 0.21 0.52	0.04 0.93 2.30
		VOC	0.04	0.20
X-426A	Steam Boiler	NO_{x} SO_{2} PM_{10} CO VOC	1.58 0.01 0.22 0.55 0.06	6.92 0.04 0.95 2.42 0.26
X-426B	Steam Boiler	NO_{\times} SO_{2} PM_{10} CO VOC	1.58 0.01 0.22 0.55 0.06	6.92 0.04 0.95 2.42 0.26
S-1	Sulfur Storage Tank	H_2S SO_2	0.23 0.86	1.00 3.75

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Emission *	Source	Air Contaminant	<u>Emissic</u>	on Rates
Point No. (1)	Name (2)	Name (3)	<u>lb/hr</u>	TPY
S-2	Sulfur Pit	H_2S SO_2	0.04 0.17	0.02 0.09

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Emission *	Source	Air Contaminant	<u>Emissior</u>	n Rates
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
S-3	Sulfur Truck	H_2S SO_2	0.02 0.07	0.01 0.04
F-1	Fugitives (4)	H_2S CS_2 COS C_3	0.06 0.13 <0.01 0.36	0.27 0.55 <0.01 1.60

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) NO_x total oxides of nitrogen
 - SO₂ sulfur dioxide
 - PM_{10} particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
 - CO carbon monoxide
 - VOC volatile organic compounds as defined in General Rule 101.1
 - H₂S hydrogen sulfide
 - SO₂ sulfur dioxide
 - CS₂ carbon disulfide
 - COS carbonyl sulfide
 - C₃ − propane
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:

	Hrs	s/day	Days/week	Weeks/year
or	8,760	Hrs/year		

Permit No. 19601 Page 4

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Emission	Source	Air Contaminant	Emission Rates
<u>*</u>			
Point No. (1)	Name (2)	Name (3)	lb/hr TPY

Date
рате