

Emission Sources - Maximum Allowable Emission Rates

Permit Number 165940

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lbs/hour	TPY (4)
LBLR01	Wood Fired Boiler No. 1	NO _x	48.75	213.53
		CO	48.75	213.53
		PM	16.25	71.18
		PM ₁₀	16.25	71.18
		PM _{2.5}	16.25	71.18
		VOC	6.5	22.78
		SO ₂	16.25	71.18
		NH ₃	7.54	33.03
		H ₂ SO ₄	0.04	0.17
		Pb	0.03	0.14
		Cl ₂	0.51	2.25
		HCl	1.11	4.84
LSCRN01	Screening and Hog Enclosure Vent No 1	PM	0.05	0.20
		PM ₁₀	0.02	0.09
		PM _{2.5}	0.01	0.02
LSTV01	Steam Turbine Lubrication Vent No 1	PM	0.05	0.22
		PM ₁₀	0.05	0.22
		PM _{2.5}	0.05	0.22
		VOC	0.05	0.22
LTK03	Aqueous Ammonia Tank Vent (5)	NH ₃	0.04	0.17
LTU01	Truck Unloading No 1 (5)	PM	0.20	0.88
		PM ₁₀	0.10	0.41
		PM _{2.5}	0.10	0.41
LTU02	Truck Unloading No 2 (5)	PM	0.20	0.88

Emission Sources - Maximum Allowable Emission Rates

		PM ₁₀	0.10	0.41
		PM _{2.5}	0.10	0.41
LMHFUG01	Wood Conveying Fugitive Volume 1 (5)	PM	0.06	0.26
		PM ₁₀	0.02	0.09
		PM _{2.5}	0.01	0.03
LMHFUG02	Wood Storage Pile 1 Fugitives (5)	PM	0.05	0.22
		PM ₁₀	0.03	0.11
		PM _{2.5}	0.01	0.02
LMHFUG03	Ash Conveying and Collection Fugitives (5)	PM	<0.01	<0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
LMHFUG04	Wood Storage Pile 2 Fugitives (5)	PM	0.05	0.22
		PM ₁₀	0.03	0.11
		PM _{2.5}	0.01	0.02
LCTFUG01	Cooling Tower 1 Fugitives (5)	PM	1.23	5.38
		PM ₁₀	1.23	5.38
		PM _{2.5}	1.23	5.38
LTK06	Fly Ash Storage Silo Bag Filter	PM	0.02	0.09
		PM ₁₀	0.02	0.09
		PM _{2.5}	0.02	0.09
LMH05	Fly Ash Loading Bag Filter	PM	0.15	0.68
		PM ₁₀	0.15	0.68
		PM _{2.5}	0.15	0.68

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
(2) Specific point source name. For fugitive sources, use area name or fugitive source name.
(3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
NO_x - total oxides of nitrogen
SO₂ - sulfur dioxide
PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented
PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as represented
PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter
CO - carbon monoxide
NH₃ - ammonia

Emission Sources - Maximum Allowable Emission Rates

H ₂ SO ₄	- sulfuric acid
Pb	- lead
Cl ₂	- chlorine
HCl	- hydrochloric acid

- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.

Date: TBD

DRAFT