

Emission Sources - Maximum Allowable Emission Rates

Permit Number 9349A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates (6)	
			lbs/hour	TPY (4)
EP-1	Truck Traffic (5)	PM	--	3.94
		PM ₁₀	--	1.77
		PM _{2.5}	--	0.27
EP-2	Truck Unloading/Loading (5)	PM	0.26	0.49
		PM ₁₀	0.12	0.23
		PM _{2.5}	0.02	0.03
EP-4	Railcar Unloading No. 2 Baghouse Stack	PM	0.01	0.01
		PM ₁₀	0.01	0.01
		PM _{2.5}	0.01	0.01
EP-5C	Conveyor (5)	PM	0.24	0.33
		PM ₁₀	0.11	0.15
		PM _{2.5}	0.02	0.02
EP-7	Stockpile Maintenance Vehicular Traffic (5)	PM	--	0.97
		PM ₁₀	--	0.46
		PM _{2.5}	--	0.07
EP-8	Coke/Coal Pile Wind Erosion (5)	PM	--	16.27
		PM ₁₀	--	7.97
		PM _{2.5}	--	1.21
EP-9	Coke/Coal Pile Reclaim (5)	PM	0.71	2.08
		PM ₁₀	0.34	0.98
		PM _{2.5}	0.05	0.15
EP-10	Ship/Barge Loader Dust Collector Stack	PM	0.01	0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
EP-15	Coke/Coal Pile Wind Erosion (5)	PM	--	9.24
		PM ₁₀	--	4.53
		PM _{2.5}	--	0.69
EP-16	Barge Unloading Baghouse Stack	PM	0.01	0.01
		PM ₁₀	0.01	0.01
		PM _{2.5}	0.01	0.01

Emission Sources - Maximum Allowable Emission Rates

EP-17A	Stacker (5)	PM	0.17	0.07
		PM ₁₀	0.08	0.03
		PM _{2.5}	0.01	0.01
EP-17B	Stacker (5)	PM	0.17	0.17
		PM ₁₀	0.08	0.08
		PM _{2.5}	0.01	0.01
EP-18A	Conveyor (5)	PM	0.17	0.17
		PM ₁₀	0.08	0.08
		PM _{2.5}	0.01	0.01
EP-18AX	Conveyor (5)	PM	0.08	0.33
		PM ₁₀	0.04	0.16
		PM _{2.5}	0.01	0.02
EP-18B	Conveyor (5)	PM	0.17	0.17
		PM ₁₀	0.08	0.08
		PM _{2.5}	0.01	0.01
EP-18C	Conveyor (5)	PM	0.24	0.32
		PM ₁₀	0.11	0.15
		PM _{2.5}	0.02	0.02
EP-19	Coke/Coal Pile Reclaim (5)	PM	0.28	2.08
		PM ₁₀	0.13	0.98
		PM _{2.5}	0.02	0.15
EP-20	Stockpile Maintenance (5)	PM	--	0.97
		PM ₁₀	--	0.46
		PM _{2.5}	--	0.07
EP-22	Conveyor (5)	PM	0.07	0.07
		PM ₁₀	0.03	0.03
		PM _{2.5}	0.01	0.01
EP-24A/B	Coke Pile Reclaim (5)	PM	0.71	0.04
		PM ₁₀	0.34	0.02
		PM _{2.5}	0.05	0.01
EP-25	Coke Pile Reclaim (5)	PM	0.24	0.07
		PM ₁₀	0.11	0.03
		PM _{2.5}	0.02	0.01
EP-26A/B	Coke Pile Wind Erosion (5)	PM	--	8.31
		PM ₁₀	--	3.94
		PM _{2.5}	--	0.60

Emission Sources - Maximum Allowable Emission Rates

EP-27	Stockpile Maintenance (5)	PM	--	0.04
		PM ₁₀	--	0.02
		PM _{2.5}	--	0.01
TR-UL	Truck Unloading (5)	PM	0.21	0.95
		PM ₁₀	0.10	0.45
		PM _{2.5}	0.02	0.07

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented
PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as represented
PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter
- (4) Compliance with annual emission limits (tons per year) is based on a 12-month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) Planned startup and shutdown emissions are included. Maintenance activities are not authorized by this permit.

Date: March 22, 2024