

Emission Sources - Maximum Allowable Emission Rates

Permit Numbers 78421 and PSDTX1183

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lbs/hour	TPY (4)
LGNTUNLPIT	Lignite Unloading Pit Fugitives	PM	0.01	0.01
		PM ₁₀ /PM _{2.5}	<0.01	<0.01
STAMLER	Stamler Mill (Lignite Crusher #1) Fugitives	PM	0.02	0.03
		PM ₁₀	0.01	0.02
		PM _{2.5}	<0.01	<0.01
LGPTTOLSB	Transfer Lignite-to-Lignite Surge Bin Fugitives	PM	0.03	0.04
		PM ₁₀	0.01	0.01
		PM _{2.5}	<0.01	<0.01
KLN5TRNSFR	Kiln 5 Transfer Conveyors Fugitives	PM	0.03	0.04
		PM ₁₀	0.01	0.01
		PM _{2.5}	<0.01	<0.01
WILLMILL	Williams Mill Fugitives	PM	0.02	0.03
		PM ₁₀	0.01	0.02
		PM _{2.5}	<0.01	<0.01
FGTVTRNSFR	Lignite Transfer to Kilns 2, 3, and 4 Fugitives	PM	0.03	0.04
		PM ₁₀	0.01	0.01
		PM _{2.5}	<0.01	<0.01
MHFXFRDCVT	MHF #1 Lignite Transfer Pt Dust Vent	PM/PM ₁₀ /PM _{2.5}	0.05	0.23
MHFLSDCVT	MHF #1 Lignite Silo DC Vent (Lignite Silo #3)	PM/PM ₁₀ /PM _{2.5}	0.05	0.23
MHFLS2DCVT	MHF #2 Lignite Silo DC Vent (Lignite Silo #4)	PM/PM ₁₀ /PM _{2.5}	0.05	0.23
M2FDBNDCVT	MHF #2 Feed Bin DC Vent	PM/PM ₁₀ /PM _{2.5}	0.02	0.09
LIGSIL4VFD	Lignite Silo #4 (MHF #2 Lignite Silo) Vibrating Feeder	PM	0.01	0.03
		PM ₁₀	0.01	0.02

Emission Sources - Maximum Allowable Emission Rates

		PM _{2.5}	<0.01	<0.01
MHF2STACK	MHF #2 Stack -Normal Operations (5)	PM/PM ₁₀ /PM _{2.5}	2.64	11.54
		NO _x	9.10	39.86
		SO ₂	16.40	71.83
		CO	6.60	28.91
		VOC	2.30	6.55
		Pb	<0.01	0.02
		H ₂ SO ₄	0.98	4.29
		Hg	<0.01	0.01
		HCl	0.31	1.35
		HF	0.06	0.24
MHF2VENT	MHF #2 Vent - MSS Operations (6)	PM/PM ₁₀ /PM _{2.5}	0.29	0.03
		NO _x	1.21	0.12
		SO ₂	0.02	<0.01
		CO	3.17	0.32
		VOC	0.21	0.02
13BKBNDCSK	#13 Bulk Bin DC Stack	PM/PM ₁₀	0.13	0.56
		PM _{2.5}	0.01	0.06
14BKBNDCSK	#14 Bulk Bin DC Stack	PM/PM ₁₀	0.13	0.56
		PM _{2.5}	0.01	0.06
15BKBNDCSK	#15 Bulk Bin DC Stack	PM/PM ₁₀	0.13	0.56
		PM _{2.5}	0.01	0.06
16BKBNDCSK	#16 Bulk Bin DC Stack	PM/PM ₁₀	0.13	0.56
		PM _{2.5}	0.01	0.06
6MILLDCSTK	#6 Mill DC Stack	PM/PM ₁₀	0.21	0.94
		PM _{2.5}	0.01	0.09
6MILLVAC	#6 Mill Vacuum Unit Vent	PM/PM ₁₀ /PM _{2.5}	0.02	0.09
6MILLFDBNA	#6 Mill Feed Bin A DC Stack	PM/PM ₁₀	0.04	0.19
		PM _{2.5}	0.01	0.02
6MILLFDBNB	#6 Mill Feed Bin B DC Stack	PM/PM ₁₀	0.04	0.19
		PM _{2.5}	0.01	0.02

Emission Sources - Maximum Allowable Emission Rates

M3XFERDCSK	MHF3 Conveyor and Tote Bag Loading DC Vent	PM/PM ₁₀ /PM _{2.5}	0.06	0.28
LOB1DCST	Load Out Bin #1 DC Stack	PM/PM ₁₀	0.15	0.66
		PM _{2.5}	0.02	0.07
LS1DCSTK	Loading Spout #1 DC Stack	PM/PM ₁₀	0.06	0.09
		PM _{2.5}	0.01	0.01
LOB2DCST	Load Out Bin #2 DC Stack	PM/PM ₁₀	0.15	0.66
		PM _{2.5}	0.02	0.07
LS2DCSTK	Loading Spout #2 DC Stack	PM/PM ₁₀	0.06	0.09
		PM _{2.5}	0.01	0.01
M3FDBNDCVT	MHF #3 Feed Bin DC Vent	PM/PM ₁₀ /PM _{2.5}	0.02	0.09
MHF3STACK	MHF #3 Stack - Normal Operations (5)	PM/PM ₁₀ /PM _{2.5}	2.64	11.54
		NO _x	9.10	39.86
		SO ₂	16.40	71.83
		CO	6.60	28.91
		VOC	2.30	6.55
		Pb	<0.01	0.02
		H ₂ SO ₄	0.98	4.29
		Hg	<0.01	0.01
		HCl	0.31	1.34
		HF	0.06	0.24
MHF3VENT	MHF #3 Vent - MSS Operations (6)	PM/PM ₁₀ /PM _{2.5}	0.29	0.03
		NO _x	1.21	0.12
		SO ₂	0.02	<0.01
		CO	3.17	0.32
		VOC	0.21	0.02
17BKBNDCSK	#17 Bulk Bin DC Stack	PM/PM ₁₀	0.13	0.56
		PM _{2.5}	0.01	0.06
18BKBNDCSK	#18 Bulk Bin DC Stack	PM/PM ₁₀	0.13	0.56
		PM _{2.5}	0.01	0.06
19BKBNDCSK	#19 Bulk Bin DC Stack	PM/PM ₁₀	0.13	0.56
		PM _{2.5}	0.01	0.06
20BKBNDCSK	#20 Bulk Bin DC Stack	PM/PM ₁₀	0.13	0.56

Emission Sources - Maximum Allowable Emission Rates

		PM _{2.5}	0.01	0.06
7MILLDCSTK	#7 Mill DC Stack	PM/PM ₁₀ /PM _{2.5}	0.21	0.94
7MILLFDBNA	#7 Mill Feed Bin A DC Stack	PM/PM ₁₀	0.04	0.19
		PM _{2.5}	0.01	0.02
7MILLFDBNB	#7 Mill Feed Bin B DC Stack	PM/PM ₁₀	0.04	0.19
		PM _{2.5}	0.01	0.02
LOB3DCST	Load Out Bin #3 DC Stack	PM/PM ₁₀	0.15	0.66
		PM _{2.5}	0.02	0.07
LS3DCSTK	Loading Spout #3 DC Stack	PM/PM ₁₀	0.06	0.09
		PM _{2.5}	0.01	0.01
LOB4DCST	Load Out Bin #4 DC Stack	PM/PM ₁₀	0.15	0.66
		PM _{2.5}	0.02	0.07
LS4DCSTK	Loading Spout #4 DC Stack	PM/PM ₁₀	0.06	0.09
		PM _{2.5}	0.01	0.01
M2ASHDCVT	MHF #2-3 Ash Silo Vacuum Blower DC	PM/PM ₁₀ /PM _{2.5}	0.13	0.56
M2ASHLOAD	MHF #2-3 Ash Silo Truck Loading DC	PM/PM ₁₀ /PM _{2.5}	0.06	0.09
GENCOOL1	Generator Cooling Tower #1	PM/PM ₁₀ /PM _{2.5}	0.03	0.13
LIGPIT2	Lignite Unloading Pit #2	PM/ PM ₁₀ /PM _{2.5}	<0.01	<0.01
CRUSHER2	Lignite Crusher #2	PM	0.02	0.02
		PM ₁₀	0.01	0.01
		PM _{2.5}	<0.01	<0.01
CRUSHER3	Lignite Crusher #3	PM	0.02	0.02
		PM ₁₀	0.01	0.01
		PM _{2.5}	<0.01	<0.01
LIGCNV2	Lignite Conveyor #2	PM	0.02	0.02
		PM ₁₀	0.01	0.01
		PM _{2.5}	<0.01	<0.01
LS5DCVT	Lignite Silos #5 and #6 DC Vent	PM/PM ₁₀ /PM _{2.5}	0.09	0.38
M4FDBNDCVT	MHF #4 Feed Bin DC Vent	PM/PM ₁₀ /PM _{2.5}	0.02	0.09

Emission Sources - Maximum Allowable Emission Rates

MHF4STACK	MHF #4 Stack - Normal Operations (5)	PM/PM ₁₀ /PM _{2.5}	2.64	11.54
		NO _x	9.10	39.86
		SO ₂	16.40	71.83
		CO	6.60	28.91
		VOC	2.30	6.55
		Pb	<0.01	0.02
		H ₂ SO ₄	0.98	4.29
		Hg	<0.01	0.01
		HCl	0.31	1.35
		HF	0.06	0.24
MHF4VENT	MHF #4 Vent - MSS Operations (6)	PM/PM ₁₀ /PM _{2.5}	0.29	0.03
		NO _x	1.21	0.12
		SO ₂	0.02	<0.01
		CO	3.17	0.32
		VOC	0.21	0.02
M5FDBNDCVT	MHF #5 Feed Bin DC Vent	PM/PM ₁₀ /PM _{2.5}	0.02	0.09
MHF5STACK	MHF #5 Stack - Normal Operations (5)	PM/PM ₁₀ /PM _{2.5}	2.64	11.54
		NO _x	9.10	39.86
		SO ₂	16.40	71.83
		CO	6.60	28.91
		VOC	2.30	6.55
		Pb	<0.01	0.02
		H ₂ SO ₄	0.98	4.29
		Hg	<0.01	0.01
		HCl	0.31	1.35
		HF	0.06	0.24
MHF5VENT	MHF #5 Vent - MSS Operations (6)	PM/PM ₁₀ /PM _{2.5}	0.29	0.03
		NO _x	1.21	0.12
		SO ₂	0.02	<0.01
		CO	3.17	0.32
		VOC	0.21	0.02
M4ASHDCVT	MHF #4-5 Ash Silo Vacuum Blower DC	PM/PM ₁₀ /PM _{2.5}	0.13	0.56

Emission Sources - Maximum Allowable Emission Rates

M4ASHLOAD	MHF #4-5 Ash Silo Truck Loading DC	PM/PM ₁₀ /PM _{2.5}	0.06	0.09
M6FDBNDCVT	MHF #6 Feed Bin DC Vent	PM/PM ₁₀ /PM _{2.5}	0.02	0.09
MHF6STACK	MHF #6 Stack - Normal Operations (5)	PM/PM ₁₀ /PM _{2.5}	2.64	11.54
		NO _x	9.10	39.86
		SO ₂	16.40	71.83
		CO	6.60	28.91
		VOC	2.30	6.55
		Pb	<0.01	0.02
		H ₂ SO ₄	0.98	4.29
		Hg	<0.01	0.01
		HCl	0.31	1.35
		HF	0.06	0.24
MHF6VENT	MHF #6 Vent - MSS Operations (6)	PM/PM ₁₀ /PM _{2.5}	0.29	0.03
		NO _x	1.21	0.12
		SO ₂	0.02	<0.01
		CO	3.17	0.32
		VOC	0.21	0.02
M7FDBNDCVT	MHF #7 Feed Bin DC Vent	PM/PM ₁₀ /PM _{2.5}	0.02	0.09
MHF7STACK	MHF #7 Stack - Normal Operations (5)	PM/PM ₁₀ /PM _{2.5}	2.64	11.54
		NO _x	9.10	39.86
		SO ₂	16.40	71.83
		CO	6.60	28.91
		VOC	2.30	6.55
		Pb	<0.01	0.02
		H ₂ SO ₄	0.98	4.29
		Hg	<0.01	0.01
		HCl	0.31	1.35
		HF	0.06	0.24

Emission Sources - Maximum Allowable Emission Rates

MHF7VENT	MHF #7 Vent - MSS Operations (6)	PM/PM ₁₀ /PM _{2.5}	0.29	0.03
		NO _x	1.21	0.12
		SO ₂	0.02	<0.01
		CO	3.17	0.32
		VOC	0.21	0.02
M6ASHDCVT	MHF #6-#7 Ash Silo Vacuum Blower DC	PM/PM ₁₀ /PM _{2.5}	0.13	0.56
M6ASHLOAD	MHF #6-#7 Ash Silo Truck Loading DC	PM/PM ₁₀ /PM _{2.5}	0.06	0.09
MHFVAC	MHF #4-#7 Vacuum Unit Vent	PM/PM ₁₀ /PM _{2.5}	0.02	0.09
8MILLFDBNA	#8 Mill Feed Bin A DC	PM/PM ₁₀	0.04	0.19
		PM _{2.5}	0.01	0.02
8MILLFDBNB	#8 Mill Feed Bin B DC	PM/PM ₁₀	0.04	0.19
		PM _{2.5}	0.01	0.02
8MILLFDBNC	#8 Mill Feed Bin C DC	PM/PM ₁₀	0.04	0.19
		PM _{2.5}	0.01	0.02
8MILLFDBND	#8 Mill Feed Bin D DC	PM/PM ₁₀	0.04	0.19
		PM _{2.5}	0.01	0.02
9MILLFDBNA	#9 Mill Feed Bin A DC	PM/PM ₁₀	0.04	0.19
		PM _{2.5}	0.01	0.02
9MILLFDBNB	#9 Mill Feed Bin B DC	PM/PM ₁₀	0.04	0.19
		PM _{2.5}	0.01	0.02
9MILLFDBNC	#9 Mill Feed Bin C DC	PM/PM ₁₀	0.04	0.19
		PM _{2.5}	0.01	0.02
9MILLFDBND	#9 Mill Feed Bin D DC	PM/PM ₁₀	0.04	0.19
		PM _{2.5}	0.01	0.02
10MILLFDBNA	#10 Mill Feed Bin A DC	PM/PM ₁₀	0.04	0.19
		PM _{2.5}	0.01	0.02
10MILLFDBNB	#10 Mill Feed Bin B DC	PM/PM ₁₀	0.04	0.19
		PM _{2.5}	0.01	0.02
10MILLFDBNC	#10 Mill Feed Bin C DC	PM/PM ₁₀	0.04	0.19
		PM _{2.5}	0.01	0.02
10MILLFDBND	#10 Mill Feed Bin D DC	PM/PM ₁₀	0.04	0.19
		PM _{2.5}	0.01	0.02

Emission Sources - Maximum Allowable Emission Rates

8MILLDCSTK	#8 Mill DC Stack	PM/PM ₁₀	0.21	0.94
		PM _{2.5}	0.01	0.09
21BKBNDCSK	#21 Bulk Bin DC Stack	PM/PM ₁₀	0.13	0.56
		PM _{2.5}	0.01	0.06
22BKBNDCSK	#22 Bulk Bin DC Stack	PM/PM ₁₀	0.13	0.56
		PM _{2.5}	0.01	0.06
23BKBNDCSK	#23 Bulk Bin DC Stack	PM/PM ₁₀	0.13	0.56
		PM _{2.5}	0.01	0.06
24BKBNDCSK	#24 Bulk Bin DC Stack	PM/PM ₁₀	0.13	0.56
		PM _{2.5}	0.01	0.06
LOB5DCST	Load Out Bin #5 DC Stack	PM/PM ₁₀	0.15	0.66
		PM _{2.5}	0.02	0.07
LS5DCSTK	Loading Spout #5 DC Stack	PM/PM ₁₀	0.06	0.09
		PM _{2.5}	0.01	0.01
LOB6DCST	Load Out Bin #6 DC Stack	PM/PM ₁₀	0.15	0.66
		PM _{2.5}	0.02	0.07
LS6DCSTK	Loading Spout #6 DC Stack	PM/PM ₁₀	0.06	0.09
		PM _{2.5}	0.01	0.01
9MILLDCSTK	#9 Mill DC Stack	PM/PM ₁₀	0.34	1.50
		PM _{2.5}	0.04	0.15
9MILLVAC	#9 Mill Vacuum Unit Vent	PM/PM ₁₀ /PM _{2.5}	0.02	0.09
25BKBNDCSK	#25 Bulk Bin DC Stack	PM/PM ₁₀	0.13	0.56
		PM _{2.5}	0.01	0.06
26BKBNDCSK	#26 Bulk Bin DC Stack	PM/PM ₁₀	0.13	0.56
		PM _{2.5}	0.01	0.06
27BKBNDCSK	#27 Bulk Bin DC Stack	PM/PM ₁₀	0.13	0.56
		PM _{2.5}	0.01	0.06
28BKBNDCSK	#28 Bulk Bin DC Stack	PM/PM ₁₀	0.13	0.56
		PM _{2.5}	0.01	0.06
LOB7DCST	Load Out Bin #7 DC Stack	PM/PM ₁₀	0.15	0.66
		PM _{2.5}	0.02	0.07
LS7DCSTK	Loading Spout #7 DC Stack	PM/PM ₁₀	0.06	0.09
		PM _{2.5}	0.01	0.01

Emission Sources - Maximum Allowable Emission Rates

LOB8DCST	Load Out Bin #8 DC Stack	PM/PM ₁₀	0.15	0.66
		PM _{2.5}	0.02	0.07
LS8DCSTK	Loading Spout #8 DC Stack	PM/PM ₁₀	0.06	0.09
		PM _{2.5}	0.01	0.01
10MILLDCSTK	#10 Mill DC Stack	PM/PM ₁₀	0.34	1.50
		PM _{2.5}	0.04	0.15
29BKBNDCK	#29 Bulk Bin DC Stack	PM/PM ₁₀	0.13	0.56
		PM _{2.5}	0.01	0.06
30BKBNDCK	#30 Bulk Bin DC Stack	PM/PM ₁₀	0.13	0.56
		PM _{2.5}	0.01	0.06
31BKBNDCK	#31 Bulk Bin DC Stack	PM/PM ₁₀	0.13	0.56
		PM _{2.5}	0.01	0.06
32BKBNDCK	#32 Bulk Bin DC Stack	PM/PM ₁₀	0.13	0.56
		PM _{2.5}	0.01	0.06
LOB9DCST	Load Out Bin #9 DC Stack	PM/PM ₁₀	0.15	0.66
		PM _{2.5}	0.02	0.07
LS9DCSTK	Loading Spout #9 DC Stack	PM/PM ₁₀	0.06	0.09
		PM _{2.5}	0.01	0.01
LOB10DCST	Load Out Bin #10 DC Stack	PM/PM ₁₀	0.15	0.66
		PM _{2.5}	0.02	0.07
LS10DCSTK	Loading Spout #10 DC Stack	PM/PM ₁₀	0.06	0.09
		PM _{2.5}	0.01	0.01
LOB11DCST	Load Out Bin #11 DC Stack	PM/PM ₁₀	0.15	0.66
		PM _{2.5}	0.02	0.07
LS11DCSTK	Loading Spout#11 DC Stack	PM/PM ₁₀	0.06	0.09
		PM _{2.5}	0.01	0.01
GENCOOL2	Generator Cooling Tower #2	PM/PM ₁₀ /PM _{2.5}	0.06	0.25
LS1DCVT	Lignite Silos #1 DC Vent	PM/PM ₁₀ /PM _{2.5}	0.09	0.38
LS2DCVT	Lignite Silos #2 DC Vent	PM/PM ₁₀ /PM _{2.5}	0.09	0.38

Emission Sources - Maximum Allowable Emission Rates

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source names. For fugitive sources, use an area name or fugitive source name.
DC - dust collector
- (3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
NO_x - total oxides of nitrogen
SO₂ - sulfur dioxide
PM - particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}
PM₁₀ - particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}
PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter
CO - carbon monoxide
HCl - hydrogen chloride
HF - hydrogen fluoride
Hg - mercury
H₂SO₄ - sulfuric acid
Pb - lead
- (4) Compliance with annual emission limits is based on a rolling 12-month period.
- (5) Activities and emissions associated with MHF Normal Operations as defined in Special Condition Nos. 7 and 8.
- (6) Activities and emissions associated with MHF MSS Operations as defined in Special Condition Nos. 7 and 9.

Dated: April 13, 2012