EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 51654

This table lists the maximum allowable emission rates for all sources of air contaminants covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant		Emission Rates (5)	
Point No. (1)	Name (FIN) (2)	Name	e (3)	lb/hr	TPY
<u>(4)</u>					
SB-1	Paint Booth 1 (SB-1)	VOC	·	30.89	5.82
	,	PM		0.36	0.08
		Phosphoric	Acid	0.35	0.05
		Acetone		31.87	5.00
SB-2	Paint Booth 2 (SB-2)	VOC	:	30.89	5.82
	(0 = 2)	PM		0.36	0.08
		Phosphoric Acid		0.35	0.05
		Acetone		31.87	5.00
SB-3	Paint Booth 3 (SB-3)	VOC		15.87	3.41
	(01 0)	PM		0.36	0.08
		Phosphoric Acid		0.35	0.05
		Acetone		31.87	4.62
FB-1	Finish Out Building (FB-1)	VOC	:	27.87	0.83
	,	PM		1.68	0.05
FUG-1	Paint Fugitives (SB-1, 2, and	nd VOC		5.44	1.86 (6)
	3 outside staging for		sphoric Acid	0.06	0.04 (6)
	Production Line Building)	Acet	•	16.42	3.57 (6)
FUG-2	Paint Fugitives (SB-1, 2, ar	nd 3 to VOC	:	2.72	(6)
	Production Line Building)		sphoric Acid	0.03	(6)
		Acetone		8.21	(6)
FUG-3	Paint Fugitives (FB-1 to Dirt Parking Lot)	VOC	:	11.7	0.19
All	All Sources	Sina	le HAP		<10.00
· ···	234.333	Combined I			<25.00
					-

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emission Rates</u>			
Point No. (1)	Name (FIN) (2)	Name (3)	1b/hr TPY			
(4)						
(1) Emission point id	dentification number from plot	plan.				
(2) Specific point	source name.					
(3) VOC	 volatile organic compounds 	as defined in Title 30 Texas 101.1 (30 TAC § 101.1)	Administrative Code §			
PM	- particulate matter,	,	snhere			
including PM ₁₀	par creatace maccer,	suspended in the demo	<i>3piici c</i> ,			
_	- particulate matter e	qual to or less than	10 microns in			
	meter. Where PM is no					
	ticulate matter greate	-				
-	- Hazardous Air Pollutant as					
1 17 A	Tiazardous / iii T olidiani us	63.2, Subpart C	caciai regulations 3			
Exempt Solvent	_	as defined in 30 T	AC § 101 1			
•	ng 12-consecutive months	as defined in 60 1	, 10 3 101.1			
(5) Emission rates are based on and the facilities are limited by the following maximum operating						
schedule:	are succe on and the radiii.ee	are infined by the fellowing in	iaminam operating			
	Operating hours: 6am to 6pm	Hrs/dav: 12 Davs/week: 7	Weeks/year: 52			
Operating hours: 6am to 6pm, Hrs/day: 12, Days/week: 7, Weeks/year: 52 (6) Combined TPY limit for FUG-1 and FUG-2, see FUG-1 for limit.						
(o) Combined in in		C 1 00 1 101 111111.				
		Dated				
		Dated				