Permit Number 21538

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *		
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**	
<u>Train 8</u>					
ES-801	Package Boiler	VOC NO_x SO_2 PM_{10} CO	0.43 2.90 0.02 0.72 7.97	1.90 12.69 0.10 3.17 34.88	
ES-802	Alkyl Flare	VOC NO _x SO ₂ CO	0.43 0.08 0.01 0.31	0.08 0.11 0.01 0.89	
ES-805	Train 8 Flare	VOC NO _x SO ₂ CO	9.92 1.36 0.01 8.85	5.57 2.35 0.01 12.79	
F-8	Fugitives (4)	VOC	0.65	2.85	
EF-806	Cooling Towers	VOC	0.57	2.48	
EV-811	Cooling Water Additive Tanks	VOC	1.20	0.01	
EV-871	Carlot Silo Blender Vent Filter	VOC PM	1.20 0.19	(5) 0.74	
EV-872	Additive Feed Hopper Vent Filter	РМ	0.04	0.01	

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant		Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**	
EV-873	Pellet Dryer Exhaust	VOC	1.20	(5)	
EV-874	Pellet Surge Hopper Vent	VOC	1.20	(5)	
EV-876	Pellet Classifier Vent	VOC	1.20	(5)	
EV-875	Powder Master Batch Weigh Bin Vent Filter	РМ	1.44	0.03	
EV-878-1	Railcar Loading Elutriator Bag Filter	VOC PM ₁₀	2.50 0.06	(5) 0.06	
EV-878-2	Railcar Loading Elutriator Bag Filter	VOC PM ₁₀	2.50 0.06	(5) 0.06	
T8-OG	Train 8 Offgas (5)	VOC		6.00	
EV-854	Railcar Wash Vacuum Filter	PM	0.27	0.15	
<u>Train 9</u>					
EF-906	Cooling Tower	VOC	0.20	0.88	
F-9	Fugitives (4)	VOC	0.81	3.53	
EV-971 Ven	Carlot Silo Blender t Filter	VOC PM ₁₀	1.66 0.20	(6) 0.89	
EV-972A	Additive Hopper Vent Filter	PM	0.03	0.01	
EV-972B	Additive Hopper Vent Filter	PM	0.03	0.01	
EV-978	Elutriator Bag Filter	VOC PM ₁₀	2.50 0.06	(6) 0.17	

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *		
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**	
EV-973A	Pellet Dryer Exhaust	VOC	0.83	(6)	
EV-973B	Pellet Dryer Exhaust	VOC	0.83	(6)	
EV-974A	Pellet Surge Hopper Vent	VOC	0.83	(6)	
EV-974B	Pellet Surge Hopper Vent	VOC	0.83	(6)	
EV-975A	Pellet Classifier Vent	VOC	0.83	(6)	
EV-975B	Pellet Classifier Vent	VOC	0.83	(6)	
T9-OG	Train 9 Offgas (6)	VOC		7.25	
ES-975	Blender/Feeder Vent Gas Cataly Oxidizer	tic VOC PM ₁₀	0.08 0.37	0.36 0.12	
EV-911	Cooling Water Additive Tanks	VOC	1.20	0.01	
EV-869	Additive Storage Tank Vent	VOC	0.01	0.01	
EV-808	Catalyst Building Guard Oil Tank Vent	VOC	0.19	<0.01	
EV-820	Mineral Oil Drying Tank Vent	VOC	0.02	<0.01	
EV-197	Mineral Oil Storage Tank Vent	VOC	<0.01	<0.01	

(1)	Emission p	point	identification	- either	specific	equipment	designation	or	emission	point	number
		(EP	N) from plot p	ılan.							

- (2) Specific point source names. For fugitive sources use area name or fugitive source name.
- (3) PM particulate matter

 PM_{10} - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall

be assumed that no particulate matter greater than 10 microns is emitted.

VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

CO - carbon monoxide

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) EPN T8-OG provides the cumulative annual VOC emission limit for EPNs EV-873, EV-874, EV-876, EV-871, EV-878-1, and EV-878-2.
- (6) EPN T9-OG provides the cumulative annual VOC emission limit for EPNs EV-973A, EV-973B, EV-974A, EV-974B, EV-975A, EV-975B, EV-971, and EV-978.

*	Emission rates	are	based	on	and	the	facilities	are	limited	by	the	following	maximum	operating
	schedule:													

Hrs/day	Days/week _	Weeks/year	_ or Hrs/year	8,760
,	,		_ ,	

** Compliance with annual emission limit is based on a rolling 12-month period.

Dated <u>August 28, 2002</u>