

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

1257A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			lb/hr	TPY
B-3-1	Flare	SO2	80.0	350.4
		CO	36.4	159.7
		VOC	47.6	208.5
		NOx	3.7	16.2
B-3-2	Tank 34249	VOC	<0.01	<0.1
B-3-3	Tank 34361	VOC	0.01	<0.1
B-3-4	Tank 34120	VOC	0.04	0.2
B-3-5	Tank 34125	VOC	0.09	0.4
B-3-6	Tank 34220	VOC	0.02	0.1
B-3-7	Tank 34290	VOC	0.09	0.4
B-3-8	Tank 34291	VOC	0.05	0.2
B-3-9	Tank 34326	VOC	0.02	0.1
B-3-10	Tank 34327	VOC	0.01	<0.1
B-3-11	Tank 34335	VOC	0.25	1.1
B-3-12	Tank 34343	VOC	0.20	0.9
B-3-13	Tank 34351	VOC	0.96	4.2
B-3-14	Tank 34352	VOC	1.05	4.6
B-3-15	Tank 34353	VOC	1.05	4.6

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

B-3-16	Tank 34354	VOC	1.05	4.6
B-3-17	Tank 34358	VOC	0.96	4.2
B-3-18	Tank 34402	VOC	0.07	0.3

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			lb/hr	TPY
B-3-19	Tank 34426	VOC	0.32	1.4
B-3-20	Tank 34430	VOC	0.1	0.5
B-3-21	Tank 34560	VOC	0.40	1.78
B-3-22	Tank 96600	VOC	0.12	0.5
B-3-23	Tank 96609	VOC	0.13	0.6
B-3-24	Tank 96616	VOC	0.29	0.62
B-3-25	Tank 96623	VOC	0.23	0.51
B-3-26	Tank 22002	VOC	0.40	0.75
B-3-27	Tank 22003	VOC	0.40	0.75
B-3-29	Tank 22060	VOC	0.07	0.12
B-3-31	Tank 22065	VOC	0.07	0.12
B-3-33	Tank 22070	VOC	1.47	0.58
B-3-35	Tank 22075	VOC	1.47	0.58
B-3-36	Tank 22079	VOC	<0.01	<0.1
B-3-38	Tank 22090	VOC	<0.01	<0.1

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

B-3-39	Tank 22100	VOC	<0.01	<0.1
B-3-40	Tank 22119	VOC	<0.01	<0.1
B-3-41	Tank 22120	VOC	<0.01	<0.1
B-3-42	Tank 22150	VOC	<0.01	<0.1
B-3-43	Tank 22155	VOC	<0.01	<0.1

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

### AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY
B-3-46	Tank 34730	VOC	0.4	1.78
B-3-44	Tank 34670	VOC	<0.01	<0.1
		CO	<0.01	<0.1
B-3-47 and B-3-48 total	B-3 Rack Fugitives (4)	SO2	<0.01	<0.1
		CO	0.30	1.3
		NH3	0.30	1.3
		VOC	6.80	29.7
B-3-49 and B-3-50 total	GMAA Rack Fugitives (4)	VOC	1.50	6.4
		CO	<0.01	<0.1
		SO2	<0.01	<0.1
B-3-51	Scrubber	VOC	<0.01	<0.1
		CO	<0.01	<0.1
		SO2	0.07	0.28

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in General Rule 101.1  
SO2 - sulfur dioxide  
CO - carbon monoxide  
NH3 - ammonia
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.

\* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day\_\_\_\_Days/week\_\_\_\_Weeks/year\_\_\_\_or Hrs/year 8,760

Revised\_\_\_\_\_