### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

### Permit Number 76792

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

#### AIR CONTAMINANTS DATA

Emission	Source	ir Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name <u>(3)</u>	lb/hr	TPY
	Loading/Unloading Operations			
FLT 1100	Lime Railcar Receiver Dust Colle	ctor 0.75	PM <sub>10</sub>	0.17
FLT 1140	Lime Silo Baghouse	$PM_{10}$	0.17	0.75
FLT 1080	Flour Silo Baghouse	PM <sub>10</sub>	0.17	0.75
LDR 6060	Finished Product Tank #1 Loadou	ut PM <sub>10</sub>	0.10	0.45
LDR 6070	Finished Product Tank #2 Loadou	ut PM <sub>10</sub>	0.10	0.45
LDR 6080	Finished Product Tank #3 Loadou	ut PM <sub>10</sub>	0.10	0.45
LDR 6090	Finished Product Tank #3 Baghor	use 0.75	$PM_{10}$	0.17
LDR 7110	Waste Material Loadout	$PM_{10}$	0.07	0.30
FLT 7140	Waste Material Silo Baghouse	PM <sub>10</sub>	0.14	0.61
	Material Handling Operations			
FLT 1330	Hydrator Dust Collector Baghouse	e PM <sub>10</sub>	0.42	1.85
FLT 1450	Hydrate Crusher Baghouse	$PM_{10}$	0.71	3.13
FLT 1580	Hydrate Silo Baghouse	$PM_{10}$	0.17	0.75

Permit Number 76792 Page 2

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

#### AIR CONTAMINANTS DATA

Emission	Source	Air C	Contamina	nt	Emission Rates *	
Point No. (1)	Name (2)	1	Name (3 <u>)</u>		lb/hr	TPY
FLT 4100	Dryer Dust Collector Baghous	se F	PM <sub>10</sub>		1.07	4.68
FLT 2010	Dryer Dust Collector Silo Bag	house F	PM <sub>10</sub>		0.17	0.75
FLT 5120	Classifier Dust Collector Bagh	nouse F	PM <sub>10</sub>		0.90	3.94
	Central Dust Collector System	<u>ns</u>				
FLT 7000	Material Handling Dust Collec	ctor 2.97		PM <sub>10</sub>		0.68
FLT 7120	Vacuum System Dust Collect	or I	PM <sub>10</sub>		0.21	0.90
FLT 2020	Spare Silo Baghouse	ſ	PM <sub>10</sub>		0.17	0.75
TANK	525 gal Diesel Fuel Tank	\	VOC		<0.01	<0.01
DRYER	32.7 mmBtu/hr N.G. Dryer	NO <sub>x</sub> CO SO <sub>2</sub> VOC	PM <sub>10</sub>	0.58 2.36 0.02 0.18	0.24 2.55 10.34 0.08 0.77	1.07

<sup>(1)</sup> Emission point identification - either specific equipment designation or emission point number from plot plan.

<sup>(2)</sup> Specific point source name. For fugitive sources use area name or fugitive source name.

<sup>(3)</sup> PM - particulate matter, suspended in the atmosphere, including  $PM_{10}$ .

 $PM_{10}$  - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.

VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

 $\begin{array}{cccc} NO_x & - & total \ oxides \ of \ nitrogen \\ SO_2 & - & sulfur \ dioxide \\ CO & - & carbon \ monoxide \end{array}$ 

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

\* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

24 Hrs/day 7 Days/week 52 Weeks/year or 8,760 Hrs/year

Maximum Annual Production: <u>200,000</u> Tons per year of synthetic silicate raw material

Dated January 6, 2006