

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 4673B

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant=s property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY**
DPP 30	A Dryer Scrubber	VCM	(5)	(5)
		VOC (7)	0.11	0.48
		HAP (8)	0.18	0.77
		PM ₁₀	1.88	8.24
		NO _x	2.80	12.26
		SO ₂	0.01	0.04
		CO	0.70	3.07
DPP 31	B Dryer Scrubber	VCM	(5)	(5)
		VOC (7)	0.11	0.48
		HAP (8)	0.18	0.77
		PM ₁₀	1.88	8.24
		NO _x	2.80	12.26
		SO ₂	0.01	0.04
		CO	0.70	3.07
DPP 40	Silo Dust Collector, 570 Baghouse	VCM	(5)	(5)
		PM ₁₀	0.22	0.97
DPP 41	Silo Dust Collector, 580 Baghouse	VCM	(5)	(5)
		PM ₁₀	0.22	0.97
DPP 42	Silo Dust Collector, 590 Baghouse	VCM	(5)	(5)
		PM ₁₀	0.20	0.89
DPP 43	Resin Dust Collector	VCM	(5)	(5)
		PM ₁₀	0.72	3.15
DPP 45	A Train Receiver	VCM	(5)	(5)
		PM ₁₀	0.17	0.76

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			lb/hr	TPY**
DPP 46	B Train Receiver	VCM PM ₁₀	(5) 0.17	(5) 0.76
DPP 51	Vacuum Cleaner Baghouse	VCM PM ₁₀	(5) 0.03	(5) 0.13
DPP 57	Reactor Vent Blower	VCM	0.30	0.50
DPP 71	Blending Silo Dust Collector, 514 Baghouse	VCM PM ₁₀	(5) 0.15	(5) 0.64
DPP 72	Blending Silo Dust Collector, 515 Baghouse	VCM PM ₁₀	(5) 0.15	(5) 0.64
DPP 73	Blending Silo Dust Collector, 516 Baghouse	VCM PM ₁₀	(5) 0.15	(5) 0.64
DPP 74	Silo Dust Collector, 517 Baghouse	VCM PM ₁₀	(5) 0.15	(5) 0.64
DPP 80	Ammonia Scrubber Vent	NH ₃	<0.01	<0.01
DPP 84	Blending Silo Dust Collector, 526 Baghouse	VCM PM ₁₀	(5) 0.12	(5) 0.54
DPP 85	Blending Silo Dust Collector, 527 Baghouse	VCM PM ₁₀	(5) 0.12	(5) 0.54
DPP 86	Blending Silo Dust Collector, 528 Baghouse	VCM PM ₁₀	(5) 0.12	(5) 0.54
DPP 87	Blending Silo Dust Collector, 525 Baghouse	VCM PM ₁₀	(5) 0.12	(5) 0.54
DPP 88	Blending Silo Dust Collector,	VCM	(5)	(5)

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			lb/hr	TPY**
	511 Baghouse	PM ₁₀	0.15	0.64
DPP 91	Blending Silo Dust Collector, 510 Baghouse	VCM	(5)	(5)
		PM ₁₀	0.15	0.64
DPP 94	Blending Silo Dust Collector, 595 Baghouse	VCM	(5)	(5)
		PM ₁₀	0.15	0.68
DPP 95	Equipment Openings	VCM	0.54	0.01
DPP 96	Blend Tank A	VCM	0.08	(5)
		HAP (9)	0.01	0.01
DPP 97	Blend Tank AA	VCM	0.08	(5)
		HAP (9)	0.01	0.01
DPP 98	Blend Tank B	VCM	0.08	(5)
		HAP (9)	0.01	0.01
DPP 99	Blend Tank BB	VCM	0.08	(5)
		HAP (9)	0.01	0.01
DPP 101	PVC Truck Transloading	VCM	(5)	(5)
		PM ₁₀	0.01	0.02
DPP 102	Process Fugitives (4)	VOC (6)	0.09	0.38
		VCM	0.82	3.58
		PM	0.01	0.01
		NH ₃	0.33	1.45
DPP 104	Bulk Emulsifier Tank (6)	VOC	0.09	0.01
DPP 110	Centrifuge Vent A	VCM	0.36	(5)
		HAP (9)	0.05	0.22
DPP 111	Centrifuge Vent A	VCM	0.36	(5)
		HAP (9)	0.05	0.22
DPP 68-L 71-L-75-L,	PVC Railcar loading	VCM	(5)	(5)

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY**

84-L-88-L,
91-L and 92-L

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC - volatile organic compound
 PM₁₀ - particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
 NO_x - total oxides of nitrogen
 SO₂ - sulfur dioxide
 CO - carbon monoxide
 VCM - vinyl chloride monomer
 NH₃ - anhydrous ammonia
 HAP - unspciated hazardous air pollutants
- (4) Fugitive emissions are an estimate based on component count, emission factors, and applicable reduction credits for a leak detection and repair program.
- (5) Total for residual VCM emissions is 2.16 pounds per hour and 2.96 tons per year.
- (6) Total VOCs not including VCM and other hazardous air pollutants (HAPs).
- (7) VOC emissions due to combustion of natural gas.
- (8) Acetaldehyde and other unspciated HAPs due to decomposition reactions and the combustion of natural gas.
- (9) Acetaldehyde and other unspciated HAPs, not including VCM, due to decomposition reactions.

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day 24 Days/week 7 Weeks/year 52 or Hrs/year 8,760

** Compliance with annual emission limits is based on a rolling 12-month period.

Dated July 13, 2009