### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

#### AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emissio</u>	on Rates *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY **
-	<b>EMISSION SOURCES</b>	- MAXIMUM ALLOWABLE EMISSION	RATES	

#### Permit Number 27933

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

### AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY **
FUG2	Hot Pour Holding/	PM <sub>10</sub>	0.10	0.02
	Carton Filling (4)	VOC	0.21	0.03
FUG3	Cure/Form Release (4)	VOC	0.19	0.02
T2	AST 2	VOC	2.60	
Т3	AST 3	VOC	0.42	
T5	AST 5	VOC	1.91	
Т6	AST 6	VOC	0.12	
Т7	AST 7	VOC	0.12	
	AST 8	VOC	0.12	
	AST 9	VOC	0.18	
	AST 21	VOC	0.23	

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

# AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emiss</u> io	n Rates *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY **
	AST 24	VOC	0.23	
	AST 25	VOC	0.23	
	AST 30	VOC	0.23	
	AST 40	VOC	0.01	
	AST 43	VOC	0.01	
	Storage Tank Annual CAP	VOC		7.21
	Mixer 1	VOC	0.04	
M-3	Mixer 3	VOC	0.07	
	Mixer 4	VOC	0.03	
	Mixer 7	VOC	0.43	
	Mixer 9	VOC	0.01	
	Mixer 10	VOC	0.01	
	Mixer Annual CAP	VOC		0.64
RATIONS (by reference on	ly)			
FUG5	Manual Cutting Operation (4)	РМ	0.10	0.10
4	Boiler Stack	PM NO <sub>x</sub>	0.01 0.05	0.03 0.22

#### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

		SO <sub>2</sub> CO VOC	0.01 0.01 0.01	0.01 0.05 0.02
5	Stimsonite Limestone Silo Baghouse Vent (5)	PM <sub>10</sub> VOC	0.17 0.20	0.18 0.03
FUG6	Stimsonite Mix Tank	PM VOC	1.12 0.18	0.06 0.03

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source names. For fugitive sources use area name or fugitive source name.
- (3) PM particulate matter, suspended in the atmosphere, including PM<sub>10</sub>
  - PM<sub>10</sub> particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
  - VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
  - NO<sub>x</sub>- total oxides of nitrogen
  - SO<sub>2</sub> sulfur dioxide
  - CO carbon monoxide
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) Emissions from the Hot Pour Mixing Tank are vented to the Stimsonite Limestone Silo Baghouse Vent (EPN 5) and are included in the EPN 5 emissions.
- \* Emission rates are based on and the facilities are limited by the following maximum operating schedule:
  - 9 Hrs/day 5 Days/week 50 Weeks/year or 2,250 Hrs/year
- \*\* Compliance with annual emission limits is based on a rolling 12-month period.

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES
Date November 19, 2007