Permit Numbers 16786 and N038

The total emissions of air contaminants from any of the sources listed on this table shall not exceed the stated rates.

Emission	Source	Air Contaminant	Emission	Rates
Point	Name	Name (1)	lb/hr	TPY (2)
2B, 19A, 19B, 26C, 32A, 32C, 32D, 36, 53A, 53B, 60, 62, S28, 217, 225,	South and Kilby Wafer Fa	VOC VOC	12.99 (4) 41.07 (5) 14.28 (8)	33.23 (4)
204, 205, 206, 207, SBGE	-	Exem	ot VOC	17.81 (4)
226, 227A, 227B, 234, and KCGEN	74.22 (4)	Exempt VOC Exempt VOC PM GIC CO NO _x VOC (3) PM (3) NO _x (3) CO (3) SO ₂ (3)	9.90 (5) 13.69 (8) 2.93 10.99 0.40 0.06 0.01 0.17 8.01 7.52 0.06	7.63 35.63 1.76 0.26 0.01 0.61 35.04 32.93 0.23
101 and 103	Dallas Support Building	VOC Exempt VOC GIC	0.36 0.25 0.01	0.93 1.10 0.01
11 and 52	Facilities Building	VOC Exempt VOC GIC	0.30 0.03 0.11	1.24 0.13 0.23
74	Time Building	VOC GIC	1.06 0.15	2.30 0.34

Emission Point	Source Name	Air Contaminant Name (1)	Emission lb/hr	Rates TPY (2)
238, 239, D5NAM, D5NAM2, 40E1,	DMOS5 Wafer Fab	VOC VOC	9.81 (4) 71.45 (5)	37.92 (4)
40E2, 40E3, 40E4, DM5NGEN1,		Exempt VOC Exempt VOC	22.89 (4) 28.99 (5)	99.56 (4)
DM5NGEN2, 208,		PM	1.41	5.10
209, 210, 218, 219, 220, DM5SGEN1,		GIC CO	8.85 0.76	34.62 3.36
DM5SGEN2, and		NO _x	0.70	0.44
DM5SGEN3		VOC (3)	0.01	0.01
		PM (3)	0.13	0.49
		NO _x (3)	9.87	43.20
		CO (3)	8.99	39.35
		SO ₂ (3)	0.02	0.04
CUP1, CUP2,	Central Utility Plant	VOC	1.00	4.38
CUP3, and CUP4	-	Exempt VOC	4.95	13.02
		GIC	0.01	<0.01
		VOC (3)	1.71 (6)	7.25 (7)
		PM (3)	7.26 (6)	11.21 (7)
		NO _x (3)	36.98 (6)	86.42 (7)
		CO (3)	11.71 (6)	51.24 (7)
		SO ₂ (3)	177.48 (6)	31.94 (7)
213	Solvent Building	VOC	1.75	6.86
		Exempt VOC	1.00	2.00
		GIC	<0.01	<0.01

Emission	Source	Air Contaminant	Emission	
<u>Point</u>	Name	Name (1)	lb/hr	TPY (2)
221A, 221B, 221C, 221D, 222, 223, 224, and	DMOS6 Wafer Fab	VOC VOC	4.87 (4) 35.20 (8)	20.38 (4)
DM6GEN1		Exempt VOC Exempt VOC	10.45 (4) 12.95 (8)	45.76 (4)
		PM	0.47	2.07
		GIC	6.58	23.11
		CO	0.38	1.68
		NO_x	0.05	0.22
		VOC (3)	< 0.01	<0.01
		PM (3)	0.05	0.17
		NO_{x} (3)	1.85	8.12
		CO (3)	2.33	10.21
		SO ₂ (3)	0.01	0.01
228A, 228B, 228C, 229, 229A, 230, SCGEN1, SCGEN2, and SCGEN3	SC Wafer Fab	VOC VOC Exempt VOC Exempt VOC GIC VOC (3) PM (3) NO _x (3) CO (3) SO ₂ (3)	3.10 (4) 15.06 (5) 0.46 (4) 4.79 (5) 0.83 0.01 0.02 0.68 0.58 <0.01	11.67 (4) 2.00 (4) 3.52 0.04 0.06 3.00 2.52 <0.01
S28, 40E1, 40E2, 40E3, 40E4, 210, 218, 221A, 221B, 221C, 221D, 227A, 227B, 228A, 228B, and 228C	South and Kilby, DMOS5, DMOS6, and SC Wafer Fabs	VOC Exempt VOC		22.00 (8) 1.60 (8)

Emission Point	Source Name	Air Contaminant Name (1)	Emission lb/hr	Rates TPY (2)
109, 110, 41200, 72111, 156653, 182206, 182207, 190311, 190312, 190313, 190314, 190315, 190316, 190317, and 202991	15 Boilers (Other than in Central Utility Plant)	VOC (3) PM (3) NO _x (3) CO (3) SO ₂ (3)	0.85 (6) 3.45 (6) 22.01 (6) 12.80 (6) 46.63 (6)	3.64 (9) 5.21 (9) 39.57 (9) 55.47 (9) 4.15 (9)
To Be Assigned	Additional Thermal Oxidizer	VOC (3) PM (3) NO _x (3) CO (3) SO ₂ (3)	0.02 0.02 0.87 1.09 0.01	0.06 0.01 3.81 4.79 0.02
Attachment 1	55 Fuel and Process Material Storage Tanks	VOC Exempt VOC	3.06 0.35	5.65 0.44
No Designations	Degreasers, Inorganic Storage Tanks, Cooling Towers, Wastewater Neutralization Systems, Labs, and Cafeterias	VOC Exempt VOC GIC PM	0.51 0.10 0.01 0.03	0.76 0.01 0.01 0.15
All applicable to Sources	South and Kilby DMOS5, DMOS6, SC Wafer Fabs, Dallas Support, Facilities and Time Buildings; and all other TI sources on the site	Single HAP Multiple HAP		<10.00 <25.00

(1) VOC § 101.1 (30 TAC ' 101.1). Exempt VOC - exempt solvents as defined in 30 TAC § 101.1. - particulate matter, suspended in the atmosphere, including PM₁₀ PM- particulate matter equal to or less than 10 microns in diameter. Where PM is PM_{10}

not listed, it shall be assumed that no PM greater than 10 microns is emitted.

- volatile organic compounds as defined in Title 30 Texas Administrative Code

- gaseous inorganic compounds including acids and caustics GIC

CO - carbon monoxide NO_x - nitrogen oxides - sulfur dioxide SO₂

HAP - hazardous air pollutants as identified in Title 40 Code of Federal Regulations

Part 63, Subpart C.

(2) Rate is for a rolling 12 consecutive months.

Combustion product. (3)

(4) Rate during normal operation with thermal oxidizer(s).

Rate during scheduled maintenance on thermal oxidizer(s) or gas curtailments. (5)

Rate from burning No. 2 fuel oil. (6)

Rate from burning natural gas and No. 2 fuel oil with the burning of No. 2 fuel oil limited to 360 hours per year (hrs/yr) per four boilers.

Rate during scheduled maintenance on thermal oxidizers, gas curtailments, and switching to (8) backup thermal oxidizers.

Rate from burning natural gas and No. 2 fuel oil. Burning No. 2 fuel oil is limited as follows:

Boiler Location	EPN	Hrs/Yr Limit
South and Kilby	109	168
DMOS6	190315	168
DMOS6	190316	168
DMOS6	190317	168
DMOS6	190311, 190312, 190313, and 190314	504 combined