#### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

### Permit Number 17294

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

### AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	nant <u>Emission Rates *</u>	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
1-1	170 MWe FBC Stack	DM	47.1	207.0
T-T	170 MWE FBC Stack	PM PM <sub>10</sub> **	47.1 47.1	207.0 207.0
		VOC***	1.4	6.2
		NO <sub>x</sub>	935.0	4098.0
		SO <sub>2</sub> ****	1200.0	3961.0
		CO	101.0	441.0
		H <sub>2</sub> SO <sub>4</sub>	9.3	20.5
		Hg	0.3	1.3
		Ni	1.0	3.1
		141	1.0	0.1
1-5	Standby Generator	PM	0.72	0.45
	Claired, Correlator	PM <sub>10</sub>	0.72	0.45
		$NO_x$	4.42	2.76
		$SO_2$	0.33	0.21
		CO	0.53	0.33
1-6	Limestone Roller Mill 1 East	PM	0.096	1.40
		$PM_{10}$	0.096	1.40
1-7	Limestone Roller Mill 2 West		0.096	1.40
		$PM_{10}$	0.096	1.40
4.0	T. 5.	D14	0.04	0.00
1-8	Tripper Deck	PM	0.04	0.20
		$PM_{10}$	0.04	0.20
1-9	Hydrated Lime Storage	PM	0.007	0.10
T-3	Silo Vent	PM <sub>10</sub>	0.007	0.10
	Silo verit	r 1V110	0.007	0.10
1-10	Quick Lime Storage	PM	0.007	0.033
= <del></del> -	Silo Vent	$PM_{10}$	0.007	0.033
				2.23

## Permit Number 17294 Page 2

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

# AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emission Rates</u>
<u>*</u>			
Point No. (1)	Name (2)	Name (3)	lb/hr TPY

#### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

#### AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emissior</u>	n Rates
<u>*</u>		_		
Point No. (1)	Name (2)	Name (3)	1b/hr	TPY
				_
1-11	Raw Limestone Product	PM	0.03	0.60
	Silo East Baghouse Stack	< PM₁0	0.03	0.60
1-12	Raw Limestone Product	PM	0.03	0.60
	Silo West Baghouse Stac	k PM <sub>10</sub>	0.03	0.60
1-13	Finish Limestone Product	PM	0.002	0.38
	Silo East Baghouse Stack	C PM <sub>10</sub>	0.002	0.38
1-14	Finish Limestone Product	PM	0.002	0.38
	Silo West Baghouse Stac	k PM <sub>10</sub>	0.002	0.38
1-15	Sand Product Silo East	PM	0.007	1.00
	Baghouse Stack	$PM_{10}$	0.007	1.00
1-16	Sand Product Silo West	PM	0.007	1.00
	Baghouse Stack	$PM_{10}$	0.007	1.00

- (1) Emission point identification either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source names. For fugitive sources use area name or fugitive source name.
- (3) PM particulate matter, suspended in the atmosphere, including PM<sub>10</sub>.
  - PM<sub>10</sub> particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
    - VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
    - NO<sub>x</sub> total oxides of nitrogen
    - SO<sub>2</sub> sulfur dioxide CO - carbon monoxide H<sub>2</sub>SO<sub>4</sub> - sulfuric acid mist
    - Hg total mercury emissionsNi total nickel emissions

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

*	For Emission Point Nos. 1-1, 1-13, and 1-14, emission rates are based on and the facilities are limited by the following maximum operating schedule:
	Hrs/day 24 Days/week 7 Weeks/year 52 or Hrs/year 8,760
	All other emission points are operated on an as needed basis, but not to exceed their annual emissions limits.
**	PM <sub>10</sub> emission rate is for front-half of sampling train only for Emission Point No. 1-1.
***	Hourly VOC emissions from the fluidized bed combustor may vary by two orders of magnitude.
****	Hourly $SO_2$ limit is based on a rolling three-hour average.
	Dated_