

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 40299

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
D1	Blood Dryer (a)	PM ₁₀	0.04	0.09
		VOC	0.04	0.10
		NO _x	0.75	1.87
		CO	0.15	0.37
		SO ₂	<0.01	0.01
S1	Blood Dryer Scrubber (a) 2.35		PM ₁₀	0.94
	Blood Silo Bagfilter (a) 0.05		PM ₁₀	0.02
12	Meat and Bone Meal Bagfilter (b)	PM ₁₀	0.15	0.66
72	Dried Blood Bin Bagfilter (b) 0.15		PM ₁₀	0.03
30	Hi-Pro Shaker Bagfilter (b) 1.24		PM ₁₀	0.28
42	Lo-Pro Shaker Bagfilter (b) 1.24		PM ₁₀	0.08
76A	Loadout Bagfilter (b)	PM ₁₀	0.07	0.30
4	Hi-Pro Cooler Cyclone (b) 9.39		PM ₁₀	2.14
	Dried Blood Loadout (c)	PM	2.25	1.80

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			<u>lb/hr</u>	<u>TPY</u>
		PM ₁₀	1.13	0.90
	Grl Bone Loadout (d)	PM	2.79	1.73
		PM ₁₀	1.40	0.87
	Bone Meal Loadout (e)	PM	4.95	16.83
		PM ₁₀	2.48	8.42
B1	25 MMBTU Boiler (b)	PM ₁₀	0.19	0.82
		VOC	0.15	0.64
		NO _x	2.03	8.87
		CO	1.53	6.70
		SO ₂	7.61	2.74
B2	25 MMBTU Boiler (b)	PM ₁₀	0.19	0.82
		VOC	0.15	0.64
		NO _x	2.03	8.87
		CO	1.53	6.70
		SO ₂	7.61	2.74
B3	25 MMBTU Boiler (b)	PM ₁₀	0.19	0.82
		VOC	0.15	0.64
		NO _x	2.03	8.87
		CO	1.53	6.70
		SO ₂	7.61	2.74
B4	25 MMBTU Boiler (b)	PM ₁₀	0.19	0.82
		VOC	0.15	0.64
		NO _x	2.03	8.87
		CO	1.53	6.70
		SO ₂	7.61	2.74
B5	30 MMBTU Boiler (b)	PM ₁₀	0.23	0.99
		VOC	0.17	0.76
		NO _x	2.43	10.64
		CO	1.84	8.04
		SO ₂	9.13	3.29

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			<u>lb/hr</u>	<u>TPY</u>
B6	40 MMBTU Boiler (b)	PM ₁₀	0.30	1.32
		VOC	0.23	1.02
		NO _x	3.24	14.19
		CO	2.45	8.04
		SO ₂	12.17	3.29
D2	Bone Dryer Cyclone (b)	PM ₁₀	7.70	33.73
		VOC	0.24	1.04
		NO _x	10.03	43.93
		CO	1.81	7.94
		SO ₂	0.01	0.06

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources use area name or fugitive source name.

(3) PM - particulate matter, suspended in the atmosphere, including PM₁₀

PM₁₀ - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.

VOC - volatile organic compounds as defined in 30 Texas Administrative Code Section 101.1

NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

CO - carbon monoxide

(a) Emission rates are based on and the facilities are limited to an operating schedule of 16 hours/day, 6 days/week, and 52 weeks/year.

(b) Emission rates are based on and the facilities are limited to an operating schedule of 8,760 hours/year.

(c) Emission rates are based on and the facilities are limited to an

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			<u>lb/hr</u>	<u>TPY</u>

hourly throughput of 50 tons and an annual throughput of 7,990 tons of dried blood.

(d) Emission rates are based on and the facilities are limited to an hourly throughput of 62 tons and an annual throughput of 7,700 tons of processed gel bone.

(e) Emission rates are based on and the facilities are limited to an hourly throughput of 55 tons and an annual throughput of 37,400 tons of bone meal.

Dated _____