

Emission Sources - Maximum Allowable Emission Rates

Permit Number 73971

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates (9)	
			lbs/hour	TPY (4)
Voca Pit				
CR001	Primary Jaw Crusher (5)	PM	0.06	0.28
		PM ₁₀	0.03	0.13
		PM _{2.5}	0.02	0.07
Crushbag-01	Secondary Crusher Baghouse Stack (Secondary Vertical Shaft Impact Crusher (SVSI-01), and Conveyor CB-2C)	PM	0.55	2.40
		PM ₁₀	0.55	2.40
		PM _{2.5}	0.14	0.60
SSC001	Grizzly Screen (5)	PM	1.98	8.67
		PM ₁₀	0.67	2.92
		PM _{2.5}	0.10	0.44
DH001, SDH001	Pit Loading/ Unloading Operations (5)	PM	0.03	0.13
		PM ₁₀	0.01	0.06
		PM _{2.5}	0.01	0.03
MHFUG	Pit Material Handling Fugitives (5 & 6) (P-001-P-007 and SP-001- SP-003)	PM	5.05	11.10
		PM ₁₀	1.11	4.84
		PM _{2.5}	0.55	2.42
Screenbag-01	Vibrating Screen Baghouse Stack FINs (Vibrating Screen, CB-2, and CB-2B)	PM	0.55	2.40
		PM ₁₀	0.55	2.40
		PM _{2.5}	0.14	0.60

Emission Sources - Maximum Allowable Emission Rates

SP001	Supplemental Storage Stockpile (5)	PM	-	0.36
		PM ₁₀	-	0.18
		PM _{2.5}	-	0.03
Wash Plant No. 1				
IM-01	Optional VSI Secondary Crusher (5 & 7)	PM	0.01	0.04
		PM ₁₀	<0.01	0.02
		PM _{2.5}	<0.01	0.01
IM-02	VSI Secondary Crusher (5)	PM	0.02	0.07
		PM ₁₀	0.01	0.03
		PM _{2.5}	<0.01	0.02
VS-02, VS-03	Initial Screening Operations (Wash Screens 1 and 2) (5)	PM	0.22	0.98
		PM ₁₀	0.08	0.34
		PM _{2.5}	0.05	0.23
VS-01	Oversize Screen (5)	PM	0.08	0.33
		PM ₁₀	0.03	0.11
		PM _{2.5}	0.02	0.08
DH002	Wet Haul Truck Load-Out (5)	PM	0.03	0.14
		PM ₁₀	0.02	0.07
		PM _{2.5}	0.01	0.03
MHFUGwash	Wash Plant Material Handling Fugitives (5 & 8)	PM	0.40	1.73
		PM ₁₀	0.14	0.58
		PM _{2.5}	0.02	0.09
SP002	Product Stockpile (5)	PM	-	0.02
		PM ₁₀	-	<0.01
		PM _{2.5}	-	<0.01
SP003	Oversize Stockpile (5)	PM	-	0.01
		PM ₁₀	-	<0.01
		PM _{2.5}	-	<0.01

Emission Sources - Maximum Allowable Emission Rates

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) PM_{total} -total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented;
PM₁₀ -total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as represented;
PM_{2.5} -particulate matter equal to or less than 2.5 microns in diameter.
- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) Includes drop points P001 through P007 and SP001 through SP003.
- (7) Crusher IM-01 is a spare unit to be used only as backup to Crusher IM-02.
- (8) Includes conveyor transfer points CT001 through CT010.
- (9) Planned startup and shutdown emissions are included. Maintenance activities are not authorized by this permit.

Date: _____