

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 4005

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3) lb/hr	Emission Rates *	
			TPY	
1	Scrubber System (Scrubber Nos. 1 and 2)	VOC	<0.01	0.02
		CH ₂ O	0.03	0.018
		HCl	<0.01	<0.01
		COS	0.006	0.001
2	Flare	VOC	4.69	1.19
		EO	1.37	0.18
		Naphthalene	<0.01	<0.01
		MeOH	<0.01	<0.01
		PO	0.73	0.10
		Xylene	<0.01	<0.01
3	Gas-Fired Boiler	NO _x	0.63	2.76
		CO	0.24	1.05
4	Dept. 79 - Tank Farm	VOC		0.52
5	Dept. 79 - Fugitives (4)	VOC	1.06	4.65
6	Vent Transfer and Drumming Operations (Dept. 79)	VOC		0.15
7	Oil Heaters	VOC	0.016	0.07
		NO _x	0.90	3.94
		CO	1.51	6.62
8	Dept. 41 - Tank Farm	VOC		0.155
		HCl		0.075
9	Fugitives and Transfer and Drumming Operations (4)	VOC	0.021	<0.01
		HCl	0.003	<0.001
		CH ₂ O	0.042	0.085
		NH ₃	0.06	0.26

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3) lb/hr	Emission Rates *	
			TPY	
10	Aeration Basin	CH ₂ O	<0.01	0.03
11	Cooling Tower	VOC	0.36	1.58
12	Raw Material Tank (4)	TMA	0.02	<0.01
		MC	0.36	1.28
		EPI	0.02	0.02
13	Reaction Area (4)	TMA	<0.01	<0.01
		MC	0.01	0.04
		EPI	<0.01	<0.01
14	Scrubber No. 79S-1	TMA	<0.01	<0.01
		MC	4.33	0.03
		EPI	0.04	<0.01
15	Product Storage and Loading	TMA	0.02	<0.01
		MC	<0.01	<0.01
		EPI	<0.01	<0.01
16	Scrubber System (Scrubbers 79S-2A and 2B)	VOC	1.18	0.83
17	Scrubber System	VOC	<0.01	0.01
18	Fugitives (4)	Total VOC	4.55	2.96
		EO	0.03	0.12
		Naphthalene	0.04	0.04
		MeOH	0.42	0.42
		PO	0.03	0.02
		Xylene	0.11	0.13
		Acrylic Acid	0.08	0.05
		TDI	<0.01	0.01
		Non-HAP VOC	3.31	2.12
19	Tank 7946 and Rinse	VOC	<0.01	<0.01
20	Scrubber No. S7940	VOC	0.04	<0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3) lb/hr	Emission Rates *	
			TPY	
21	Scrubber No. S7943	VOC	2.01	0.21
22	Scrubber No. S7944	VOC	0.03	<0.01
23	Tank 7942	VOC	<0.01	<0.01
24	Tank 7938	VOC	0.03	<0.01
25	Tank 7929	VOC	0.03	<0.01
26	Tank 7930	VOC	0.03	<0.01
27	Tank 7936	VOC	0.63	2.75
28	Tank 7935	VOC	0.58	0.01
29	Tank 7934	VOC	0.57	0.01
30	Tank 7945	VOC	<0.01	<0.01
31	Drum Loading	VOC	<0.01	<0.01
		Polymerized Polyol	0.12	0.02
32	Scrubber No. S7950	VOC	<0.01	<0.01
33	Resin Storage (Tank 7948)	VOC	0.98	0.16
34	Fatty Acid Storage (Tank 7950)	VOC	<0.01	<0.01
35	PTBP Storage (Tank 7947)	VOC	<0.01	<0.01
36	T-7925	Polyol	0.98	0.04

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION SOURCES

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in 30 Texas Administrative Code
Section 101.1
 - CH₂O - formaldehyde
 - HCl - hydrogen chloride
 - COS - carbonyl sulfide
 - EO - ethylene oxide
 - MeOH - methyl alcohol
 - PO - polypropylene oxide
 - NO_x - total oxides of nitrogen
 - CO - carbon monoxide
 - NH₃ - ammonia
 - TMA - trimethylamine
 - MC - methyl chloride
 - EPI - epichlorohydrin
 - TDI - toluene diisocyanate
 - non-HAP VOC - non-hazardous air pollutant VOC
 - total VOC - total volatile organic compound
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day _____ Days/week _____ Weeks/year _____ or Hrs/year 8,760

Dated _____

