Permit No. 1743

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Emission	Source	Air Contaminant	<u>Emission</u>	Rates *
Point No. (1)	Name (2) Name	(3) lb/hr TPY		
ACR-TOU51	Thermal Oxidizer U	Init NO _x CO HCN VOC ACRN ACE	130.1 60.8 <0.01 7.53 0.03 0.04	499.0 267.0 <0.01 34.82 1.97 0.15
ACR-VNT51	Absorber Vent	VOC HCN CO NO _x	5723.0 1.0 4781.0 120.0	572.3 0.1 478.1 12.0
ACR-HTR56	Start-up Heater	$\begin{array}{c} VOC \\ PM_{10} \\ CO \\ SO_{X} \\ NO_{X} \end{array}$	0.25 0.21 2.9 0.05 11.7	0.03 0.02 0.31 0.01 1.2
ACR-FLR57	ISBL Flare	VOC HCN SOx NOx CO PM ₁₀	0.65 1.31 4.0 0.11 0.02 0.01	2.61 5.74 17.52 0.46 0.09 0.11
ACR-FLR58	OSBL Flare	$\begin{array}{c} HCN \\ SO_{X} \\ VOC \\ NO_{X} \\ CO \\ PM_{10} \end{array}$	0.01 0.04 0.01 0.11 0.02 0.01	0.08 0.18 0.04 0.55 0.12 0.01

Page 2

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Emission	Source	Air Contaminant	Emission	Rates *		
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY		
ACR-ABS59	Crı	ıde Ace Tank Scrubl	oer	VOC HCN	<0.01 <0.01	<0.01 <0.01
ACR-ABS61	Fin	ished Product Scrub	ber	VOC	0.05	0.09

Emission Source	Air Contaminant <u>Emiss</u>	sion Rates *		
Point No. (1) Name				
ACR-FUG127	HCN Tank Fugitives (4)	HCN	0.14	0.62
ACR-ABS156	ACRN Analysis Scrubber	VOC	0.05	0.05
ACR-ABS159	Crude/Off Scrubber	VOC HCN	0.08 0.01	0.01 0.01
ACR-ABS219	HQ & MEHQ Tank Scrubber (6)	VOC	0.02	0.05
ACR-TFX206A	H ₂ SO ₄ Tank	H_2SO_4	<0.01	<0.01
ACR-TFX206B	H ₂ SO ₄ Tank	H ₂ SO ₄	<0.01	<0.01
ACR-TFX216	H₂O/ACRN Tank	VOC	<0.01	<0.01
ACR-TFX217	Clarifier Tank	VOC HCN	<0.01 <0.01	0.01 0.01
ACR-ABS218	Ace Product Scrubber	VOC	0.01	<0.01
ACR-TFX219	Hydroquinone Tank (5)	VOC	1.09	1.64
ACR-TFX220	Methyl Hydroquinone Tank(5)	VOC	0.77	0.22
ACR-TFX221	Acetic Acid Tank	VOC	0.01	0.04
ACR-TFX222	Ethylene Diamine Tank	VOC	<0.01	0.01
ACR-FLG231	ISBL Fugitives (4)	VOC HCN	1.69 0.27	7.39 1.19
ACR-TFX223	ISBL Brine Tank	VOC	<0.01	<0.01
ACR-TFX232	RCRA Filtrate Tank	VOC	0.01	0.04

Page 4

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Emission	Source	Air Contaminant	Emission	Rates *		
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY		
ACR-TFX280) HC	N Brine Tank		VOC	< 0.01	< 0.01
ACR-ABS31	1 Do	ck Scrubber		VOC	0.09	0.39

Emission Source	_	nission Rates *		
Point No. (1) Name ACR-FUG321	e (2) Name (3) ACRN Crude/Off Test Fugitives (4)	lb/hr TPY VOC	0.09	0.38
ACR-FUG322	ACRN Storage Tank Fugitives (4)	VOC	0.06	0.27
ACR-FUG323	ACRN Storage Tank Fugitives (4)	VOC	0.06	0.27
ACR-FUG325	Waste Organic Tank Fugitives (4)	VOC HCN	0.07 <0.01	0.3 0.01
ACR-FUG326	Hydroquinone ACRN Tank Fugitives (4)	VOC	0.11	0.47
ACR-FUG327	MEHQ Tank Fugitives (4)	VOC	0.06	0.27
ACR-FUG328	Acetic Acid Tank Fugitives (4)	VOC	0.09	0.37
ACR-FUG329	Ed Tank Fugitives (4)	VOC	0.05	0.21
ACR-FUG330	Brine Tank Fugitives (4)	VOC	0.1	0.44
ACR-FUG331	Recycle H ₂ O Tank Fugitives (4)	VOC	0.08	0.34
ACR-FUG334	Clarifier Tank Fugitives (4)	VOC HCN	<0.01 <0.01	<0.01 0.01
ACR-TFX375	Waste Water Tank	VOC HCN	0.01 0.04	0.04 0.15
WWC376-1,2	Settling Chamber	VOC HCN	2.3 0.01	10.10 0.04

BIN380 R_X Catalyst Makeup PM <0.01 <0.01

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) H₂SO₄ hydrogen sulfide
 - PM particulate matter
 - PM₁₀ particulate matter less than 10 microns
 - VOC volatile organic compounds as defined in General Rule 101.1
 - NO_x total oxides of nitrogen
 - SO_x total oxides of sulfur
 - CO carbon monoxide
 - HCN hydrocarbon cyanide
 - HCI hydrogen chloride
 - ACRN acrylonitrile
 - ACE acetonitrile
 - HQ hydroquinone
 - MEHQ methly hydroquinone
 - ED ethylene diamine
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) Until ACR-ABS219 is operational but not later than July 1, 1995
- (6) After ACR-ABS219 is operational but not later that July 1, 1995
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day 24 Days/week 7 Weeks/year 52 or Hrs/year 8,760

L	ated	