

Emission Sources - Maximum Allowable Emission Rates
Permit Number 5783 and N57M1

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lbs/hour	TPY (4)
B-101	Boiler	NO _x	0.71	3.12
		CO	0.01	0.01
		SO ₂	0.01	0.06
		PM	0.19	0.82
		PM10	0.19	0.82
		PM2.5	0.19	0.82
		VOC	0.13	0.59
B-102	Boiler	NO _x	0.78	3.39
		CO	0.01	0.01
		SO ₂	0.01	0.06
		PM	0.19	0.82
		PM10	0.19	0.82
		PM2.5	0.19	0.82
		VOC	0.13	0.59
B-103	Boiler	NO _x	0.53	2.30
		CO	0.31	1.36
		SO ₂	0.01	0.06
		PM	0.19	0.82
		PM10	0.19	0.82
		PM2.5	0.19	0.82
		VOC	0.13	0.59

Emission Sources - Maximum Allowable Emission Rates

B-104	Boiler	NO _x	0.55	2.41
		CO	0.50	2.19
		SO ₂	0.01	0.06
		PM	0.19	0.82
		PM ₁₀	0.19	0.82
		PM _{2.5}	0.19	0.82
		VOC	0.13	0.59
B-201	Boiler	NO _x	0.27	1.19
		CO	0.07	0.31
		SO ₂	0.01	0.03
		PM	0.09	0.40
		PM ₁₀	0.09	0.40
		PM _{2.5}	0.09	0.40
		VOC	0.07	0.29
B-202	Boiler	NO _x	0.23	1.02
		CO	0.24	1.05
		SO ₂	0.01	0.03
		PM	0.09	0.40
		PM ₁₀	0.09	0.40
		PM _{2.5}	0.09	0.40
		VOC	0.07	0.29
B-203	Boiler	NO _x	0.26	1.15
		CO	0.13	0.58
		SO ₂	0.01	0.03
		PM	0.09	0.40

Emission Sources - Maximum Allowable Emission Rates

		PM10	0.09	0.40
		PM2.5	0.09	0.40
		VOC	0.07	0.29
B-204	Boiler	NOx	0.20	0.89
		CO	0.06	0.28
		SO2	0.01	0.03
		PM	0.09	0.40
		PM10	0.09	0.40
		PM2.5	0.09	0.40
		VOC	0.07	0.29
B-105	Boiler	NOx	0.26	1.14
		CO	0.08	0.35
		SO2	0.01	0.03
		PM	0.09	0.40
		PM10	0.09	0.40
		PM2.5	0.09	0.40
		VOC	0.07	0.29
B-106	Boiler	NOx	0.26	1.14
		CO	0.07	0.31
		SO2	0.01	0.03
		PM	0.09	0.40
		PM10	0.09	0.40
		PM2.5	0.09	0.40
		VOC	0.07	0.29
B-107	Boiler	NOx	0.24	1.03

Emission Sources - Maximum Allowable Emission Rates

		CO	0.05	0.23
		SO2	0.01	0.03
		PM	0.09	0.40
		PM10	0.09	0.40
		PM2.5	0.09	0.40
		VOC	0.07	0.29
B-108	Boiler	NOx	0.24	1.03
		CO	0.07	0.30
		SO2	0.01	0.03
		PM	0.09	0.40
		PM10	0.09	0.40
		PM2.5	0.09	0.40
		VOC	0.07	0.29
T20-1	FR Tank	VOC	11.71	---
T20-2	FR Tank	VOC	11.71	---
T20-3	FR Tank	VOC	11.71	---
T20-4	FR Tank	VOC	11.71	---
T30-1	FR Tank	VOC	11.71	---
T30-2	FR Tank	VOC	11.71	---
T80-1	FR Tank	VOC	35.14	---
T80-2	FR Tank	VOC	35.14	---
T80-3	FR Tank	VOC	35.14	---
T80-4	FR Tank	VOC	35.14	---
T80-5	FR Tank	VOC	35.14	---
T80-6	FR Tank	VOC	35.14	---

Emission Sources - Maximum Allowable Emission Rates

T80-7	FR Tank	VOC	35.14	---
T80-8	FR Tank	VOC	35.14	---
T80-9	FR Tank	VOC	35.14	---
T80-10	FR Tank	VOC	35.14	---
T80-11	FR Tank	VOC	35.14	---
T80-12	FR Tank	VOC	35.14	---
T80-13	FR Tank	VOC	35.14	---
T80-14	FR Tank	VOC	35.14	---
T80-15	FR Tank	VOC	35.14	---
T80-16	FR Tank	VOC	35.14	---
T80-17	FR Tank	VOC	35.14	---
T80-18	FR Tank	VOC	35.14	---
T80-19	FR Tank	VOC	35.14	---
T80-20	FR Tank	VOC	35.14	---
T80-21	FR Tank	VOC	35.14	---
T80-22	FR Tank	VOC	35.14	---
T80-23	FR Tank	VOC	35.14	---
T80-24	FR Tank	VOC	35.14	---
T80-25	FR Tank	VOC	35.14	---
T80-26	FR Tank	VOC	35.14	---
T80-27	FR Tank	VOC	35.14	---
T80-28	FR Tank	VOC	35.14	---
T80-29	FR Tank	VOC	35.14	---
T80-30	FR Tank	VOC	35.14	---
T80-31	FR Tank	VOC	35.14	---

Emission Sources - Maximum Allowable Emission Rates

T80-32	FR Tank	VOC	35.14	---
T80-33	FR Tank	VOC	35.14	---
T80-34	FR Tank	VOC	35.14	---
T80-35	FR Tank	VOC	35.14	---
T80-36	FR Tank	VOC	35.14	---
T80-37	FR Tank	VOC	35.14	---
T80-38	FR Tank	VOC	35.14	---
T175-1	FR Tank	VOC	46.86	---
T175-2	FR Tank	VOC	46.86	---
T175-3	FR Tank	VOC	46.86	---
T175-4	FR Tank	VOC	46.86	---
T200-1	FR Tank	VOC	58.57	---
T200-2	FR Tank	VOC	58.57	---
T200-3	FR Tank	VOC	58.57	---
T200-4	FR Tank	VOC	58.57	---
T200-5	FR Tank	VOC	58.57	---
T200-6	FR Tank	VOC	58.57	---
T200-7	FR Tank	VOC	58.57	---
T200-8	FR Tank	VOC	58.57	---
T200-9	FR Tank	VOC	58.57	---
T250-1	FR Tank	VOC	58.57	---
T250-2	FR Tank	VOC	58.57	---
T250-3	FR Tank	VOC	58.57	---
T250-4	FR Tank	VOC	58.57	---
T250-5	FR Tank	VOC	58.57	---

Emission Sources - Maximum Allowable Emission Rates

T250-6	FR Tank	VOC	58.57	---
T250-7	FR Tank	VOC	58.57	---
T250-8	FR Tank	VOC	58.57	---
TTRC-1	T/T Load	VOC	3.07	---
TTRC-2	T/T Load	VOC	4.80	---
SOURCE GROUP TOTAL (VOC) (6)				66.00
T30-3	FR Tank	VOC	23.43	---
T30-4	FR Tank	VOC	23.43	---
T30-5	FR Tank	VOC	23.43	---
T30-6	FR Tank	VOC	23.43	---
T325-1	FR Tank	VOC	46.86	---
T325-2	IFR	VOC	13.69	---
T400-1	IFR	VOC	13.26	---
T400-2	IFR	VOC	13.26	---
T400-3	IFR	VOC	13.26	---
T400-4	IFR	VOC	13.26	---
T400-5	IFR	VOC	13.26	---
T400-6	IFR	VOC	13.26	---
T400-7	IFR	VOC	13.26	---
T400-9	IFR	VOC	13.26	---
T400-10	IFR	VOC	13.26	---
SOURCE GROUP TOTAL (VOC) (7)				121.77
T3-1	FR Tank	VOC	0.11	0.02
T10-1	FR Tank	VOC	1.15	0.02
T11-1	FR Tank	VOC	0.01	0.01

Emission Sources - Maximum Allowable Emission Rates

T13-1	FR Tank	VOC	1.15	0.02
T13-2	FR Tank	VOC	1.15	0.02
T30-11	FR Tank	VOC	7.73	0.77
T30-12	FR Tank	VOC	7.73	0.77
T30-13	FR Tank	VOC	7.73	0.77
T30-14	FR Tank	VOC	12.45	0.67
T30-15	FR Tank	VOC	12.45	0.67
T30-16	FR Tank	VOC	12.45	0.67
T30-17	FR Tank	VOC	12.45	0.67
T30-18	FR Tank	VOC	12.45	0.67
T30-19	FR Tank	VOC	12.45	0.67
T37-1	FR Tank	VOC	0.85	0.05
T37-2	FR Tank	VOC	0.85	0.05
T38-1	FR Tank	VOC	5.70	0.24
T90-1	FR Tank	VOC	0.74	0.16
T90-2	FR Tank	VOC	0.74	0.16
T95-1	FR Tank	VOC	12.45	2.14
T95-2	FR Tank	VOC	12.45	2.14
T100-1	FR Tank	VOC	12.45	0.85
T100-2	FR Tank	VOC	12.45	0.85
T100-3	FR Tank	VOC	12.45	2.24
T100-4	FR Tank	VOC	12.45	2.24
T100-5	FR Tank	VOC	0.09	0.17
T100-6	FR Tank	VOC	0.09	0.17
T100-7	FR Tank	VOC	0.09	0.17

Emission Sources - Maximum Allowable Emission Rates

T100-8	FR Tank	VOC	0.09	0.17
T100-9	FR Tank	VOC	0.09	0.17
T100-10	FR Tank	VOC	0.09	0.17
T100-11	FR Tank	VOC	0.09	0.17
T100-12	FR Tank	VOC	0.09	0.17
T100-13	FR Tank	VOC	0.09	0.10
T100-14	FR Tank	VOC	0.09	0.10
T100-15	FR Tank	VOC	0.09	0.10
T100-16	FR Tank	VOC	0.09	0.10
T100-17	FR Tank	VOC	0.09	0.10
T100-18	FR Tank	VOC	0.09	0.10
T100-19	FR Tank	VOC	0.09	0.10
T100-20	FR Tank	VOC	0.09	0.10
T100-21	FR Tank	VOC	3.11	2.09
T100-22	FR Tank	VOC	3.11	2.09
T100-23	FR Tank	VOC	3.11	2.09
T100-24	FR Tank	VOC	3.11	2.09
T220-1	FR Tank	VOC	1.83	0.40
T266-1	FR Tank	VOC	1.83	0.49
T266-2	FR Tank	VOC	1.83	0.49
W30-1	FR Tank	VOC	12.45	0.25
W30-2	FR Tank	VOC	12.45	0.25
SHIPLD-1	Ship Dock 1	VOC	13.97	---
SHIPLD-2	Ship Dock 2	VOC	13.97	---
SHIPLD-3	Ship Dock 3	VOC	13.97	---
SHIPLD-1/2/3	Combined Ship	VOC	----	5.49

Emission Sources - Maximum Allowable Emission Rates

	Dock 1,2, and 3 Cap			
SHIPLD-3C	Ship Dock 3 Crude Oil	VOC	90.18	4.52
SHIPLD-4	Ship Dock 4	VOC	0.98	1.05
BRGDK-2	Barge Dock 2	VOC	0.53	1.32
BRGDK-3	Barge Dock 3	VOC	0.53	2.63
BRGDK-4	Barge Dock 4	VOC	0.53	0.66
BRGDK-5	Barge Dock 5	VOC	0.53	2.63
BRGDK-6	Barge Dock 6	VOC	5.81	2.25
BRGDK-7	Barge Dock 7	VOC	1.76	0.75
TTRC-3	T/T R/C Load	VOC	6.97	1.05
FU-4	Fugitive Area	VOC (5)	0.49	2.16
VCU1-SHIP3	Ship Dock 3 VCU-1	VOC	0.86	0.45
		NO _x	6.49	4.54
		CO	14.11	9.86
		SO ₂	0.03	0.02
		PM	0.35	0.24
		PM ₁₀	0.35	0.24
		PM _{2.5}	0.35	0.24
VCU2-SHIP3	Ship Dock 3 VCU-2	VOC	0.86	0.45
		NO _x	6.49	4.54
		CO	14.11	9.86
		SO ₂	0.03	0.02
		PM	0.35	0.24
		PM ₁₀	0.35	0.24
		PM _{2.5}	0.35	0.24

Emission Sources - Maximum Allowable Emission Rates

VCU1-SHIP3 and VCU2-SHIP3	Combined Ship Dock 3 VCU Cap	VOC	---	0.45
		NO _x	---	4.54
		CO	---	9.86
		SO ₂	---	0.02
		PM	---	0.24
		PM ₁₀	---	0.24
		PM _{2.5}	---	0.24

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
- NO_x - total oxides of nitrogen
- SO₂ - sulfur dioxide
- PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented
- PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as represented
- PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter
- CO - carbon monoxide
- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) The following EPNs are included in the annual cap of 66.0 tpy: T20-1 through T20-4, T30-1, T30-2, T80-1 through T80-38, T175-1 through T175-4, T200-1 through T200-9, T250-1 through T250-8, TTTC-1, and TTTC-2.
- (7) The following EPNs are included in the annual cap of 121.77 tpy: T30-3 through T30-6, T325-1, T325-2, and T400-1 through T400-11.

Date: March 11, 2016