

Emission Sources - Maximum Allowable Emission Rates

Permit Number 735B and PSDTX908

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lbs/hour	TPY (4)
12-2-B20A	Boiler B-20A	CO	40.7	175.00
		NO _x	92.52	534.36
		PM	1.59	6.95
		PM ₁₀	1.59	6.95
		PM _{2.5}	1.59	6.95
		SO ₂	3.12	13.67
		VOC	1.15	5.04
12-2-B20C	Boiler B-20C	CO	36.40	159.20
		NO _x	24.38	106.76
		PM	2.42	10.61
		PM ₁₀	2.42	10.61
		PM _{2.5}	2.42	10.61
		SO ₂	0.19	0.84
		VOC	1.75	7.68
15-2-1	Heat Recovery Steam Generator with Duct Burner Firing	CO	106.83	313.96
		NO _x	117.11	238.82
		PM	10.15	37.03
		PM ₁₀	10.15	37.03
		PM _{2.5}	10.15	37.03
		SO ₂	0.80	2.92
		VOC	15.98	33.09

Emission Sources - Maximum Allowable Emission Rates

15-2-1	Heat Recovery Steam Generator without Duct Burner Firing	CO	62.23	233.32
		NO _x	61.35	138.02
		PM	6.76	29.63
		PM ₁₀	6.76	29.63
		PM _{2.5}	6.76	29.63
		SO ₂	0.53	2.34
		VOC	2.04	7.88
UTILMSS	Utility Department MSS Activities	VOC	0.21	0.22

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
- NO_x - total oxides of nitrogen
- SO₂ - sulfur dioxide
- PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented
- PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as represented
- PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter
- CO - carbon monoxide
- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.

Date: October 31, 2013