Permit Number 73193

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Ra	ates * TPY**
SCRUB13	Scrubber No. 13A	VOC HCI Phosphonate-U H ₃ PO ₄ H ₃ PO ₃	9.36 0.02 0.01 0.01 0.01	0.39 0.01 0.01 0.01 0.01
SCRUB11	Scrubber Nos. 10 and 11	VOC HCI Phosphonate-U H ₃ PO ₄ H ₃ PO ₃	9.36 0.02 0.01 0.01 0.01	***
SCRUB14	Scrubber No. 14A and B	VOC HCI Phosphonate-U H₃PO₄ H₃PO₃ KOH NaOH	0.93 0.07 0.01 0.02 0.05 0.01 0.01	0.52 0.02 0.01 0.01 0.02 0.01 0.01
SCRUB12	Scrubber No. 12	VOC	0.06	0.01
SCRUB8	Scrubber No. 8	VOC HCI Phosphonate-U H₃PO₄ H₃PO₃ KOH NaOH	0.18 0.02 0.01 0.01 0.01 0.01 0.01	0.01 0.01 0.01 0.01 0.01 0.01 0.01

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
SCRUB16	Scrubber No. 16	VOC HCI Phosphonate-U H₃PO₄ H₃PO₃ KOH NaOH	0.04 0.01 0.01 0.01 0.01 0.01 0.01	0.04 0.01 0.01 0.01 0.01 0.01 0.01
SCRUB2	Scrubber No. 2	VOC	0.09	0.01
SCRUB3	Scrubber No. 3	VOC	0.12	0.04
SCRUB4	Scrubber No. 4	VOC	0.04	0.04
SCRUB5	Scrubber No. 5	VOC	0.01	0.01
SCRUB6	Scrubber No. 6	VOC	0.39	0.04
SCRUB7	Scrubber No. 7	VOC	0.01	0.01
SCRUB15	Scrubber No. 15	VOC	0.21	0.04
TK-1	Tank 1	VOC	1.45	0.03
TK-2	Tank 2	VOC	0.45	0.01
TK-3	Tank 3	VOC	0.01	0.01
TK-5	Tank 5	VOC	1.36	0.01
TK-6	Tank 6	VOC	0.01	0.04
TK-7	Tank 7	VOC	0.01	0.02
TK-8 TK-10	Tank 8 Tank 10	VOC VOC	0.01 0.02	0.01 0.01

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
TK-11	Tank 11	VOC	0.85	0.02
TK-19	Tank 19	VOC	0.01	0.01
TK-20	Tank 20	VOC	0.01	0.12
TK-22	Tank 22	VOC	0.01	0.01
TK-24	Tank 24	VOC	0.01	0.12
TK-25	Tank 25	VOC	7.96	0.08
TK-27	Tank 27	VOC	2.91	0.02
TK-28	Tank 28	VOC	1.36	0.01
TK-29	Tank 29	VOC	3.22	0.08
TK-30	Tank 30	VOC	20.50	0.11
TK-31	Tank 31	VOC	0.72	0.01
TK-32	Tank 32	VOC	1.36	0.01
TK-33	Tank 33	VOC	2.32	0.06
TK-34	Tank 34	VOC	1.36	0.02
TK-35	Tank 35	VOC	3.22	0.09
TK-41	Tank 41	VOC	1.36	0.01
TK-47 TK-48	Tank 47 Tank 48	VOC VOC	10.40 10.40	0.49 0.49
TK-52	Tank 52	VOC	11.09	0.18

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Ra	tes * TPY**
TK-54	Tank 54	VOC	0.01	0.05
TK-55	Tank 55	VOC	0.01	0.09
TK-56	Tank 56	VOC	0.01	0.22
TK-58	Tank 58	VOC	0.01	0.09
TK-64	Tank 64	VOC	0.75	0.01
TK-65	Tank 65	VOC	0.01	0.01
TK-66	Tank 66	VOC	0.01	0.03
TK-69	Tank 69	VOC	0.02	0.11
TK-70	Tank 70	VOC	0.01	0.01
TK-72	Tank 72	VOC	0.02	0.61
TK-81	Tank 81	VOC	0.09	0.01
DRUMHEAT	Heated Drums	VOC Polyphosphoric Acid	0.02 0.01	0.05 0.01
TRUCKWASH	Tank Trailer Cleaning	VOC	6.53	0.98
CT-NORTH	North Cooling Tower	VOC	0.54	2.37
CT-SOUTH	South Cooling Tower	VOC	0.32	1.42
OILHEAT	Hot Oil Heater	NO_x CO VOC PM/PM_{10} SO_2	0.27 0.23 0.01 0.02 0.04	1.19 1.00 0.07 0.09 0.17

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
TRUCKLOAD	Truck Loading Fugitives (4)	VOC HCI Phosphonate-U H₃PO₄ H₃PO₃ KOH NaOH	0.07 0.01 0.01 0.01 0.01 0.01	0.06 0.01 0.01 0.01 0.01 0.01
WWDLFUG	Drum Loading from Wastewater Tanks (4)	VOC	1.26	0.01
PLANTFUG	Plant Fugitives (4)	VOC	0.53	2.28
RBLENDFUG	Reactor and Blender Fugitives (4) VOC NH ₃ Cl ₂	1.67 0.06 0.01	7.14 0.27 0.01
TB1FUG	Tank Battery 1 Fugitives (4)	VOC	0.25	1.11
TB2FUG	Tank Battery 2 Fugitives (4)	VOC	0.57	2.48
TB3FUG	Tank Battery 3 Fugitives (4)	VOC	0.44	1.82
TB4FUG	Tank Battery 4 Fugitives (4)	VOC NH₃	0.74 0.02	3.14 0.11
TB5FUG	Tank Battery 5 Fugitives (4)	VOC	0.06	0.25
TB6FUG TB8FUG	Tank Battery 6 Fugitives (4) Tank Battery 8 Fugitives (4)	VOC VOC	0.01 0.34	0.06 1.28
FUGMSS	Line Break	VOC	2.65	0.28
	Tank Maintenance	VOC	6.92	1.87
	SO ₂ Tank Maintenance	VOC SO ₂	0.01 0.01	0.01 0.01

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emissior</u> lb/hr	Rates * TPY**
	NH₃ Tank Maintenance	VOC NH₃	0.01 0.01	0.01 0.01
	Hot Oil Heater Drum Filling	VOC	0.01	0.01
	Vacuum Truck Loading	VOC	0.06	0.01
	Aerosol Degreasing/Lubricants	VOC	6.90	0.35

- (1) Emission point identification either specific equipment designation or emission point number (EPN) from a plot plan.
- (2) Specific point source names. For fugitive sources, use an area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in Title 30 Texas Administrative Code ' 101.1
 - PM particulate matter, suspended in the atmosphere, including PM₁₀
 - PM_{10} particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns is emitted.
 - NO_x total oxides of nitrogen
 - SO₂ sulfur dioxide
 - CO carbon monoxide
 - HCl hydrogen chloride
 - NaOH sodium hydroxide
 - KOH potassium hydroxide
 - H₃PO₄ phosphoric acid
 - H₃PO₃ phosphorous acid
 - NH_3 ammonia Cl_2 chlorine

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:
 - <u>24</u> Hrs/day <u>7</u> Days/week <u>52</u> Weeks/year or <u>8,760</u> Hrs/year
- ** Compliance with annual emission limits is based on a rolling 12-month period.
- *** Annual emissions for EPN SCRUB 11 are included in the annual emissions for EPN SCRUB 13.

Dated August 20, 2010