EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 6426

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Source	Air Contaminant		<u>Emission</u>
Name	Name (3)		lb/hr
Mixer Baghouse	TSP	0.35	1.54
	PM ₁₀ VOC	0.35 2.66	1.54 2.33
Doof Vents and Exhausts (4)	TCD	0.10	0.08
Roof verils and Exhausts (4)		0.10	0.08
	VOC	0.19	0.16
Asphalt Storage Tank	VOC	0.41	0.35
Cutback Asphalt Storage Tank	VOC	1.05	0.92
Asphalt Cutback Storage Tank	VOC	0.64	0.56
Asphalt Cutback Storage Tank	VOC	1.06	0.92
Mineral Spirits Storage Tank	VOC	0.05	0.04
Fuel Oil Storage Tank	VOC	<0.01	0.01
Emulsion Vent 1	TSP	0.16	0.14
	PM ₁₀	0.08	0.07
	VOC	0.76	0.66
Emulsion Vent 2	TSP	0.05	0.04
			0.02 0.19
	Mixer Baghouse Roof Vents and Exhausts (4) Asphalt Storage Tank Cutback Asphalt Storage Tank Asphalt Cutback Storage Tank Asphalt Cutback Storage Tank Mineral Spirits Storage Tank Fuel Oil Storage Tank Emulsion Vent 1	Mixer Baghouse TSP PM10 VOC Roof Vents and Exhausts (4) Asphalt Storage Tank Cutback Asphalt Storage Tank VOC Asphalt Cutback Storage Tank VOC Asphalt Cutback Storage Tank VOC Mineral Spirits Storage Tank VOC Fuel Oil Storage Tank VOC Emulsion Vent 1 TSP PM10 VOC	Name Name (3) Mixer Baghouse TSP PM10 0.35 PM10 0.35 VOC 2.66 Roof Vents and Exhausts (4) TSP 0.10 PM10 0.05 VOC 0.19 Asphalt Storage Tank VOC 0.19 Asphalt Storage Tank VOC 1.05 VOC 0.41 Cutback Asphalt Storage Tank VOC 0.64 Asphalt Cutback Storage Tank VOC 0.64 Asphalt Cutback Storage Tank VOC 0.05 Fuel Oil Storage Tank VOC 0.05 Fuel Oil Storage Tank VOC 0.01 Emulsion Vent 1 TSP 0.16 PM10 0.08 VOC 0.76 Emulsion Vent 2 TSP 0.05 PM10 0.03

⁽¹⁾ Emission point identification - either specific equipment designation or emission point number from plot plan.

⁽²⁾ Specific point source name. For fugitive sources use area name or fugitive source name.

⁽³⁾ TSP - total suspended particulate (including PM₁₀)

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

 $\text{PM}_{\text{10}}\,$ - particulate matter less than 10 microns in diameter VOC - volatile organic compounds as defined in General Rule 101.1

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

(4)	Fugitive emissions resulting from the following sources: Tanks 100, 200, 300, L1, L2, L3, L4, and Mixer 16. These sources are within confines of the building and are exhausted through forced ventilation. To determine constituent emissions from a single vent, divide the total air contaminate emissions rate by six.
*	Emission rates are based on and the facilities are limited by the following maximum operating schedule and production rates:
	8,760 hrs/year 20 tons/hr 35,000 tons/yr
	Dated _