## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## Permit No. 7736

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant <u>Emission Rates *</u>		
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
OX-MH-1	Material Handling	$\begin{array}{c} PM \\ PM_{10} \\ Cr^{+3} \\ Cr_{tot} \end{array}$	<0.01 <0.01 0.0003 0.0003	<0.01 <0.01 0.001 0.001
4	Boiler No. 3	NOx CO 6.00 VOC 0.83 SO <sub>2</sub> 47.10 SO <sub>3</sub> 0.95 PM 6.57 PM <sub>10</sub>	82.50 13.14 0.57 9.28 0.17 2.70 4.93	2.02
201	Sulfate Unloading Vent	PM PM <sub>10</sub>	0.03 0.02	0.13 0.12
202	Grinding Building Vent	PM PM <sub>10</sub>	0.30 0.27	1.31 1.18
205	Ground Sulfate Vent	PM PM <sub>10</sub>	0.03 0.02	0.13 0.12
210	Plant Stack	$\begin{array}{c} NO_X \\ NH_3 & 3.50 \\ HBO_2 & 0.04 \\ SO_2 & 20.48 \\ PM & 5.91 \\ PM_{10} \\ Cr^{+6} \\ Cr^{+3} \\ Cr_{tot} \end{array}$	38.82 15.33 0.18 89.70 25.89 5.32 0.05 0.90	23.30 0.22 3.94 4.16

### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

#### AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant		Emission Rates *	
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY
211	Filter Vent	Cr <sup>+3</sup> Cr <sup>+6</sup>	PM PM <sub>10</sub> 0.05 0.0003	1.04 0.94 0.219 0.001	4.56 4.10
		Cr <sub>tot</sub>	0.0503	0.220	
214	Packing/Dryer Stack		$\begin{array}{l} \text{PM} \\ \text{PM}_{10} \\ \text{NO}_{X} \\ \text{SO}_{2} \\ \text{Cr}^{+3} \\ \text{Cr}^{+6} \\ \text{Cr}_{\text{tot}} \end{array}$	0.90 0.81 2.30 0.15 0.60 0.0002 0.60	3.94 3.55 10.07 0.66 2.63 0.001 2.631
OX1 to OXx	Chromic Oxide Storage Tanks (4)		Cr <sup>+3</sup> Cr <sub>tot</sub>	0.0005 0.0005	0.002 0.002
H1 to Hx	Hydrate Plant Storage Tanks (4)		Cr <sup>+3</sup> Cr <sub>tot</sub>	0.00001 0.00001	0.0001 0.0001

- (1) Emission point identification either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source names. For fugitive sources use area name or fugitive source name.
- (3) PM particulate matter, suspended in the atmosphere, including PM<sub>10</sub>.
  - PM<sub>10</sub> particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
    - VOC volatile organic compounds as defined in 30 Texas Administrative Code Chapter 101.1

NO<sub>X</sub> - total oxides of nitrogen

SO<sub>2</sub> - sulfur dioxide CO - carbon monoxide SO<sub>3</sub> - sulfur trioxide

NH<sub>3</sub> - ammonia

Cr<sup>+6</sup> - hexavalent chromium
Cr<sup>+3</sup> - trivalent chromium
Cr<sub>tot</sub> - total chromium
HBO<sub>2</sub> - metaboric acid

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

(4)	Fugitive emissions are an estimate only.
*	Except Boiler No. 3, emission rates are based on and the facilities are limited by the following maximum operating schedule:
	Hrs/dayDays/weekWeeks/year or Hrs/year_ 8,760
	Emission limits are based on the plant throughput as shown on the Material Balance Table in the confidential file. Annual emission limits for Boiler No. 3 are based on 4,380 hrs of operation.
	Dated