Emission Sources - Maximum Allowable Emission Rates

Permit Number 72563

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)		Air Contaminants Data Air Contaminant Name (3)	Emission Rates (6)	
			lbs/hour	TPY (4)
PLASPLANT	Deco 1 & 2 Booths and Ovens, AMU Inside Deco, Sprimag Booth 1 and Ovens, Sprimag 1 AMUs, Sprimag Paint Kitchens and Solvent Distillation Unit, Manual Paint Booth	VOC	50.60	89.97
		Exempt Solvent	25.13	16.68
		PM	0.01	0.02
		PM ₁₀	0.01	0.01
		PM _{2.5}	0.01	0.01
		NO _x	1.09	3.61
		со	0.92	3.03
		VOC (7)	0.12	0.40
		PM (7)	0.08	0.27
		PM ₁₀ (7)	0.08	0.27
		PM _{2.5} (7)	0.08	0.27
		SO ₂	0.01	0.02
NGCOMB	Deco 1 & 2 Ovens, Sprimag 1 Ovens (2), Roof Top Unit (RTU) Heaters, Jig Wash, Boilers and Humidifiers	NO _x	1.88	7.42
		СО	1.57	6.29
		VOC	0.21	0.82
		PM	0.14	0.56
		PM ₁₀	0.14	0.56
		PM _{2.5}	0.14	0.56
		SO ₂	0.01	0.05
RTO 1 Stack	RTO 1 (7.43 MMBtu/hr) Sprimag 2 Booth and Oven	VOC	0.57	1.22
		Exempt Solvent	0.05	0.09
		PM	<0.01	0.02
		PM ₁₀	<0.01	0.02
		PM _{2.5}	<0.01	0.02

Project Number: 302284

Emission Sources - Maximum Allowable Emission Rates

NO _x 0.85 CO 0.71 VOC (7) 0.09 PM (7) 0.06	2.79 2.34 0.31 0.21
VOC (7) 0.09	0.31
PM (7) 0.06	0.21
](.)	i
PM ₁₀ (7) 0.06	0.21
PM _{2.5} (7) 0.06	0.21
SO ₂ 0.01	0.02
RTO 2 Stack RTO 2 (7.43 MMBtu/hr), Sprimag 3	2.27
Booth and Oven, and Sprimag 4 Booth and Sprimag 4 Booth and	0.24
Oven PM 0.01	0.02
PM ₁₀ 0.01	0.02
PM _{2.5} 0.01	0.02
NO _x 0.95	3.13
CO 0.80	2.63
VOC (7) 0.10	0.34
PM (7) 0.07	0.24
PM ₁₀ (7) 0.07	0.24
PM _{2.5} (7) 0.07	0.24
SO ₂ 0.01	0.02
All Sources at the Site Individual HAP	<10
Total HAP	<25

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources, use area name or fugitive source name.

(3) Exempt Solvent - Those carbon compounds or mixtures of carbon compounds used as solvents which have been excluded from the definition of volatile organic compound.

VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented

PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as

represented

PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter

CO - carbon monoxide

HAP - hazardous air pollutant as listed in § 112(b) of the Federal Clean Air Act or Title 40 Code of Federal Regulations Part 63, Subpart C

⁽⁴⁾ Compliance with annual emission limits (tons per year) is based on a 12-month rolling period. Project Number: 302284

Emission Sources - Maximum Allowable Emission Rates

- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) Emission rates include planned maintenance, startup and shutdown activities.
- (7) Products of combustion.

Date:	December 8, 2022

Project Number: 302284