## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## Permit No. 32835

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## AIR CONTAMINANTS DATA

Emission *	Source	Aiı	<sup>r</sup> Contaminant	<u>Emission</u>	Rates
Point No. (1)	Name (2)		Name (3)	1b/hr	TPY
FV87820115	Central Thermal Oxidize 2.49	r ((	CTO)	VOC	0.57
			Acetone	0.013	0.06
		0.0	3.28	14.36	
	N	10×	4.02	17.61	
	H	IC1	1.06	4.64	
	N	$NH_3$	0.20	0.88	
	9	5 <b>0</b> <sub>2</sub>	0.02	0.02	
FUG-878	Fugitive Emissions (4)		VOC	0.27	1.18
FV87826152	Non-Selective Catalytic Reduction Unit (5)	:	UPSET/MAINT	ENANCE USE OF	NLY
FF87826211	Enclosed CTO Backup Fla	re (	(6)UPSET/MAINT	ENANCE USE C	NLY

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in 30 Texas Administrative Code Section 101.1

NO<sub>x</sub> - total oxides of nitrogen

SO<sub>2</sub> - sulfur dioxide

CO - carbon monoxide

HCl - hydrogen chloride

NH₃ - ammonia

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) Dedicated backup control device for the SAC Process Off-Gas and

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

the DNT Process Off-Gas streams when the CTO is off-line or otherwise unable to accept waste gas.

(6) Dedicated backup control device for the MNB Process Off-Gas, Aniline Process Off-Gas, Aniline Purge Gas, MR-III Process Vent Gas, TDI-II Process Vent Gas and CTO controlled storage tank vents (Permit No. 18033), and the TDZ Off-Gas/Hot Oil System Off-Gas streams when the CTO is off-line or otherwise unable to accept waste gas.

EMISSION	SOURCES -	MAXIMUM	ALLOWABLE	EMISSION	<b>PATF</b> S
TIME STOIL	JUUKLLJ -	INAVTINOIN	ALLUWADLL	TIAT 2 2 TOIN	NAILS

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:								
Hrs/dayDays/weekWeeks/year or <u>8,760</u> Hrs/year								
Dated								