EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 1360A/PSD-TX-632M1

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
E1-1	Raw Material Delivery, Road Emission (4)	PM	-	3.64
		PM_{10}	-	1.39
E1-2	Cement Truck, Road Emissions (4)	PM	1.34	2.78
		PM_{10}	0.49	1.02
E1-7	Gypsum Pile, Drop Fugitive (4)	PM	0.08	0.07
		PM_{10}	0.04	0.03
E1-8	Anhydrite Pile, Drop Fugitive (4)	PM	0.08	0.05
		PM_{10}	0.04	0.02
E1-11	Sand Pile, Drop Fugitive (4)	PM	0.03	0.02
		PM_{10}	0.02	0.01
E1-12	Quarry Operations (4)	PM	4.82	12.93
		PM_{10}	3.56	9.42
E1-13	Quarry Loader, Road Emissions (4)	PM	0.87	4.18
		PM_{10}	0.40	1.88
E1-16	Raw Materials Transfer Tower	PM	0.13	0.10
		PM_{10}	0.06	0.05
E1-20	Pile Material Loader, Road Emissions (4)	PM	0.53	0.64
		PM_{10}	0.24	0.29
E1-21	Sand Delivery Truck, Road Emissions (4)	PM	22.20	13.88
		PM_{10}	9.03	5.53
E1-22	CKD Truck	PM	3.23	3.02

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
	Road Emissions (4)	PM_{10}	0.98	0.78
E1-23	Raw Material Drops to Storage Area (4)	PM	0.13	0.10
		PM_{10}	0.06	0.05
E1-24	Primary Crusher (4)	PM	0.01	0.02
		PM_{10}	<0.01	0.01
E1-25	Transfer Point No. 1 (4)	PM	0.08	0.14
		PM_{10}	0.04	0.07
E1-26	Transfer Point No. 2 (4)	PM	0.08	0.14
		PM_{10}	0.04	0.07
E1-27	Secondary Crusher (4)	PM	0.39	0.72
		PM_{10}	0.15	0.27
E1-28	Overland Conveyor Diverter Drop (4)	PM	0.08	0.14
		PM_{10}	0.04	0.07
E1-29	Limestone Storage Dome Drops (4)	PM	0.08	0.14
		PM_{10}	0.04	0.07
E1-30	Underground Belt Feeder Drop (4)	PM	0.26	1.13
		PM_{10}	0.26	1.13
E1-30A	Overland Conveyor Transfer (4)	PM	0.08	0.05
		PM_{10}	0.04	0.03
E1-31	Raw Bins Baghouse (10)	PM	0.79	3.47
		PM_{10}	0.79	3.47
E1-31A	Limestone Transfer Baghouse	PM	1.20	5.26
		PM_{10}	1.20	5.26

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
E1-31B	Raw Material Circulation Baghouse	PM	0.75	3.30
		PM_{10}	0.75	3.30
E1-32	Sand, Drop to Hopper (4)	PM	0.02	0.02
		PM_{10}	0.01	0.01
E1-32a	Sand Belt Transfer (4)	PM	0.01	0.01
		PM_{10}	<0.01	<0.01
E1-32b	Sand Belt Transfer (4)	PM	0.01	0.01
		PM_{10}	<0.01	<0.01
E1-33	Transfer Point #3 (4)	PM	0.08	0.14
		PM_{10}	0.04	0.07
E1-34	Transfer Point #4 (4)	PM	0.08	0.14
		PM_{10}	0.04	0.07
E2-2	Kiln No. 1	PM (5)	77.70	340.00
		PM_{10}	66.05	289.30
		NO_x	500.00	2190.00
		CO	213.00	933.00
		THC	7.73	33.86
		HCl	9.30	38.60
E2-4	Kiln No. 2	PM (5)	77.70	340.00
		PM_{10}	66.05	289.30
		NO_x	500.00	2190.00
		CO	213.00	933.00
		THC	7.73	33.86
		HCl	9.30	38.60
E2-6	Kiln No. 3	PM (5)	77.70	340.00
		PM_{10}	66.05	289.30
		NO_x	500.00	2190.00

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
		CO	213.00	933.00
		THC	7.73	33.86
		HCl	9.30	38.60
E2-8	Kiln No. 4	PM (5)	77.70	340.00
		PM_{10}	66.05	289.30
		NO_x	500.00	2190.00
		CO	213.00	933.00
	THC	7.73	33.86	
		HCl	9.30	38.60
E2-2, 4, 6, and 8	Bubble Limit, Kiln Nos. 1, 2, 3, and 4	SO_2	3080.00	13490.40
E2-2 and 8	Bubble Limit, Any two of the Wet Kilns (Kiln Nos. 1 through 4)	SO_2	1540.00	6745.20
E2-2, 4, 6, or 8	Individual Emissions Limit for Kiln Nos. 1-4	PM front half	15.4	67.5
		HCl	7.3	32.0
		HF (11)	0.83	0.73
		Cl_2 3.5E-01	1.5	
		As	3.8E-03	1.6E-02
		Ag	6.5E-02	2.8E-01
		Ba	2.7E-01	1.2
		Be	1.8E-03	7.9E-03
		Cd 1.3E-03	5.7E-03	
		Cr III	6.6E-01	2.9
		Cr VI 4.0E-04	1.8E-03	
		Hg	9.7E-03	4.3E-02
		Ni 1.3E-01	5.8E-01	
		Pb 2.8E-02	1.2E-01	
		Sb 1.4E-02	6.0E-02	
		Se	1.7	7.5
		Tl 7.7E-03	3.4E-02	
		Zn (11)	0.13	0.57

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
E2-2, 4, 6, and 8	Combined Total Emissions Limits for Kilns Nos. 1-4	PM front half	61.6	270.0
		HCl	29.0	128.0
		HF (11)	3.30	2.90
		Cl_2 1.4	6.0	
		As	1.5E-02	6.0E-02
		Ag	2.6E-01	1.1
		Ba	1.1	4.8
		Be	7.0E-03	3.2E-02
		Cd 5.2E-03	2.3E-02	
		Cr III	2.6	12.0
		Cr VI 1.6E-03	7.0E-03	
		Hg	3.9E-02	1.7E-01
		Ni 5.2E-01	2.3	
		Pb 1.1E-01	4.8E-01	
		Sb 5.5E-02	2.4E-01	
		Se	6.9	30.0
		Tl 3.1E-02	1.4E-01	
		Zn (11)	0.52	2.28
E2-7	Blending Silo Baghouse (10)	PM	1.02	4.47
		PM_{10}	1.02	4.47
E2-7A	Blending Silo Discharge Baghouse	PM	0.63	2.74
		PM_{10}	0.63	2.74
E2-7B	Preheater Tower Pneumatic Feed Baghouse (10)	PM	0.99	4.32
		PM_{10}	0.99	4.32
E2-10a	CKD Drop to Landfill (4)	PM	<0.01	0.01
		PM_{10}	<0.01	<0.01
E2-10b	Quarry CKD Bin Baghouse	PM	0.06	0.14
		PM_{10}	0.06	0.14

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
E2-10C	CKD Bin Baghouse	PM	0.43	0.94
		PM_{10}	0.43	0.94
E2-10D	Kiln Dust to Scrubber Baghouse	PM	0.17	0.73
		PM_{10}	0.17	0.73
E2-10E	CKD Mixer Wet Collector	PM	0.69	1.50
		PM_{10}	0.69	1.50
E2-10F	CKD Drop to Truck (4)	PM	0.01	0.01
		PM_{10}	<0.01	0.01
E2-11	Lime Delivery Truck, Road Emissions (4)	PM	5.69	0.47
		PM_{10}	0.59	0.05
E2-11A	Dust Bin Baghouse	PM	0.60	2.68
		PM_{10}	0.60	2.68
E2-11B	Lime Silo Baghouse	PM	0.25	0.27
		PM_{10}	0.25	0.27
E2-12	Iron Component Truck, Road Emission (4)	PM	17.67	8.84
		PM_{10}	5.99	2.99
E2-13	Iron Additive Drop to Piles (4)	PM	0.18	0.09
		PM_{10}	0.09	0.04
E2-13A	Loader Drop to Grizzly Screen (4)	PM	0.12	0.34
		PM_{10}	0.06	0.17
E2-13P	Slag Pile, Windblown Emissions (4)	PM	0.01	<0.01
		PM_{10}	0.01	<0.01
E2-14	Iron Component Loader, Road Emissions (4)	PM	9.17	5.68
		PM_{10}	4.13	2.55

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
E2-14a	Grizzly Screen Drop from Loader (4)	PM	0.18	0.09
		PM_{10}	0.09	0.05
E2-15	Loader Drop to Iron Additive Hopper (4)	PM	0.08	0.05
		PM_{10}	0.04	0.02
E2-16	Iron Additive Feed System Baghouse	PM	0.26	1.13
		PM_{10}	0.26	1.13
E2-17	Kiln 5 Iron Feed System Hopper (4)	PM	0.08	0.06
		PM_{10}	0.04	0.03
E2-18	Iron Additive Drop to Pile (4)	PM	0.36	0.18
		PM_{10}	0.17	0.09
E2-18P	East Slag Pile, Windblown Emissions (4)	PM	0.01	<0.01
		PM_{10}	0.01	<0.01
E2-22	Kiln No. 5 Main Stack	PM/PM_{10} (front-half)	29.24	128.10
		PM/PM_{10} (back-half)	40.00	160.00
		NO_x	681.25	2725.00
		SO_2	332.25	1329.00
		THC	275.59	1207.06
		CO	2525.36	11061.10
		H_2SO_4	34.08	107.73
		TRS (including H_2S)	15.00	65.70
E2-101	No. 1 Cooler Baghouse	PM	2.35	10.29
		PM_{10}	1.79	7.84
E2-103	No. 2 Cooler Baghouse	PM	8.78	38.46
		PM_{10}	6.67	29.23
E2-105	No. 3 Cooler Baghouse	PM	8.78	38.46
		PM_{10}	6.67	29.23

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
E2-107	No. 4 Cooler	PM	2.35	10.29
	Baghouse	PM_{10}	1.79	7.84
E3-1	No. 4 Clinker Elevator	PM	0.21	0.94
	Baghouse (10)	PM_{10}	0.21	0.94
E3-2	No. 3 Tunnel Baghouse (10)	PM	0.21	0.94
		PM_{10} 0.21	0.94	
E3-3	No. 2 Tunnel Baghouse	PM	0.43	1.88
		PM_{10} 0.43	1.88	
E3-5	No. 1 Tunnel Baghouse	PM	0.43	1.88
		PM_{10} 0.43	1.88	
E3-6	700 and 703 Pan Surge Bin	PM	0.43	0.94
	Baghouse (10)	PM_{10}	0.43	0.94
E3-9	Fringe Bin Nos. 1, 2, 3 FM	PM	0.17	0.75
	Baghouse	PM_{10}	0.17	0.75
E3-10	Clinker Silos 15-18 (4)	PM	0.43	1.88
		PM_{10}	0.43	1.88
E3-11	Belt Transfer 707 Tail Pulley	PM	0.32	0.70
	Baghouse (10)	PM_{10}	0.32	0.70
E3-12	Belt Trans. Head	PM	0.26	0.56
	Wheel 703, 704, 721 (4)	PM_{10}	0.26	0.56
E3-14	FlyAsh Silo Baghouse	PM	0.15	0.68
		PM_{10}	0.15	0.68
E3-15	Trans Head Pull	PM	0.43	0.94
	702 Pan; 748 Drag (4)	PM_{10}	0.43	0.94

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
E3-23	Lower Reclaim Belt Baghouse	PM	0.26	0.38
		PM_{10}	0.26	0.38
E3-24	Belt Transfer 707, 708, 780 (4)	PM	0.43	0.94
		PM_{10}	0.43	0.94
E3-25	FM No. 6 Transfer Tower Baghouse (10)	PM	0.31	1.35
		PM_{10}	0.31	1.35
E3-26	Belt Transfer 742, 703, 740, 741 Baghouse (10)	PM	0.32	1.41
		PM_{10}	0.32	1.41
E3-29	No. 2 Cooler Tunnel	PM	0.27	1.20
		PM_{10}	0.27	1.20
E3-30	No. 1 Cooler Tunnel	PM	0.27	1.20
		PM_{10}	0.27	1.20
E3-33	Clinker Barn West Baghouse (10)	PM	0.32	1.41
		PM_{10}	0.32	1.41
E3-33A	Clinker Outhaul to No. 6 Finish Mill Baghouse (10)	PM	0.29	1.28
		PM_{10}	0.29	1.28
E3-34	Surge Bin Transfer 713, 715, 717, 718	PM	0.64	0.84
		PM_{10}	0.64	0.84
E3-35	706 Drag Conveyor	PM	0.09	0.19
		PM_{10}	0.09	0.19
E3-37	Transfer 700, 704, 701	PM	0.86	3.75
		PM_{10}	0.86	3.75
E3-38	712 Tunnel at Clinker Building	PM	0.64	1.41
		PM_{10}	0.64	1.41

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
E3-41	East Clinker Door	PM	0.64	2.82
	Baghouse	PM_{10}	0.64	2.82
E3-42	West Clinker Door	PM	0.64	2.82
	Baghouse	PM_{10}	0.64	2.82
E3-50	Mill Additives	PM	0.04	0.03
	Drop to Rail Hopper (4)	PM_{10}	0.02	0.02
E3-51	Hopper Drop to Belt (4)	PM	0.04	0.03
		PM_{10}	0.02	0.02
E3-52	Pan Conveyor	PM	0.63	2.74
	Baghouse	PM_{10}	0.63	2.74
E3-52A	Clinker Discharge	PM	0.37	1.61
	Baghouse	PM_{10}	0.37	1.61
E3-53	Clinker Belt Transfer	PM	0.58	2.55
	Baghouse	PM_{10}	0.58	2.55
E3-54	FM No. 6 Bins	PM	1.79	7.85
	Baghouse	PM_{10}	1.79	7.85
E3-55	Finish Mill No. 6	PM	5.76	25.23
	Separator/Mill Baghouse	PM_{10}	2.88	12.61
E3-57	Finish Mill No. 6	PM	0.12	0.53
	Cement Baghouse	PM_{10}	0.12	0.53
E4-1	Finish Silo Group No. 3	PM	0.77	3.38
	Baghouse (10)	PM_{10}	0.77	3.38
E4-2	Finish Silo Group No. 3	PM	0.77	3.38
	Baghouse (10)	PM_{10}	0.77	3.38

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
E4-3	Finish Silo Group No. 4 Baghouse (10)	PM	0.21	0.94
		PM_{10}	0.21	0.94
E4-5	Finish Silo Group No. 2 Baghouse	PM	0.51	2.25
		PM_{10}	0.51	2.25
E4-6	Finish Silo Group No. 1 Baghouse	PM	0.13	0.56
		PM_{10}	0.13	0.56
E4-7	Finish Silo Group No. 1 Baghouse	PM	0.13	0.56
		PM_{10}	0.13	0.56
E4-8	Finish Silo Group No. 1 Baghouse	PM	0.08	0.34
		PM_{10}	0.08	0.34
E4-9	Finish Silo Group No. 2 Baghouse (6)	PM	0.04	0.17
		PM_{10}	0.04	0.17
E4-10	Rail System Baghouse (6), (8), (10)	PM	0.45	0.67
		PM_{10}	0.45	0.67
E4-11	Rail Loading No. 3 Baghouse (6)	PM	0.14	0.62
		PM_{10}	0.14	0.62
E4-12	FM No. 6 Transfer Baghouse (10)	PM	0.54	2.35
		PM_{10}	0.54	2.35
E4-13	Truck Loadout Baghouse (6), (8)	PM	0.06	0.09
		PM_{10}	0.06	0.09
E4-16	Truck Loadout Baghouse (10)	PM	0.36	1.60
		PM_{10}	0.36	1.60
E4-17	Truck Loadout Baghouse (10)	PM	0.36	1.60
		PM_{10}	0.36	1.60

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
E4-18	Truck Loading Baghouse	PM	0.36	1.60
		PM_{10}	0.36	1.60
E4-19	Finish Silo Group No. 2 Baghouse (6)	PM	0.19	0.83
		PM_{10}	0.19	0.83
E4-20	Finish Silo Group No. 2 Baghouse (6)	PM	0.69	3.00
		PM_{10}	0.69	3.00
E4-21	Masonary Rail Loadout Baghouse (6), (8), (10)	PM	0.04	0.17
		PM_{10}	0.04	0.17
E4-22	Truck Loadout Baghouse	PM	0.32	1.41
		PM_{10}	0.32	1.41
E4-24	No. 5 Bin Baghouse	PM	0.30	1.31
		PM_{10}	0.30	1.31
E4-25	Masonry Bagging Baghouse (6), (9)	PM	0.21	0.19
		PM_{10}	0.21	0.19
E4-26	No. 6 Bin Baghouse	PM	0.30	1.31
		PM_{10}	0.30	1.31
E4-27	Traveling Rail Loadout Baghouse	PM	0.21	0.94
		PM_{10}	0.21	0.94
E4-28	No. 3 Load Spout Baghouse	PM	0.21	0.94
		PM_{10}	0.21	0.94
E6-1	Coal, Drop from Railcar (4)	PM	0.12	0.11
		PM_{10}	0.06	0.06
E6-2	Solid Fuel, Rail Hopper Drop to Belt (4)	PM	0.12	0.11
		PM_{10}	0.06	0.06

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
E6-3	Solid Fuel, Belt Drop to Piles (4)	PM	0.12	0.11
		PM_{10}	0.06	0.06
E6-4	Coal Pile, Wind Blown Emissions (4)	PM	0.01	0.05
		PM_{10}	0.01	0.03
E6-5	Solid Fuel, Truck Road Emissions (4), (7)	PM	1.14	1.06
		PM_{10}	0.51	0.48
E6-6	Coal Loader Road Emissions (4)	PM	0.50	0.35
		PM_{10}	0.23	0.16
E6-7	Solid Fuel, Loadout to Covered Storage (4)	PM	0.10	0.11
		PM_{10}	0.05	0.06
E6-8	Coal, Truck Drops to Pile (4)	PM	1.05	0.16
		PM_{10}	0.50	0.08
E6-9	Solid Fuel, Loader Drop to Hopper (4)	PM	0.07	0.11
		PM_{10}	0.04	0.06
E6-10	Coal Crusher (4)	PM	0.02	0.02
		PM_{10}	0.01	0.01
E6-11	Coal Belt to No. 4 Coal Bin (4)	PM	0.04	0.04
		PM_{10}	0.02	0.02
E6-12	Coal Belt to No. 3 Coal Bin (4)	PM	0.03	0.03
		PM_{10}	0.01	0.01
E6-13	Coal Belt to No. 2 Coal Bin (4)	PM	0.02	0.02
		PM_{10}	0.01	0.01
E6-14	Coal Belt to No. 1 Coal Bin (4)	PM	0.01	0.01
		PM_{10}	<0.01	<0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
E6-15	Solid Fuel, Drop to Belt (4)	PM	0.03	0.05
		PM_{10}	0.02	0.02
E6-18	Solid Fuel, Drop to Stacker Belt (4)	PM	0.05	0.04
		PM_{10}	0.03	0.02
E6-19	Coal Bin No. 4 to Coal Mill Feed Belt (4)	PM	<0.01	0.01
		PM_{10}	<0.01	<0.01
E6-20	Coal Bin No. 3 to Coal Mill Feed Belt (4)	PM	<0.01	0.01
		PM_{10}	<0.01	<0.01
E6-21	Coal Bin No. 2 to Coal Mill Feed Belt (4)	PM	<0.01	0.01
		PM_{10}	<0.01	<0.01
E6-22	Coal Bin No. 1 to Coal Mill Feed Belt (4)	PM	<0.01	0.01
		PM_{10}	<0.01	<0.01
E6-23	No. 4 Coal Belt to Coal Mill (4)	PM	<0.01	0.01
		PM_{10}	<0.01	<0.01
E6-24	No. 3 Coal Belt to Coal Mill (4)	PM	<0.01	0.01
		PM_{10}	<0.01	<0.01
E6-25	No. 2 Coal Belt to Coal Mill (4)	PM	<0.01	0.01
		PM_{10}	<0.01	<0.01
E6-26	No. 1 Coal Belt to Coal Mill (4)	PM	<0.01	0.01
		PM_{10}	<0.01	<0.01
E6-27	Solid Fuel, Conveyor Diverter Baghouse	PM	0.52	2.29
		PM_{10}	0.52	2.29
E6-28	Solid Fuel Mill Bin Baghouse	PM	0.13	0.56
		PM_{10}	0.13	0.56

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
E6-29	Solid Fuel Bin,	PM	0.01	0.04
	Drop to Weigh Feeder (4)	PM_{10}	<0.01	0.02
E6-30	Coal Mill Baghouse	PM	2.34	10.23
	Exhaust (10)	PM_{10}	2.34	10.23
E6-31	Coal Fines Bin Baghouse	PM	0.02	0.07
		PM_{10}	0.02	0.07
CKDL-1	CKD Landfill	PM	0.17	0.04
	Dozer Emissions (4)	PM_{10}	0.07	0.02
CKDL-2	CKD Landfill	PM	-	0.10
	Windblown Emissions (4)	PM_{10}	-	0.05
E-A-1	Manifold Small Tanks (4)	VOC	0.05	0.24
E-A-2	Manifold Large Tanks (4)	VOC	0.02	0.10
E-F-1	Small Storage Equipment (4)	VOC	0.05	0.21
E-F-2	Large Storage Equipment (4)	VOC	0.07	0.31
E-F-3	Pump Pit Fuel Component (4)	VOC	0.07	0.30

Permit Number 1360A
Page 15

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *

Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
E-F-4	Fuel Island Fuel Lines (4)	VOC	0.08	0.34
E-F-5	Burner Floor Fuel Lines (4)	VOC	0.02	0.10
E-Q-1	Fuel Island Quench Lines (4)	VOC	<0.01	0.02
E-Q-2	Quench Tank Equipment (4)	VOC	<0.01	0.04
E-Q-3	Pump Pit Quench Water Components (4)	VOC	<0.01	0.01
E-Q-4	Burner Floor Quench Lines (4)	VOC	0.03	0.11

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.
(2) Specific point source name. For fugitive sources use area name or fugitive source name.
(3) PM - particulate matter, suspended in the atmosphere, including PM_{10}.
PM_{10} - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
NO_X - total oxides of nitrogen
CO - carbon monoxide
THC - total hydrocarbons
HCl - hydrogen chloride
SO_2 - sulfur dioxide
HF - hydrogen fluoride
As - arsenic
Ag - silver
Ba - barium
Be - beryllium
Cd - cadmium
Cl_2 - Chlorine

Cr III - chromium III
Cr VI - chromium VI
Hg - mercury
Ni - nickel
Pb - Lead
Se - selenium
Sb - antimony
Ti - thallium
Zn - zinc
H_2SO_4 - sulfuric acid mist
TRS - total reduced sulfur
H_2S - hydrogen sulfide
VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

(4) Fugitive emissions are an estimate only.
(5) PM allowable includes front and back-half catch and is based on the 30 Texas Administrative Code Chapter 101 allowable and a stack flow rate of 150,000 acfm.
(6) Emission rates are based on a limited annual basis with compliance demonstrated by records of cement stored or shipped through these facilities. Operations limitations are as follows:

A. Operation of EPNs E4-9, 10, 11, 13, 21, and 25 are limited to the hours between 4 a.m. and 8 p.m.

B. Operation of EPNs E4-19 and E4-20 are limited to the hours between 8 a.m. and midnight.

(7) EPN 6-5 is vehicle traffic emissions from E6-5A through E6-5S2 as listed in Table 6.1 on page 11 of the February, 1999 amendment application to this permit.
(8) Annual emission rates are based on and the facilities are limited to a maximum annual operating schedule of 2,978 hours per year.
(9) Annual emission rates are based on and the facilities are limited to a maximum annual operating schedule of 1,752 hours per year.
(10) These emission points are required to use a PTFE (polytetrafluoroethylene) membrane lined high efficiency bags.
(11) Contribution from waste-derived fuels and clinker quench wastewater.

* Emission rates are based on and the facilities are limited by the following maximum operating schedule except where noted:

Clinker production from Kiln No. 5 shall not exceed 2,900,000 tons of clinker per year.

Hrs/day ___ Days/week ___ Weeks/year ___ or Hrs/year 8,760

Dated _____