

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 7715

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
1	Low Purity Storage (4) Stock Pile	PM	--	1.09
		PM ₁₀	--	0.54
2	Secondary Crusher Baghouse Stack	PM/PM ₁₀	0.34	1.50
3	No. 1 Raymond Mill Baghouse Stack	PM/PM ₁₀	0.76	3.29
		SO ₂	<0.01	0.01
		NO _x	0.38	1.32
		CO	0.32	1.11
		VOC	0.02	0.07
4	No. 2 Raymond Mill Baghouse Stack	PM/PM ₁₀	0.76	3.29
		SO ₂	<0.01	0.01
		NO _x	0.38	1.32
		CO	0.32	1.11
		VOC	0.02	0.07
5	No. 3 Raymond Mill Baghouse Stack	PM/PM ₁₀	1.06	4.61
		SO ₂	<0.01	0.01
		NO _x	0.38	1.32
		CO	0.32	1.11
		VOC	0.02	0.07
6	No. 4 Raymond Mill Baghouse Stack	PM/PM ₁₀	0.89	3.89
		SO ₂	<0.01	0.01
		NO _x	0.48	1.77
		CO	0.40	1.48
		VOC	0.03	0.10
6A	No. 5 Raymond Mill	PM/PM ₁₀	0.81	3.51

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
	Baghouse Stack	SO ₂	<0.01	0.01
		NO _x	0.48	1.77
		CO	0.40	1.48
		VOC	0.03	0.10
6B	Williams Mill	PM/PM ₁₀	1.13	4.94
	Baghouse Stack	SO ₂	0.01	0.03
		NO _x	1.14	4.64
		CO	0.96	3.90
		VOC	0.06	0.26
7	No. 1 Calcining Kettle	PM/PM ₁₀	0.45	1.90
	Baghouse Stack	SO ₂	0.01	0.03
		NO _x	2.00	7.41
		CO	1.20	4.45
		VOC	0.08	0.29
7A	No. 2 Calcining Kettle	PM/PM ₁₀	0.61	2.59
	Baghouse Stack	SO ₂	0.01	0.03
		NO _x	1.69	6.27
		CO	1.02	3.76
		VOC	0.07	0.25
8	No. 3 Calcining Kettle	PM/PM ₁₀	0.78	3.34
	Baghouse Stack	SO ₂	0.01	0.03
		NO _x	1.69	6.27
		CO	1.02	3.76
		VOC	0.07	0.25
9	No. 4 Calcining Kettle	PM/PM ₁₀	0.43	1.84
	Baghouse Stack	SO ₂	0.01	0.03
		NO _x	1.69	6.27
		CO	1.02	3.76
		VOC	0.07	0.25

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
10	MBR Kettle Baghouse Stack	PM/PM ₁₀	1.10	4.79
		SO ₂	0.01	0.04
		NO _x	1.21	4.92
		CO	1.62	6.59
		VOC	0.08	0.34
11	No. 6 Calcining Kettle Baghouse Stack	PM/PM ₁₀	1.03	4.53
		SO ₂	0.01	0.03
		NO _x	1.69	7.41
		CO	1.02	4.45
		VOC	0.07	0.29
12	No. 7 Calcining Kettle Baghouse Stack	PM/PM ₁₀	0.45	1.90
		SO ₂	0.01	0.03
		NO _x	2.00	7.41
		CO	1.20	4.45
		VOC	0.08	0.29
21	No. 2 Drying Kiln	PM/PM ₁₀	0.24	1.07
		SO ₂	0.03	0.13
		NO _x	4.89	21.41
		CO	4.11	17.98
		VOC	0.27	1.18
27	No. 2 Silo Baghouse Stack	PM/PM ₁₀	0.03	0.15
28	No. 2 End Sawing Equipment Baghouse Stack	PM/PM ₁₀	0.43	1.88
31	Primary Crushing/Screening/ Unloading (4)	PM/PM ₁₀	0.46	0.47
40	Rock Loading (4) Stock Pile	PM	--	0.06
		PM ₁₀	--	0.03
43	TY-SA-MAN Saw Baghouse Stack	PM/PM ₁₀	0.07	0.32

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
47	Sluter Machine Baghouse Stack	PM/PM ₁₀	0.18	0.77
59	Primary Storage Pile (4) Stock Pile	PM	--	0.30
		PM ₁₀	--	0.15
60	High Purity Storage Pile (4) Stock Pile	PM	--	0.29
		PM ₁₀	--	0.14
62	Calcined Gypsum Storage Baghouse Stack	PM/PM ₁₀	0.44	1.93
63	Dry Mixing Equipment Baghouse Stack	PM/PM ₁₀	0.03	0.12
65	No. 3 End Sawing Equipment Baghouse Stack	PM/PM ₁₀	0.86	3.75
66	No. 3 Drying Kiln	PM/PM ₁₀	0.62	2.74
		SO ₂	0.07	0.33
		NO _x	12.49	54.71
		CO	10.49	45.95
		VOC	0.69	3.01
67	Stucco System Baghouse Stack	PM/PM ₁₀	0.43	1.88
69	Plant LPG Tank 1,000 Gallon Capacity	VOC	<<0.01	<<0.01
70	Plant Diesel Tank 1,000 Gallon Capacity	VOC	<<0.01	<0.01
71	Quarry Gasoline Tank 1,000 Gallon Capacity	VOC	0.05	0.22

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

72	Quarry Small Diesel Tank 300 Gallon Capacity	VOC	<0.01	<0.01
73	Quarry Bulk Diesel Tank 15,200 Gallon Capacity	VOC	<0.01	<0.01
74	Plant Gasoline Tank 1,000 Gallon Capacity	VOC	0.04	0.18

- (1) Emission point identification - either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source names. For fugitive sources, use an area name or fugitive source name.
- (3) PM - particulate matter, suspended in the atmosphere, including PM₁₀.
PM₁₀ - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
SO₂ - sulfur dioxide
NO_x - total oxides of nitrogen
CO - carbon monoxide
VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
- (4) Fugitive emissions are an estimate only.

Dated June 9, 2006