EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 5546

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emission</u>		
Rates * Point No. (1)	Name (2)	Name (3)	lb/hr	TPY	
108ABLDG	Propanol Unit Build 0.21 Analyzer Vent	ing 1	VOC	0.05	
108F	Fugitives (4)	VOC CO	1.88 0.33	8.22 1.45	
108AV978	Tank 978	VOC	<0.01	<0.01	
251AV11	Tank 11	VOC	0.043	<0.01	
251AV36	Tank 36	VOC	0.54	0.55	
251AV39	Tank 39	VOC	1.59	0.34	
251AV94	Tank 94	VOC	0.54	0.55	
251BV500	Tank 500	VOC	0.60	1.12	
251BV501	Tank 501	VOC	0.60	1.46	
251CV646	Tank 646	VOC	0.50	0.05	
251CV646	Tank 646 (5)	VOC	1.21	3.16	
251CV865	Tank 865	VOC	0.35	0.06	

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emission</u>	Rates
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
251CV865	Tank 865 (6)	VOC	1.63	5.67
251CV984	Tank 984	VOC	0.276	0.27
306F	Fugitives (4)	VOC CO	2.71 0.083	11.85 0.36
306M2107	Flare	VOC H_2 NO_{\times} CO	5.2 42.0 15.3 589.0	0.43 3.42 1.20 47.90

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in General Rule 101.1 NO_x oxides of nitrogen
 - CO carbon monoxide
 - H₂ hydrogen
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) Emission rates are based on upgrade of the seal system and storage of high vapor pressure petroleum feedstocks.
- (6) Emission rates are based on upgrade of seal system and storage of high vapor pressure petroleum feedstocks.
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/	'day_	24	Days/week_	<u>7 </u>	eks/year_	52	or Hrs	s/year
------	-------	----	------------	--	-----------	----	--------	--------

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

- Name (2) Name (2)		
Point No. (1) Name (2) Name (3) 1b/hr	<u>TPY</u>	

Dated ____