

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 9345A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission * Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
E-101	Flare	VOC NO _x 6.50	0.001 0.50	0.001
E-102	Baghouse	PM ₁₀	0.10	0.001
E-103	Boiler	NO _x 2.70 PM ₁₀	4.20 0.30	0.40
E-106A, B, C, and D	Paint Booth Exhausts	VOC NO _x 0.96 CO PM ₁₀	246.50 0.72 0.20 7.00	74.14 0.16 2.42
E-106E and F	Mixing Room Vents	VOC	19.16	9.58
E-107	Bag Filter Stack	PM ₁₀ NO _x 0.18 CO	2.05 0.14 0.04	1.023 0.03
F-101	Cleaning Rack Fugitives (4)	VOC	17.40	2.90
F-102	Waste Water Pond Fugitives (4)	VOC	1.10	0.20
F-103A and B	Paint Building Fugitives (4)	VOC NO _x 0.50 CO	13.70 0.38 0.10	9.08 0.08

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission * Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
F-103C	General Touch-up Fugitives (4)	VOC	3.50	0.63
F-104	Outdoor Blasting Fugitives (5)	PM	0.37	0.66

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in General Rule 101.1
NO_x - total oxides of nitrogen
PM₁₀ - particulate matter less than 10 microns in diameter
CO - carbon monoxide
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) F-104 is authorized under standard exemption and is listed here for clarification purposes only.

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day 24 Days/week 7 Weeks/year 52
and Hrs/year 8,760

Dated _____