

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 56473

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

| Emission Point No. (1) | Source Name (2) | Air Contaminant Name (3) | Emission Rates * | |
|---------------------------|--|-----------------------------|------------------|--------|
| | | | lb/hr | TPY** |
| 116S-B101 | Steam Boiler 101 (6) Natural Gas | CO | 12.38 | 54.21 |
| | | NO _x | 78.00 | 341.64 |
| | | PM ₁₀ | 0.97 | 4.24 |
| | | SO ₂ | 0.08 | 0.33 |
| | | VOC | 0.70 | 3.07 |
| | | | | |
| | Liquid Fuel (6) NO _x | CO | 12.38 | 10.68 |
| | | NO _x | 78.00 | 67.50 |
| | | PM ₁₀ | 2.42 | 2.10 |
| | | SO ₂ | 5.76 | 4.98 |
| | | VOC | 0.25 | 0.22 |
| | | | | |
| | Natural Gas/Liquid Fuel Mix (6) NO _x | CO | 12.35 | 54.10 |
| | | NO _x | 78.00 | 341.64 |
| | | PM ₁₀ | 2.87 | 5.90 |
| | | SO ₂ | 5.76 | 5.28 |
| | | VOC | 0.59 | 2.97 |
| | | | | |
| | Natural Gas (7) | CO | 12.38 | 54.21 |
| | | NO _x | 7.80 | 34.16 |
| | | PM ₁₀ | 0.97 | 4.24 |
| | | SO ₂ | 0.08 | 0.33 |
| | | VOC | 0.70 | 3.07 |
| | | | | |
| | Liquid Fuel (7) NO _x | CO | 12.38 | 10.68 |
| | | NO _x | 20.80 | 18.00 |
| | | PM ₁₀ | 2.42 | 2.10 |
| | | SO ₂ | 5.76 | 4.98 |
| | | VOC | 0.25 | 0.22 |
| | | | | |

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

| Emission Point No. (1) | Source Name (2) | Air Contaminant Name (3) | Emission Rates * | |
|---------------------------|--|-----------------------------|------------------|--------|
| | | | lb/hr | TPY** |
| 116S-B102 | Natural Gas/Liquid Fuel Mix (7) | CO | 12.35 | 54.10 |
| | | NO _x 20.80 | 40.01 | |
| | | PM ₁₀ 2.87 | 5.90 | |
| | | SO ₂ 5.76 | 5.28 | |
| | | VOC 0.59 | 2.97 | |
| | Steam Boiler 102 (6) Natural Gas | CO | 12.38 | 54.21 |
| | | NO _x | 50.70 | 222.07 |
| | | PM ₁₀ 0.97 | 4.24 | |
| | | SO ₂ 0.08 | 0.33 | |
| | | VOC 0.70 | 3.07 | |
| | Liquid Fuel (6) NO _x | CO | 12.38 | 10.68 |
| | | NO _x 50.70 | 43.88 | |
| | | PM ₁₀ 2.42 | 2.10 | |
| | | SO ₂ 5.76 | 4.98 | |
| | | VOC 0.25 | 0.22 | |
| | Natural Gas/Liquid Fuel Mix (6) NO _x | CO | 12.35 | 54.10 |
| | | NO _x 50.70 | 222.07 | |
| | | PM ₁₀ 2.87 | 5.90 | |
| | | SO ₂ 5.76 | 5.28 | |
| | | VOC 0.59 | 2.97 | |
| | Natural Gas (7) | CO | 12.38 | 54.21 |
| | | NO _x 7.80 | 34.16 | |
| | | PM ₁₀ 0.97 | 4.24 | |
| | | SO ₂ 0.08 | 0.33 | |
| | | VOC 0.70 | 3.07 | |
| | Liquid Fuel (7) NO _x | CO | 12.38 | 10.68 |
| | | NO _x 20.80 | 18.00 | |
| | | PM ₁₀ 2.42 | 2.10 | |
| | | SO ₂ 5.76 | 4.98 | |
| | | VOC 0.25 | 0.22 | |
| | Natural Gas/Liquid Fuel Mix (7) | CO | 12.35 | 54.10 |

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

| Emission Point No. (1) | Source Name (2) | Air Contaminant Name (3) | Emission Rates * | |
|---------------------------|--|-----------------------------|------------------|--------|
| | | | lb/hr | TPY** |
| | | NO _x | 20.80 | 40.01 |
| | | PM ₁₀ | 2.87 | 5.90 |
| | | SO ₂ | 5.76 | 5.28 |
| | | VOC | 0.59 | 2.97 |
| 116S-B103 | Steam Boiler 103 | CO | 12.38 | 54.21 |
| | | NO _x | 7.80 | 34.16 |
| | | PM ₁₀ | 0.97 | 4.24 |
| | | SO ₂ | 0.08 | 0.33 |
| | | VOC | 0.70 | 3.07 |
| | | | | |
| | Liquid Fuel | CO | 12.38 | 10.68 |
| | | NO _x | 7.80 | 6.75 |
| | | PM ₁₀ | 2.42 | 2.09 |
| | | SO ₂ | 5.76 | 4.98 |
| | | VOC | 0.25 | 0.22 |
| | Natural Gas/Liquid Fuel Mix NO _x | CO | 12.35 | 54.10 |
| | | | 7.80 | 34.16 |
| | | PM ₁₀ | 2.87 | 5.90 |
| | | SO ₂ | 5.76 | 5.28 |
| | | VOC | 0.59 | 2.97 |
| 116S-B104 | Steam Boiler 104 (6) Natural Gas | CO | 12.38 | 54.21 |
| | | NO _x | 65.00 | 284.70 |
| | | PM ₁₀ | 0.97 | 4.24 |
| | | SO ₂ | 0.08 | 0.33 |
| | | VOC | 0.70 | 3.07 |
| | | | | |
| | Liquid Fuel (6) NO _x | CO | 12.38 | 10.68 |
| | | | 65.00 | 56.25 |
| | | PM ₁₀ | 2.42 | 2.10 |
| | | SO ₂ | 5.76 | 4.98 |
| | | VOC | 0.25 | 0.22 |
| | | | | |

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

| Emission Point No. (1) | Source Name (2) | Air Contaminant Name (3) | Emission Rates * | |
|---------------------------|---------------------------------|-----------------------------|------------------|--------|
| | | | lb/hr | TPY** |
| 116S-B105 | Natural Gas/Liquid Fuel Mix (6) | CO | 12.35 | 54.10 |
| | | NO _x | 65.00 | 284.70 |
| | | PM ₁₀ | 2.87 | 5.90 |
| | | SO ₂ | 5.76 | 5.28 |
| | | VOC | 0.59 | 2.97 |
| | Natural Gas (7) | CO | 12.38 | 54.21 |
| | | NO _x | 7.80 | 34.16 |
| | | PM ₁₀ | 0.97 | 4.24 |
| | | SO ₂ | 0.08 | 0.33 |
| | | VOC | 0.70 | 3.07 |
| | Liquid Fuel (7) | CO | 12.38 | 10.68 |
| | | NO _x | 20.80 | 18.00 |
| | | PM ₁₀ | 2.42 | 2.10 |
| | | SO ₂ | 5.76 | 4.98 |
| | | VOC | 0.25 | 0.22 |
| | Natural Gas/Liquid Fuel Mix (7) | CO | 12.35 | 54.10 |
| | | NO _x | 20.80 | 40.01 |
| | | PM ₁₀ | 2.87 | 5.90 |
| | | SO ₂ | 5.76 | 5.28 |
| | | VOC | 0.59 | 2.97 |
| 116S-B105 | Steam Boiler 105 | CO | 12.38 | 54.21 |
| | | NO _x | 7.80 | 34.16 |
| | | PM ₁₀ | 0.97 | 4.24 |
| | | SO ₂ | 0.08 | 0.33 |
| | | VOC | 0.70 | 3.07 |
| | Liquid Fuel | CO | 12.38 | 10.68 |
| | | NO _x | 7.80 | 6.75 |
| | | PM ₁₀ | 0.97 | 4.24 |
| | | SO ₂ | 0.08 | 0.33 |
| | | VOC | 0.70 | 3.07 |

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

| Emission Point No. (1) | Source Name (2) | Air Contaminant Name (3) | Emission Rates * | |
|---------------------------|--|-----------------------------|------------------|-------|
| | | | lb/hr | TPY** |
| | Natural Gas/Liquid Fuel Mix | CO | 12.35 | 54.10 |
| | NO _x | 7.80 | 34.16 | |
| | | PM ₁₀ | 2.87 | 5.90 |
| | | SO ₂ | 5.76 | 5.28 |
| | | VOC | 0.59 | 2.97 |
| 116S-B106 | Steam Boiler 106 | CO | 19.53 | 85.52 |
| | | NO _x | 15.84 | 85.52 |
| | | PM ₁₀ | 2.01 | 8.79 |
| | | SO ₂ | 0.16 | 0.69 |
| | | VOC | 1.45 | 8.79 |
| 116CT-MAIN | Cooling Tower (5) | VOC | 1.78 | 7.80 |
| 130T-F406 | Storage Tank 1F-406 | VOC | 0.01 | 0.04 |
| 130WF | Isoprene Wastewater (5) | Acetone | 0.64 | 2.58 |
| | | VOC (6) | 0.0 | 0.0 |
| | | VOC (7) | 0.0 | 0.0 |
| 116F | 830 Refrigeration (4) Process Fugitives | VOC | 1.93 | 8.44 |

(1) Emission point identification - either specific equipment designation or emission point number from a plot plan.

(2) Specific point source names. For fugitive sources, use an area name or fugitive source name.

(3) CO - carbon monoxide

NO_x - total oxides of nitrogen

PM₁₀ - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.

SO₂ - sulfur dioxide

VOC - volatile organic compounds as defined in the Title 30 Texas Administrative Code § 101.1.

(4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.

(5) Emissions from this permitted facility are emitted from this EPN.

- (6) Pre-emission control
- (7) Post-emission control

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

24 Hrs/day 7 Days/week 52 Weeks/year

** Compliance with annual emission limits is based on a rolling 12-month period.