Permit Number 20006

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates			
			lbs/hour	TPY (4)		
	Building A					
A2	Dryer Line 5 Stack	NO _x	0.112	0.50		
		СО	0.05	0.22		
		VOC	0.003	0.014		
		PM	0.011	0.048		
		SO ₂	0.0005	0.003		
A3-1	Dryer Line 6 Vent 1	NO _x	0.112	0.50		
		СО	0.05	0.22		
		VOC	0.003	0.014		
		PM	0.011	0.048		
		SO ₂	0.0005	0.003		
A3-2	Dryer Line 6 Vent 2	NO _x	0.112	0.50		
		СО	0.05	0.22		
		VOC	0.003	0.014		
		PM	0.011	0.048		
		SO ₂	0.001	0.003		
AB1	Tunnel Kiln No. 4 Stack	NO _x	3.00	13.14		
		СО	13.10	57.4		
		VOC	1.68	7.4		
		PM	4.25	18.6		
		SO ₂	1.60	7.0		
		HCI	0.42	1.82		

		HF	0.06	0.27
		NH₃	2.7	9.4
		Pb	0.0002	0.0007
AC1	Tunnel Kiln No. 5 Stack	NO _x	3.00	13.14
		со	13.10	57.4
		VOC	1.68	7.4
		РМ	3.00	12.20
		PM ₁₀	2.10	8.50
		PM _{2.5}	1.58	6.40
		SO ₂	1.21	5.30
		HCI	0.22	1.00
		HF	0.06	0.27
D(1)	Tunnel Kiln No. 3 Stack	NO _x	3.00	13.14
		со	13.10	57.4
		VOC	1.68	7.4
		РМ	4.25	18.6
		SO ₂	1.60	7.0
		HCI	0.42	1.82
		HF	0.11	0.47
		NH ₃	2.7	9.4
		Pb	0.0002	0.0007
G	Bldg A – Boiler	NO _x	0.20	0.876
		со	0.08	0.351
		VOC	0.01	0.044
		РМ	0.02	0.088
		SO ₂	0.01	0.044
Н	Tunnel Kiln No. 1 Stack	NO _x	3.10	13.14
		со	13.10	57.2
		VOC	1.68	7.4

PM ₁₀	2.50	11.0
66		
SO ₂	1.21	5.3
HCI	0.22	0.04
HF	0.36	0.66
Pb	0.0002	0.0007
NO _x	3.00	13.14
СО	13.10	57.4
VOC	1.68	7.4
РМ	4.25	11.0
SO ₂	1.21	5.3
HCI	0.22	0.04
HF	0.36	0.66
Pb	0.0002	0.0007
ling D	·	·
NO _x	0.4	1.75
СО	0.16	0.70
VOC	0.02	0.09
PM ₁₀	0.04	0.18
PM _{2.5}	0.04	0.18
SO ₂	0.02	0.09
NO _x	0.20	0.876
СО	0.08	0.351
VOC	0.01	0.044
РМ	0.02	0.088
SO ₂	0.01	0.044
HF	0.024	0.109
NH ₃	0.02	0.088
NH₄F	0.138	0.43
NO _x	0.5	2.19
	HF Pb NO _x CO VOC PM SO ₂ HCI HF Pb Imp D NO _x CO VOC PM ₁₀ PM _{2.5} SO ₂ NO _x CO VOC PM SO ₂ HCI HF HF NH ₃	HF 0.36 Pb 0.0002 NO _x 3.00 CO 13.10 VOC 1.68 PM 4.25 SO ₂ 1.21 HCI 0.22 HF 0.36 Pb 0.0002 Img D NO _x 0.4 CO 0.16 VOC 0.02 PM ₁₀ 0.04 PM _{2.5} 0.04 SO ₂ 0.02 NO _x 0.20 CO 0.08 VOC 0.01 PM 0.02 SO ₂ 0.01 HF 0.024 NH ₃ 0.02

	СО	0.7	3.07
	VOC	0.15	0.66
	PM	0.4	1.75
	PM ₁₀	0.2	0.88
	PM _{2.5}	0.1	0.44
	SO ₂	0.13	0.57
	CH ₂ O ₂	2.0	8.76
	HF	0.4	1.75
	NH ₃	1.6	7.01
Bldg D – U2 Dryer Scrubber Stack	NO _x	0.8	3.50
	СО	0.7	3.07
	VOC	0.2	0.88
	PM	0.4	1.75
	PM ₁₀	0.2	0.88
	PM _{2.5}	0.1	0.44
	SO ₂	0.13	0.57
	CH ₂ O ₂	3.0	13.14
	HF	0.6	2.63
	NH ₃	2.6	11.39
Buildi	ng E		
Bldg E – Rotary Kiln Stack	NO _x	0.8	3.50
	СО	0.24	1.05
	VOC	0.5	0.22
	PM	1.0	4.38
	PM ₁₀	0.2	0.88
	PM _{2.5}	0.02	0.09
	SO ₂	0.3	1.31
Bldg E – Rotary Kiln - Baghouse-Scrubber Stack	PM	1.0	4.38
	Buildi	PM	PM

		PM _{2.5}	0.02	0.09
		HCI	0.15	0.66
		HF	0.2	0.88
	NH ₃	0.06	0.26	

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.

(3) NO_x - total oxides of nitrogen

CH₂O₂ - formic acid

CO - carbon monoxide

VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
 PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as

represented

PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as

represented

PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter

SO₂ - sulfur dioxide HCl - hydrogen chloride HF - hydrogen fluoride

NH₃ - ammonia

NH₄F - ammonium fluoride

Pb - lead

(4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.

Date: November 24, 2015