Permit Number 8865

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Aiı	r Contaminant	Emission	Rates *
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY**
Bay 1 through 9, 11, 12, 14, 18, and 19	Tanks		VOC	647.30	14.85
Wharf 1through 3, Barge 1 through 3	Ship and Barge Loading		VOC	432.00	5.73
TRL 1, 2, 2a, 3 through 9, 11, 14, 18, and 19	Tank Truck Loading		VOC	103.00	0.35
RCL A, AB, CD, EF, and GH	Rail Car Loading		VOC	103.00	1.40
SB-1	Boiler	VOC CO SO ₂ PM	NO _x 0.11 1.40 0.57 0.55	4.80 0.49 6.10 2.50 2.40	21.00
SB-3	Boiler	VOC CO SO ₂ PM	NO _x 0.04 0.40 0.14 0.01	1.10 0.19 1.80 0.63 0.05	4.60
FL-1	Operating Flare	NO _x CO SO ₂ ETO HCI/B	VOC 37.20 21.50 1.00 0.10	99.10 1.72 12.27 4.40 <0.01 20.00	9.12

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**

AIR CONTAMINANTS DATA

Emission	Source	Air	Contaminant _	Emission	
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY**
FL-2	Breathing Flare (5)	NO _x CO SO ₂ HCI/B	VOC 14.10 8.30 1.00	38.10 0.85 5.10 4.40 20.00	1.63 6.00
FL-3/FL-4	Propylene/Acetaldehyde I	Flare (I NO _x CO SO ₂	6) 5.99 17.65 38.54 0.20	VOC 1.45 3.88 0.05	90.68
TO-1	Thermal Oxidizer	NO _x CO SO ₂ PM HCl/H	VOC 105.00 30.00 20.00 3.00 Br	3.00 195.40 55.20 24.00 5.50 20.00	5.50 24.90
FU-1	Equipment Leak Fugitives	6 (4)	VOC	3.95	11.89
FU-2	Line Clearing Fugitives (4)	VOC	4.50	0.18
FU-3	Methyl Chloride Hose Cle Fugitives (4)	aring	VOC	0.35	0.04
MCFU-1	Hose Clearing Fugitives (4)	VOC	0.07	0.18
ACETFUG	Acetaldehyde Fugitives (4	1)	VOC	0.09	0.41
F-1	Fuel Oil Storage		VOC	7.10	0.24
T-1	Transfer	(Free	Trichloro-trifluoroetha on 113)	ane368.00	7.50

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
T-2 T-3	Transfer Transfer	Paradichloro-benzene Freon 11	<0.01 3.00	<0.01 0.57
T-4	Transfer	Alkylbenzene	0.30	0.60
AB-1	Purge Gas Absorbers	VOC	<0.01	<0.01
AB-2	Transfer Absorbers	VOC	21.20	0.53

- (1) Emission point identification either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source names. For fugitive sources, use an area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

IOC-U - inorganic compounds (unspeciated)

 NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

PM - particulate matter, suspended in the atmosphere, including PM₁₀.

 PM_{10} - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall

be assumed that no particulate matter greater than 10 microns is emitted.

CO - carbon monoxide
HCI - hydrogen chloride
HF - hydrogen fluoride
HBr - hydrogen bromide
HI - hydrogen iodide
NaOH - sodium hydroxide

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) This flare also includes the monoisopropyl amine ring.
- (6) This flare also includes the acrylic acid and butyl acrylate ring.
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:
- <u>24</u> Hrs/day <u>7</u> Days/week <u>52</u> Weeks/year or <u>8760</u> Hrs/year

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**

^{**} Compliance with annual emission limits is based on a rolling 12-month period.

Dated September 13, 2002