

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Nos. 5628 and PSD-TX-905

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates <sup>†</sup>	
			lb/hr	TPY
S-01	Boiler No. 1	NO <sub>x</sub>	10.00	43.80
		CO	35.00	153.30
		VOC	5.00	21.90
		SO <sub>2</sub>	0.42	1.83
		PM <sub>10</sub>	10.00	43.80
S-02	Boiler No. 2	NO <sub>x</sub>	10.00	43.80
		CO	35.00	153.30
		VOC	5.00	21.90
		SO <sub>2</sub>	0.42	1.83
		PM <sub>10</sub>	10.00	43.80
S-03	Boiler No. 3	NO <sub>x</sub>	45.00	197.10
		CO	1062.00	4651.56
		VOC	32.00	140.16
		SO <sub>2</sub>	1.85	8.11
		PM <sub>10</sub>	44.00	192.72
S-04	Dryer No. 1	VOC	46.22	**
		PM	9.92	
		PM <sub>10</sub>	6.83	
S-05	Dryer No. 2	VOC	59.88	**
		PM	12.85	
		PM <sub>10</sub>	8.85	
S-06	Dryer No. 3	VOC	60.24	**
		PM	12.93	
		PM <sub>10</sub>	8.90	

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY
S-07	Dryer No. 4	VOC	71.26	**
		PM	15.29	
		PM <sub>10</sub>	10.53	
S-04 through S-07	Dryer Nos. 1 through 4	VOC		
	811.53			
	Combined Annual Allowables		PM	
	174.11			
		PM <sub>10</sub>		119.86
K-01	Kiln No. 1	VOC	*	**
		PM <sub>10</sub>		
K-02	Kiln No. 2	VOC	*	**
		PM <sub>10</sub>		
K-03	Kiln No. 3	VOC	*	**
		PM <sub>10</sub>		
	Kiln Nos. 1, 2, and 3	VOC	86.40	249.83
	Combined Allowables	PM <sub>10</sub>	2.13	8.00
S-14	Dry Hog Baghouse	PM <sub>10</sub>	0.89	3.90
S-15	Dry Waste Baghouse	PM <sub>10</sub>	0.79	3.46
S-17	Sander Dust Baghouse	PM <sub>10</sub>	0.04	0.18
S-19	Fuel House Cyclone	PM <sub>10</sub>	0.30	1.32
S-18	Truck Bin Cyclone	PM <sub>10</sub>	2.06	9.03
S-16	Dry Waste Cyclone	PM <sub>10</sub>	0.21	0.92

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			<u>lb/hr</u>	<u>TPY</u>
V-01	Hot Press Roof Vent Press Nos. 1 and 2	VOC	33.11	124.98
		PM	25.06	94.59
		PM <sub>10</sub>	10.55	39.80
		HCHO	0.91	3.45
F-09	Log Soaking Vats (Traditional Lathe)	VOC	14.00	61.32
F-09A	Log Soaking Vats (Centerless Lathe)	VOC	4.20	18.40
F-03	Ring Debarker (4)	PM <sub>10</sub>	2.42	10.60
F-04	Drum Debarker (4)	PM <sub>10</sub>	0.31	1.36
F-01	MTL Sawline (4)	PM <sub>10</sub>	<0.01	0.01
F-02	Fiber Deck (4)	PM <sub>10</sub>	<0.01	0.01
F-05	Even End Saws (4)	PM <sub>10</sub>	<0.01	0.01
F-08	Trim Saws (4)	PM <sub>10</sub>	<0.01	0.01
F-12	Truck Bin (4)	PM <sub>10</sub>	<0.01	0.02
F-14	Truck Bin (4)	PM <sub>10</sub>	<0.01	0.02
F-13	Rail Loading - Chips (4)	PM <sub>10</sub>	<0.01	0.02
F-17	Shavings Truck Bin (4)	PM <sub>10</sub>	<0.01	0.02

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3)  $\text{NO}_x$  - total oxides of nitrogen  
CO - carbon monoxide  
VOC - volatile organic compounds as defined in 30 Texas Administrative Code Section 101.1.  
 $\text{SO}_2$  - sulfur dioxide  
PM - particulate matter, suspended in the atmosphere, including  $\text{PM}_{10}$ .  
 $\text{PM}_{10}$  - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.  
HCHO - formaldehyde
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.

† Emission rates are based on and the facilities are limited by the following maximum operating schedule:

24 Hrs/day 7 Days/week 52 Weeks/year or 8,760 Hrs/year

\* Short-term emission rates are based on the sum of several individual

emission points. The hourly limit is specified after the last point in the group.

\*\* Long-term emission limits are based on the sum of several individual emission points. The annual limit is specified after the last point in the group.

Dated\_\_\_\_\_