

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 56300

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
10C1	Scrubber 10S7N Potline 3	PM	3.84	16.82
		PM ₁₀	2.73	11.94
		NO _x	0.15	0.68
		CO	182.82	799.87
		SO ₂	12.50	53.74
		COS	1.30	5.70
		PF	5.05	22.13
		HF	1.15	5.02
10C2	Scrubber 10S7S Potline 3	PM	3.84	16.82
		PM ₁₀	2.73	11.94
		NO _x	0.15	0.68
		CO	182.82	799.87
		SO ₂	12.50	53.74
		COS	1.30	5.70
		PF	5.05	22.13
		HF	1.15	5.02
10C3	Scrubber 10S8N Potline 3	PM	3.84	16.82
		PM ₁₀	2.73	11.94
		NO _x	0.15	0.68
		CO	182.82	799.87
		SO ₂	12.50	53.74
		COS	1.30	5.70
		PF	5.05	22.13
		HF	1.15	5.02
10C4	Scrubber 10S8S Potline 3	PM	3.84	16.82
		PM ₁₀	2.73	11.94
		NO _x	0.15	0.68
		CO	182.82	799.87
		SO ₂	12.50	53.74
		COS	1.30	5.70
		PF	5.05	22.13
		HF	1.15	5.02

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
10C5	Potline Potline 3	PM	3.84	16.82
		PM ₁₀	2.73	11.94
		NO _x	0.15	0.68
		CO	182.82	799.87
		SO ₂	12.50	53.74
		COS	1.30	5.70
		PF	5.05	22.13
		HF	1.15	5.02
10C6	Potline Potline 3	PM	3.84	16.82
		PM ₁₀	2.73	11.94
		NO _x	0.15	0.68
		CO	182.82	799.87
		SO ₂	12.50	53.74
		COS	1.30	5.70
		PF	5.05	22.13
		HF	1.15	5.02
10C7	Scrubber 10S7NW Potline 3	PM	3.84	16.82
		PM ₁₀	2.73	11.94
		NO _x	0.15	0.68
		CO	182.82	799.87
		SO ₂	12.50	53.74
		COS	1.30	5.70
		PF	5.05	22.13
		HF	1.15	5.02
10C8	Scrubber 10S7SW Potline 3	PM	3.84	16.82
		PM ₁₀	2.73	11.94
		NO _x	0.15	0.68
		CO	182.82	799.87
		SO ₂	12.50	53.74
		COS	1.30	5.70
		PF	5.05	22.13
		HF	1.15	5.02

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
F10C-1	Roof Monitor Potline 3	PM	6.40	28.03
		PM ₁₀	3.71	16.26
		NO _x	0.01	0.03
		CO	5.59	24.49
		SO ₂	0.75	3.29
		COS	0.08	0.34
		PF	2.06	9.02
		HF	2.28	10.00
F10C-2	Roof Monitor Potline 3	PM	6.40	28.03
		PM ₁₀	3.71	16.26
		NO _x	0.01	0.03
		CO	5.59	24.49
		SO ₂	0.75	3.29
		COS	0.08	0.34
		PF	2.06	9.02
		HF	2.28	10.00
F10C-3	Roof Monitor Potline 3	PM	6.04	28.03
		PM ₁₀	3.71	16.26
		NO _x	0.01	0.03
		CO	5.59	24.49
		SO ₂	0.75	3.29
		COS	0.08	0.34
		PF	2.06	9.02
		HF	2.28	10.00
F10C-4	Roof Monitor Potline 3	PM	6.40	28.03
		PM ₁₀	3.71	16.26
		NO _x	0.01	0.03
		CO	5.59	24.49
		SO ₂	0.75	3.29

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
		COS	0.08	0.34
		PF	2.06	9.02
		HF	2.28	10.00
10D1	Scrubber 10S10N Potline 4	PM	3.66	16.01
		PM ₁₀	3.66	16.01
		NO _x	0.15	0.68
		CO	234.80	1028.41
		SO ₂	12.50	54.74
		COS	1.30	5.70
		PF	0.54	2.37
		HF	1.01	4.44
10D2	Scrubber 10S10S Potline 4	PM	3.66	16.01
		PM ₁₀	3.66	16.01
		NO _x	0.15	0.68
		CO	234.80	1028.41
		SO ₂	12.50	54.74
		COS	1.30	5.70
		PF	0.54	2.37
		HF	1.01	4.44
10D3	Scrubber 10S11N Potline 4	PM	3.66	16.01
		PM ₁₀	3.66	16.01
		NO _x	0.15	0.68
		CO	234.80	1028.41
		SO ₂	12.50	54.74
		COS	1.30	5.70
		PF	0.54	2.37
		HF	1.01	4.44
10D4	Scrubber 10S11S Potline 4	PM	3.66	16.01
		PM ₁₀	3.66	16.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)		<u>Emission Rates</u>	
				lb/hr	TPY
		NO _x	0.15	0.68	
		CO	234.80	1028.41	
		SO ₂	12.50	54.74	
		COS	1.30	5.70	
		PF	0.54	2.37	
		HF	1.01	4.44	
10D5	Scrubber 12N Potline 4	PM		3.66	16.01
		PM ₁₀		3.66	16.01
		NO _x	0.15	0.68	
		CO	234.80	1028.41	
		SO ₂	12.50	54.74	
		COS	1.30	5.70	
		PF	0.54	2.37	
		HF	1.01	4.44	
10D6	Scrubber 12S Potline 4	PM		3.66	16.01
		PM ₁₀		3.66	16.01
		NO _x	0.15	0.68	
		CO	234.80	1028.41	
		SO ₂	12.50	54.74	
		COS	1.30	5.70	
		PF	0.54	2.37	
		HF	1.01	4.44	
10D-7	Scrubber 10S1L Potline 4	PM		3.66	16.01
		PM ₁₀		3.66	16.01
		NO _x	0.15	0.68	
		CO	234.80	1028.41	
		SO ₂	12.50	54.74	
		COS	1.30	5.70	
		PF	0.54	2.37	
		HF	1.01	4.44	

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
10D-8	Scrubber 10S12 Potline 4	PM	3.66	16.01
		PM ₁₀	3.66	16.01
		NO _x	0.15	0.68
		CO	234.80	1028.41
		SO ₂	12.50	54.74
		COS	1.30	5.70
		PF	0.54	2.37
		HF	1.01	4.44
10D-9	Scrubber 10S12 Potline 4	PM	3.66	16.01
		PM ₁₀	3.66	16.01
		NO _x	0.15	0.68
		CO	234.80	1028.41
		SO ₂	12.50	54.74
		COS	1.30	5.70
		PF	0.54	2.37
		HF	1.01	4.44
F10D-1	Roof Monitor Potline 4	PM	6.40	28.03
		PM ₁₀	3.71	16.26
		NO _x	0.01	0.02
		CO	7.19	31.48
		SO ₂	0.75	3.29
		COS	0.08	0.34
		PF	1.07	4.68
		HF	1.27	5.57
F10D-2	Roof Monitor Potline 4	PM	6.40	28.03
		PM ₁₀	3.71	16.26
		NO _x	0.01	0.02
		CO	7.19	31.48
		SO ₂	0.75	3.29

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
		COS 0.08	0.34	
		PF 1.07	4.68	
		HF 1.27	5.57	
F10D-3	Roof Monitor Potline 4	PM	6.40	28.03
		PM ₁₀	3.71	16.26
		NO _x 0.01	0.02	
		CO 7.19	31.48	
		SO ₂ 0.75	3.29	
		COS 0.08	0.34	
		PF 1.07	4.68	
		HF 1.27	5.57	
F10D-4	Roof Monitor Potline 4	PM	6.40	28.03
		PM ₁₀	3.71	16.26
		NO _x 0.01	0.02	
		CO 7.19	31.48	
		SO ₂ 0.75	3.29	
		COS 0.08	0.34	
		PF 1.07	4.68	
		HF 1.27	5.57	
10E1	Fluid Bed Reactor - 51N Potline 5	PM	2.81	12.29
		PM ₁₀	2.81	12.29
		NO _x	0.10	0.45
		CO	121.75	533.25
		SO ₂	16.34	71.55
		COS	1.70	7.45
		PF	0.18	0.77
		HF	0.08	0.36
10E2	Fluid Bed Reactor 52N	PM	2.81	12.29

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
	Potline 5	PM ₁₀	2.81	12.29
		NO _x	0.10	0.45
		CO	121.75	533.25
		SO ₂	16.34	71.55
		COS	1.70	7.45
		PF	0.18	0.77
		HF	0.08	0.36
10E3	Fluid Bed Reactor 53N	PM	2.81	12.29
	Potline 5	PM ₁₀	2.81	12.29
		NO _x	0.10	0.45
		CO	121.75	533.25
		SO ₂	16.34	71.55
		COS	1.70	7.45
		PF	0.18	0.77
		HF	0.08	0.36
10E4	Fluid Bed Reactor 54N	PM	2.81	12.29
	Potline 5	PM ₁₀	2.81	12.29
		NO _x	0.10	0.45
		CO	121.75	533.25
		SO ₂	16.34	71.55
		COS	1.70	7.45
		PF	0.18	0.77
		HF	0.08	0.36
10E5	Fluid Bed Reactor 55S	PM	2.81	12.29
	Potline 5	PM ₁₀	2.81	12.29
		NO _x	0.10	0.45
		CO	121.75	533.25
		SO ₂	16.34	71.55
		COS	1.70	7.45
		PF	0.18	0.77
		HF	0.08	0.36

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
10E6	Fluid Bed Reactor 56S Potline 5	PM	2.81	12.29
		PM ₁₀	2.81	12.29
		NO _x	0.10	0.45
		CO	121.75	533.25
		SO ₂	16.34	71.55
		COS	1.70	7.45
		PF	0.18	0.77
		HF	0.08	0.36
10E7	Fluid Bed Reactor 57S Potline 5	PM	2.81	12.29
		PM ₁₀	2.81	12.29
		NO _x	0.10	0.45
		CO	121.75	533.25
		SO ₂	16.34	71.55
		COS	1.70	7.45
		PF	0.18	0.77
		HF	0.08	0.36
10E8	Fluid Bed Reactor 58S Potline 5	PM	2.81	12.29
		PM ₁₀	2.81	12.29
		NO _x	0.10	0.45
		CO	121.75	533.25
		SO ₂	16.34	71.55
		COS	1.70	7.45
		PF	0.18	0.77
		HF	0.08	0.36
10E9	Fluid Bed Reactor 59S Potline 5	PM	2.81	12.29
		PM ₁₀	2.81	12.29
		NO _x	0.10	0.45
		CO	121.75	533.25
		SO ₂	16.34	71.55

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
		COS	1.70	7.45
		PF	0.18	0.77
		HF	0.08	0.36
10E10	Potline	PM	0.04	0.16
	Potline 5	PM ₁₀	0.04	0.16
		PF <0.01	0.01	
10E11	Potline	PM	0.04	0.16
	Potline 5	PM ₁₀	0.04	0.16
		PF <0.01	0.01	
F10E-1	Roof Monitor	PM	6.40	28.03
	Potline 5	PM ₁₀	3.71	16.26
		NO _x 0.01	0.03	
		CO	5.59	24.49
		SO ₂ 0.75	3.29	
		COS	0.08	0.34
		PF 1.94	8.50	
		HF	1.28	5.59
F10E-2	Roof Monitor	PM	6.40	28.03
	Potline 5	PM ₁₀	3.71	16.26
		NO _x 0.01	0.03	
		CO	5.59	24.49
		SO ₂ 0.75	3.29	
		COS	0.08	0.34
		PF 1.94	8.50	
		HF	1.28	5.59
F10E-3	Roof Monitor	PM	6.40	28.03
	Potline 5	PM ₁₀	3.71	16.26

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)		Emission Rates	
				lb/hr	TPY
F10E-4	Roof Monitor Potline 5	NO _x	0.01	0.03	
		CO		5.59	24.49
		SO ₂	0.75	3.29	
		COS		0.08	0.34
		PF	1.94	8.50	
		HF		1.28	5.59
		PM		6.40	28.03
		PM ₁₀		3.71	16.26
		NO _x	0.01	0.03	
		CO		5.59	24.49
		SO ₂	0.75	3.29	
		COS		0.08	0.34
		PF	1.94	8.50	
		HF		1.28	5.59
10F1	Potline Potline 6	PM		2.30	10.09
		PM ₁₀		1.64	7.16
		NO _x	0.09	0.40	
		CO		138.00	604.45
		SO ₂	7.34	32.17	
		COS		0.77	3.35
		PF	0.86	3.76	
		HF		0.93	4.06
		PM		2.30	10.09
		PM ₁₀		1.64	7.16
10F2	Potline Potline 6	NO _x	0.09	0.40	
		CO		138.00	604.45
		SO ₂	7.34	32.17	
		COS		0.77	3.35
		PF	0.86	3.76	
		HF		0.93	4.06
		PM		2.30	10.09
		PM ₁₀		1.64	7.16
		NO _x	0.09	0.40	
		CO		138.00	604.45

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
10F3	Potline Potline 6	PM	2.30	10.09
		PM ₁₀	1.64	7.16
		NO _x	0.09	0.40
		CO	138.00	604.45
		SO ₂	7.34	32.17
		COS	0.77	3.35
		PF	0.86	3.76
		HF	0.93	4.06
10F4	Potline Potline 6	PM	2.30	10.09
		PM ₁₀	1.64	7.16
		NO _x	0.09	0.40
		CO	138.00	604.45
		SO ₂	7.34	32.17
		COS	0.77	3.35
		PF	0.86	3.76
		HF	0.93	4.06
10F5	Potline Potline 6	PM	2.30	10.09
		PM ₁₀	1.64	7.16
		NO _x	0.09	0.40
		CO	138.00	604.45
		SO ₂	7.34	32.17
		COS	0.77	3.35
		PF	0.86	3.76
		HF	0.93	4.06
10F6	Potline Potline 6	PM	2.30	10.09
		PM ₁₀	1.64	7.16
		NO _x	0.09	0.40
		CO	138.00	604.45
		SO ₂	7.34	32.17

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
10F7	Potline Potline 6	COS	0.77	3.35
		PF 0.86	3.76	
		HF	0.93	4.06
		PM	2.30	10.09
		PM ₁₀	1.64	7.16
		NO _x 0.09	0.40	
		CO	138.00	604.45
		SO ₂ 7.34	32.17	
		COS	0.77	3.35
		PF 0.86	3.76	
		HF	0.93	4.06
10F8	Potline Potline 6	PM	2.30	10.09
		PM ₁₀	1.64	7.16
		NO _x 0.09	0.40	
		CO	138.00	604.45
		SO ₂ 7.34	32.17	
		COS	0.77	3.35
		PF 0.86	3.76	
		HF	0.93	4.06
10F9	Potline Potline 6	PM	2.30	10.09
		PM ₁₀	1.64	7.16
		NO _x 0.09	0.40	
		CO	138.00	604.45
		SO ₂ 7.34	32.17	
		COS	0.77	3.35
		PF 0.86	3.76	
		HF	0.93	4.06
10F10	Potline Potline 6	PM	2.30	10.09
		PM ₁₀	1.64	7.16

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
10F11	Potline Potline 6	NO _x 0.09	0.40	
		CO	138.00	604.45
		SO ₂ 7.34	32.17	
		COS	0.77	3.35
		PF 0.86	3.76	
		HF	0.93	4.06
		PM	2.30	10.09
		PM ₁₀	1.64	7.16
		NO _x 0.09	0.40	
		CO	138.00	604.45
		SO ₂ 7.34	32.17	
		COS	0.77	3.35
		PF 0.86	3.76	
		HF	0.93	4.06
10F12	Potline Potline 6	PM	2.30	10.09
		PM ₁₀	1.64	7.16
		NO _x 0.09	0.40	
		CO	138.00	604.45
		SO ₂ 7.34	32.17	
		COS	0.77	3.35
		PF 0.86	3.76	
		HF	0.93	4.06
F10F-1	Roof Monitor Potline 6	PM	6.40	28.03
		PM ₁₀	3.71	16.26
		NO _x 0.01	0.04	
		CO	14.38	62.96
		SO ₂	1.50	6.57
		COS 0.16	0.68	
		PF	1.60	7.03
		HF	2.49	10.92
F10F-2	Roof Monitor Potline 6	PM	6.40	28.03
		PM ₁₀	3.71	16.26
		NO _x 0.01	0.04	

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
F10F-3	Roof Monitor Potline 6	CO	14.38	62.96
		SO ₂	1.50	6.57
		COS 0.16	0.68	
		PF	1.60	7.03
		HF	2.49	10.92
		PM	6.40	28.03
		PM ₁₀	3.71	16.26
		NO _x 0.01	0.04	
		CO	14.38	62.96
		SO ₂	1.50	6.57
F10F-4	Roof Monitor Potline 6	COS 0.16	0.68	
		PF	1.60	7.03
		HF	2.49	10.92
		PM	6.40	28.03
		PM ₁₀	3.71	16.26
		NO _x 0.01	0.04	
		CO	14.38	62.96
		SO ₂	1.50	6.57
		COS 0.16	0.68	
		PF	1.60	7.03
10G1	Fluid Bed Reactor 71E Potline 7	HF	2.49	10.92
		PM	3.15	13.79
		PM ₁₀	3.15	13.79
		NO _x	0.11	0.49
		CO	131.50	575.99
		SO ₂	17.66	77.28
		COS 1.84	8.05	
		PF	0.06	0.26
		HF	0.08	0.35

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
10G2	Fluid Bed Reactor 72E Potline 7	PM	3.15	13.79
		PM ₁₀	3.15	13.79
		NO _x	0.11	0.49
		CO	131.50	575.99
		SO ₂	17.66	77.28
		COS 1.84	8.05	
		PF	0.06	0.26
		HF	0.08	0.35
10G3	Fluid Bed Reactor 73E Potline 7	PM	3.15	13.79
		PM ₁₀	3.15	13.79
		NO _x	0.11	0.49
		CO	131.50	575.99
		SO ₂	17.66	77.28
		COS 1.84	8.05	
		PF	0.06	0.26
		HF	0.08	0.35
10G4	Fluid Bed Reactor 74E Potline 7	PM	3.15	13.79
		PM ₁₀	3.15	13.79
		NO _x	0.11	0.49
		CO	131.50	575.99
		SO ₂	17.66	77.28
		COS 1.84	8.05	
		PF	0.06	0.26
		HF	0.08	0.35
10G5	Fluid Bed Reactor 75E Potline 7	PM	3.15	13.79
		PM ₁₀	3.15	13.79
		NO _x	0.11	0.49
		CO	131.50	575.99
		SO ₂	17.66	77.28
		COS 1.84	8.05	
		PF	0.06	0.26
		HF	0.08	0.35

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
10G6	Fluid Bed Reactor 76E Potline 7	PM	3.15	13.79
		PM ₁₀	3.15	13.79
		NO _x	0.11	0.49
		CO	131.50	575.99
		SO ₂	17.66	77.28
		COS 1.84	8.05	
		PF	0.06	0.26
		HF	0.08	0.35
10G7	Fluid Bed Reactor 71W Potline 7	PM	3.15	13.79
		PM ₁₀	3.15	13.79
		NO _x	0.11	0.49
		CO	131.50	575.99
		SO ₂	17.66	77.28
		COS 1.84	8.05	
		PF	0.06	0.26
		HF	0.08	0.35
10G8	Fluid Bed Reactor 72W Potline 7	PM	3.15	13.79
		PM ₁₀	3.15	13.79
		NO _x	0.11	0.49
		CO	131.50	575.99
		SO ₂	17.66	77.28
		COS 1.84	8.05	
		PF	0.06	0.26
		HF	0.08	0.35
10G9	Fluid Bed Reactor 73W Potline 7	PM	3.15	13.79
		PM ₁₀	3.15	13.79
		NO _x	0.11	0.49
		CO	131.50	575.99
		SO ₂	17.66	77.28
		COS 1.84	8.05	

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
		PF	0.06	0.26
		HF	0.08	0.35
10G10	Fluid Bed Reactor 74W Potline 7	PM	3.15	13.79
		PM ₁₀	3.15	13.79
		NO _x	0.11	0.49
		CO	131.50	575.99
		SO ₂	17.66	77.28
		COS 1.84	8.05	
		PF	0.06	0.26
		HF	0.08	0.35
10G11	Fluid Bed Reactor 75W Potline 7	PM	3.15	13.79
		PM ₁₀	3.15	13.79
		NO _x	0.11	0.49
		CO	131.50	575.99
		SO ₂	17.66	77.28
		COS 1.84	8.05	
		PF	0.06	0.26
		HF	0.08	0.35
10G12	Fluid Bed Reactor 76W Potline 7	PM	3.15	13.79
		PM ₁₀	3.15	13.79
		NO _x	0.11	0.49
		CO	131.50	575.99
		SO ₂	17.66	77.28
		COS 1.84	8.05	
		PF	0.06	0.26
		HF	0.08	0.35
10G13	Reacted Aluminum Baghouse	PM/PM ₁₀	0.03	0.13
		PF	<0.01	

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
10G14	Reacted Aluminum Baghouse	PMPM ₁₀	0.03	0.13
	PF	<0.01	<0.01	
F10G-1	Roof Monitor Potline 7	PM ₁	9.17	40.16
		PM ₁₀	5.32	23.29
		NO _x	0.01	0.03
		CO	6.01	26.31
		SO ₂	0.81	3.53
		COS 0.08	0.37	
		PF	3.04	13.33
		HF	1.91	8.36
F10G-2	Roof Monitor Potline 7	PM ₁	9.17	40.16
		PM ₁₀	5.32	23.29
		NO _x	0.01	0.03
		CO	6.01	26.31
		SO ₂	0.81	3.53
		COS 0.08	0.37	
		PF	3.04	13.33
		HF	1.91	8.36
F10G-3	Roof Monitor Potline 7	PM ₁	9.17	40.16
		PM ₁₀	5.32	23.29
		NO _x	0.01	0.03
		CO	6.01	26.31
		SO ₂	0.81	3.53
		COS 0.08	0.37	
		PF	3.04	13.33
		HF	1.91	8.36

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
F10G-4	Roof Monitor Potline 7	PM ₁	9.17	40.16
		PM ₁₀	5.32	23.29
		NO _x	0.01	0.03
		CO	6.01	26.31
		SO ₂	0.81	3.53
		COS 0.08	0.37	
		PF	3.04	13.33
		HF	1.91	8.36
10H1	Fluid Bed Reactor 81E Potline 8	PM	2.94	12.85
		PM ₁₀	2.94	12.85
		NO _x	0.11	0.49
		CO	131.50	575.99
		SO ₂	17.64	77.28
		COS	1.84	8.05
		PF	0.07	0.32
		HF	0.17	0.76
10H2	Fluid Bed Reactor 82E Potline 8	PM	2.94	12.85
		PM ₁₀	2.94	12.85
		NO _x	0.11	0.49
		CO	131.50	575.99
		SO ₂	17.64	77.28
		COS	1.84	8.05
		PF	0.07	0.32
		HF	0.17	0.76
10H3	Fluid Bed Reactor 83E Potline 8	PM	2.94	12.85
		PM ₁₀	2.94	12.85
		NO _x	0.11	0.49
		CO	131.50	575.99
		SO ₂	17.64	77.28
		COS	1.84	8.05

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
10H4	Fluid Bed Reactor 84E Potline 8	PF	0.07	0.32
		HF	0.17	0.76
		PM	2.94	12.85
		PM ₁₀	2.94	12.85
		NO _x	0.11	0.49
		CO	131.50	575.99
		SO ₂	17.64	77.28
		COS	1.84	8.05
		PF	0.07	0.32
		HF	0.17	0.76
10H5	Fluid Bed Reactor 85E Potline 8	PM	2.94	12.85
		PM ₁₀	2.94	12.85
		NO _x	0.11	0.49
		CO	131.50	575.99
		SO ₂	17.64	77.28
		COS	1.84	8.05
		PF	0.07	0.32
		HF	0.17	0.76
10H6	Fluid Bed Reactor 86E Potline 8	PM	2.94	12.85
		PM ₁₀	2.94	12.85
		NO _x	0.11	0.49
		CO	131.50	575.99
		SO ₂	17.64	77.28
		COS	1.84	8.05
		PF	0.07	0.32
		HF	0.17	0.76
10H7	Fluid Bed Reactor 81W Potline 8	PM	2.94	12.85
		PM ₁₀	2.94	12.85
		NO _x	0.11	0.49

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
		CO	131.50	575.99
		SO ₂	17.64	77.28
		COS	1.84	8.05
		PF	0.07	0.32
		HF	0.17	0.76
10H8	Fluid Bed Reactor 83W Potline 8	PM	2.94	12.85
		PM ₁₀	2.94	12.85
		NO _x	0.11	0.49
		CO	131.50	575.99
		SO ₂	17.64	77.28
		COS	1.84	8.05
		PF	0.07	0.32
		HF	0.17	0.76
10H9	Fluid Bed Reactor 83W Potline 8	PM	2.94	12.85
		PM ₁₀	2.94	12.85
		NO _x	0.11	0.49
		CO	131.50	575.99
		SO ₂	17.64	77.28
		COS	1.84	8.05
		PF	0.07	0.32
		HF	0.17	0.76
10H10	Fluid Bed Reactor 84W Potline 8	PM	2.94	12.85
		PM ₁₀	2.94	12.85
		NO _x	0.11	0.49
		CO	131.50	575.99
		SO ₂	17.64	77.28
		COS	1.84	8.05
		PF	0.07	0.32
		HF	0.17	0.76

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
10H11	Fluid Bed Reactor 85W Potline 8	PM	2.94	12.85
		PM ₁₀	2.94	12.85
		NO _x	0.11	0.49
		CO	131.50	575.99
		SO ₂	17.64	77.28
		COS	1.84	8.05
		PF	0.07	0.32
		HF	0.17	0.76
10H12	Fluid Bed Reactor 86W Potline 8	PM	2.94	12.85
		PM ₁₀	2.94	12.85
		NO _x	0.11	0.49
		CO	131.50	575.99
		SO ₂	17.64	77.28
		COS	1.84	8.05
		PF	0.07	0.32
		HF	0.17	0.76
10H13	Reacted Aluminum Baghouse Potline 8	PM/PM ₁₀	0.07	0.32
		PF	<0.01	0.08
10H14	Reacted Aluminum Baghouse Potline 8	PM/PM ₁₀	0.07	0.32
		PF	<0.01	0.08
F10H-1	Roof Monitor Potline 8	PM	9.17	40.16
		PM ₁₀	5.32	23.29
		NO _x	0.01	0.02
		CO	6.01	26.31
		SO ₂	0.81	3.53
		COS	0.08	0.37
		PF	2.17	9.51
		HF	1.40	6.14

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
F10H-2	Roof Monitor Potline 8	PM	9.17	40.16
		PM ₁₀	5.32	23.29
		NO _x	0.01	0.02
		CO	6.01	26.31
		SO ₂	0.81	3.53
		COS	0.08	0.37
		PF	2.17	9.51
		HF	1.40	6.14
F10H-3	Roof Monitor Potline 8	PM	9.17	40.16
		PM ₁₀	5.32	23.29
		NO _x	0.01	0.02
		CO	6.01	26.31
		SO ₂	0.81	3.53
		COS	0.08	0.37
		PF	2.17	9.51
		HF	1.40	6.14
F10H-4	Roof Monitor Potline 8	PM	9.17	40.16
		PM ₁₀	5.32	23.29
		NO _x	0.01	0.02
		CO	6.01	26.31
		SO ₂	0.81	3.53
		COS	0.08	0.37
		PF	2.17	9.51
		HF	1.40	6.14
	Potline - 1 each (5)	F ₂	-	96.39
	Potline - 2 each (5)	F ₂	-	186.35

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
	Potline - 3 each (5)	F ₂	-	242.71
	Potline - 4 each (5)	F ₂	-	294.56
	Potline - 5 each (5)	F ₂	-	355.13
	Potline - 6 each (5)	F ₂	-	400.27
11A	Lime Storage Baghouse	PM/PM ₁₀	0.14	0.16
12A	Atomizer Furnace 1	PM/PM ₁₀	0.13	0.57
		NO _x	3.70	7.80
		CO	1.45	6.35
		SO ₂	0.01	0.05
		VOC	0.10	0.42
12B	Atomizer Furnace 2	PM/PM ₁₀	0.13	0.57
		NO _x	3.70	7.80
		CO	1.45	6.35
		SO ₂	0.01	0.05
		VOC	0.10	0.42
12C-1	Secondary Cyclone Stack	PM/PM ₁₀	3.32	8.98
12C-2	Secondary Cyclone Stack	PM/PM ₁₀	3.32	8.98
12C-3	Secondary Cyclone Stack	PM/PM ₁₀	3.32	8.98
12C-4	Secondary Cyclone Stack	PM/PM ₁₀	3.32	8.98
12C-5	Secondary Cyclone Stack	PM/PM ₁₀	3.32	8.98
12C-6	Secondary Cyclone Stack	PM/PM ₁₀	3.32	8.98
12C-7	Secondary Cyclone Stack	PM/PM ₁₀	3.32	8.98

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
12C-8	Secondary Cyclone Stack	PM/PM ₁₀	3.32	8.98
12C-9	Secondary Cyclone Stack	PM/PM ₁₀	3.32	8.98
12C-10	Secondary Cyclone Stack	PM/PM ₁₀	3.32	8.98
12C-11	Secondary Cyclone Stack	PM/PM ₁₀	3.32	8.98
12C-12	Secondary Cyclone Stack	PM/PM ₁₀	3.32	8.98
12D	Atomizer Furnace 3	PM/PM ₁₀	0.09	0.39
		NO _x	2.52	5.32
		CO	0.99	4.33
		SO ₂	0.01	0.04
		VOC	0.07	0.28
12K1	Nozzle Preheat Oven Stack Oven 1	PM/PM ₁₀	<0.01	0.02
		NO _x	0.07	0.15
		CO	0.03	0.13
		SO ₂	<0.01	<0.01
		VOC	<0.01	0.01
12K2	Nozzle Preheat Oven Stack Oven 2	PM/PM ₁₀	<0.01	0.02
		NO _x	0.07	0.15
		CO	0.03	0.13
		SO ₂	<0.01	<0.01
		VOC	<0.01	0.01
12M	Air Preheater Stack Oven 1	PM/PM ₁₀	0.06	0.26
		NO _x	1.68	3.55
		CO	0.66	2.89
		SO ₂	0.01	0.21
		VOC	0.04	0.19
12P	Packout Fugitives (4)	PM/PM ₁₀	0.13	0.50
12S	Inert Gas Generator Stack Inert Gas Generator No. 1	PM/PM ₁₀	0.03	0.12
		NO _x	0.76	1.60
		CO	0.30	1.30
		SO ₂	<0.01	0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
		VOC 0.02	0.09	
12T	Inert Gas Generator Stack Inert Gas Generator No. 2	PM/PM ₁₀	0.03	0.12
		NO _x	0.76	1.60
		CO 0.30	1.30	
		SO ₂ <0.01	0.01	
		VOC 0.02	0.09	
12U	Inert Gas Generator Stack Inert Gas Generator No. 3	PM/PM ₁₀	0.03	0.12
		NO _x	0.76	1.60
		CO 0.30	1.30	
		SO ₂ <0.01	0.01	
		VOC 0.02	0.09	
13B	Furnace 5	PM	5.67	24.84
		PM ₁₀ 2.84	12.42	
		NO _x	3.44	7.27
		CO	1.35	5.92
		SO ₂	0.01	0.04
		VOC 0.09	0.39	
		F ₂	3.35	1.75
		Cl ₂	1.10	0.49
		HCl	3.08	13.49
13C	Furnace 6	PM	5.67	24.84
		PM ₁₀ 2.84	12.42	
		NO _x	3.44	7.27
		CO	1.35	5.92
		SO ₂	0.96	0.04
		VOC 0.09	0.39	
		F ₂	3.35	1.75
		Cl ₂	1.10	0.49
		HCl	3.08	13.49
13D	Holding Furnace 7	PM	5.67	24.84
		PM ₁₀ 2.84	12.42	
		NO _x	1.68	3.55

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
		CO	0.66	2.89
		SO ₂	0.01	0.03
		VOC 0.04	0.19	
		F ₂	3.35	1.75
		Cl ₂	1.10	0.49
		HCl	3.08	13.49
V13J	Preheat Oven 1	PM/PM ₁₀	0.29	1.26
		NO _x	8.08	17.07
		CO 3.17	13.89	
		SO ₂	0.02	0.10
		VOC 0.21	0.91	
V13K	Preheat Oven 2	PM/PM ₁₀	0.29	1.26
		NO _x	8.08	17.07
		CO 3.17	13.89	
		SO ₂	0.02	0.10
		VOC 0.21	0.91	
13IP1	Furnace 1 Stack	PM	0.10	0.43
		PM ₁₀ 0.10	0.43	
		NO _x 2.75	5.80	
		CO 1.08	4.72	
		SO ₂ 0.01	0.03	
		VOC 0.07	0.31	
		F ₂ 3.35	1.75	
13IP2	Furnace 2 Stack	PM	0.10	0.43
		PM ₁₀ 0.10	0.43	
		NO _x 2.75	5.80	
		CO 1.08	4.72	
		SO ₂ 0.01	0.03	
		VOC 0.07	0.31	
		F ₂ 3.35	1.75	
2A	Coke Milling, Screening and Transfer	PM	1.90	8.28
		PM ₁₀	1.90	8.28

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
2C	Coke Milling, Screening and Transfer	PM	1.02	4.46
		PM ₁₀	1.02	4.46
		F ₂ <0.01	<0.01	
2E	Coke Milling, Screening and Transfer	PM	0.12	0.56
		PM ₁₀	0.12	0.56
2F	Coke Milling, Screening and Transfer	PM	0.60	2.55
		PM ₁₀	0.60	2.55
2G	Ball Mill CC30	PM	0.38	1.67
		PM ₁₀ 0.38	1.67	
2H	Ball Mill CC60	PM	0.07	0.29
		PM ₁₀ 0.07	0.29	
9C	Belt Conveyor 42A Baghouse	PM	0.06	0.26
		PM ₁₀	0.06	0.26
		PF <0.01	<0.01	
9D	Transfer Point 42B Baghouse	PM/PM ₁₀	0.12	0.52
		PF <0.01	0.01	
9E	Transfer Point 42C Baghouse	PM/PM ₁₀	0.12	0.52
		PF <0.01	0.01	
9G2	Storage Tank 19H Baghouse	PM/PM ₁₀	0.05	0.21
		PF <0.01	0.01	
9G3	Storage Tank 19W Baghouse	PM/PM ₁₀	0.08	0.35
		PF	<0.01	0.01
9G3A	Day Tank 19X Baghouse	PM/PM ₁₀	0.08	0.36
		PF	<0.01	0.01
9G4-1	Reacted Alumina Tank 21R Baghouse	PM/PM ₁₀	0.02	0.07
		PF	<0.01	<0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
9G4-2	Reacted alumina Tank 21R Baghouse	PM/PM ₁₀ PF	0.04 <0.01	0.18 <0.01
9G5	Storage Tank 129E Baghouse PF	PM/PM ₁₀ <0.01	0.04 <0.01	0.19
9G6	Day Tank 129G Baghouse PF	PM/PM ₁₀ <0.01	0.03 <0.01	0.15
9G7-1	Alumina Tank 129M Baghouse PF	PM/PM ₁₀ <0.01	0.04 <0.01	0.19
9G7-2	Alumina Tank 129R Baghouse PF	PM/PM ₁₀ <0.01	0.04 <0.01	0.16
9G8	Alumina Tank 129W Baghouse	PM/PM ₁₀ PF	0.06 <0.01	0.26 0.01
9G9	Day Tank 129X Baghouse PF	PM/PM ₁₀ <0.01	0.04 0.01	0.19
9G10	Storage Tank 133E Baghouse PF	PM/PM ₁₀ <0.01	0.04 <0.01	0.15
9G11	Day Tank 133G Baghouse	PM/PM ₁₀ PF	0.04 <0.01	0.19 0.01
9G12-1	Storage Tank 133M Baghouse	PM/PM ₁₀ PF	0.04 <0.01	0.16 <0.01
9G12-2	Storage Tank 133M Baghouse	PM/PM ₁₀ PF	0.04 <0.01	0.18 <0.01
9G13	Storage Tank 133W Baghouse	PM/PM ₁₀ PF	0.04 <0.01	0.17 0.01
9G14	Storage Tank 133X Baghouse	PM/PM ₁₀ PF	0.03 <0.01	0.15 0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
9G15-1	Reacted Alumina Tank 133R Baghouse	PM/PM ₁₀ PF	0.04 <0.01	0.17 0.01
9G15-2	Reacted Alumina Tank 133R Baghouse	PM/PM ₁₀ PF	0.04 <0.01	0.17 0.01
9G16-1	Reacted Alumina Tank 129R Baghouse	PM/PM ₁₀ PF	0.04 <0.01	0.17 0.01
9G16-2	Reacted Alumina Tank 129R Baghouse	PM/PM ₁₀ PF	0.04 <0.01	0.17 0.01
9G17	Air Slide 9T21 Baghouse	PF	PM/PM ₁₀ <0.01	0.21 0.02
9G18	Elevator Tower Line 5 Baghouse		PM/PM ₁₀ PF	0.05 <0.01
9G19	41 Lower Conveyor Belt Vent (4)	PM/PM ₁₀ PF	0.39 0.01	1.70 0.04
9G20	41 Upper Conveyor Belt Vent (4)	PM/PM ₁₀ PF	0.08 <0.01	0.34 0.01
9G25	Potline 1 Ore Fill Station Baghouse	PM/PM ₁₀	0.19	0.81
9G26	Potline 2 Ore Fill Station Baghouse	PM/PM ₁₀	0.19	0.81
9G27	Potline 3 Ore Fill Station Baghouse	PM/PM ₁₀	0.19	0.81
9G28	Potline 4 Ore Fill Station Baghouse	PM/PM ₁₀	0.19	0.81

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
90REVENT	Ore Tank Vents (4)	PM	0.01	0.01
		PM ₁₀	<0.01	<0.01
4A	Steam Boiler No. 1	PM	0.29	1.26
		PM ₁₀	0.29	1.26
		NO _x	8.08	17.07
		CO	3.17	13.89
		SO ₂	0.02	0.10
		VOC	0.21	0.91
4B	Steam Boiler No. 2	PM	0.29	1.26
		PM ₁₀	0.29	1.26
		NO _x	8.08	17.07
		CO	3.17	13.89
		SO ₂	0.02	0.10
		VOC	0.21	0.91
7D	Induction Furnace Baghouse	PM/PM ₁₀	1.33	5.81
7F	Anode Cleaning - General Baghouse	PM/PM ₁₀	0.75	3.29
7G	Anode Cleaning - General Baghouse	PM/PM ₁₀	0.75	3.29
8D	Heat, Steam, and Power Boiler	PM	0.02	0.10
		PM ₁₀	0.02	0.10
		NO _x	0.63	1.33
		CO	0.25	1.08
		SO ₂	<0.01	0.01
		VOC	0.02	0.07
8E	Heat, Steam, and Power Boiler	PM	0.03	0.15
		PM ₁₀	0.03	0.15
		NO _x	0.94	2.00
		CO	0.37	1.62
		SO ₂	<0.01	0.02
		VOC	0.02	0.11
F131	Crucible Preheater	PM	0.03	0.10
		PM ₁₀	0.03	0.10

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
		NO _x 0.63	1.33	
		CO 0.25	1.09	
		SO ₂ <0.01	0.01	
		VOC 0.02	0.08	
F15	Skim Room Storage Baghouse	PM/PM ₁₀	0.02	0.10
F1A	Coke and Pitch Unloading	PM	0.10	0.42
		PM ₁₀ 0.01	0.02	
F1B	Pitch Unloading	PM	0.03	0.14
		PM ₁₀ 0.01	0.05	
F9A	Ore Unloading Station	PM	0.01	0.01
		PM ₁₀ <0.01	<0.01	
V8C1	Potling Mixing	PM	0.01	<0.01
	Cathode Material Mixing	PM ₁₀	0.01	<0.01
V8C2	Potling Mixing	PM	0.01	<0.01
	Cathode Material Mixing	PM ₁₀	0.01	<0.01
FBLDG80	Lab Emissions	IPA	-	0.30
		C ₆ H ₅ CH ₃	-	0.06
		CH ₃ COCH ₃	-	0.33
13FUG1	Ingot Plant Fugitives (4)	PM	0.06	0.24
	Ingot Plant Roof Vents	PM ₁₀	0.06	0.24
		NO _x 0.72	3.17	
		CO 0.61	2.66	
		SO ₂ 0.01	0.02	
		VOC 0.04	0.17	
		Cl ₂ 1.80	0.25	
		HCl 2.76	0.07	

F11C	Lime Unloading	PM	0.01	<0.01
		PM ₁₀	0.01	<0.01
9CONV41	Conveyor Belt 41 (4)	PM	0.17	0.36
		PM ₁₀	0.08	0.17
9CONV42	Conveyor Belt 42 (4)	PM	0.23	0.49
		PM ₁₀	0.11	0.24

(1) Emission point identification - either specific equipment designation or emission point number from a plot plan.

(2) Specific point source names. For fugitive sources, use an area name or fugitive source name.

(3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

PM - particulate matter, suspended in the atmosphere, including PM₁₀.

PM₁₀ - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.

CO - carbon monoxide

HCl - hydrogen chloride

PF - particulate fluoride

HF - hydrogen fluoride - gaseous fluoride

F₂ - total fluorides

IPA - isopropanol

C₆H₅CH₃ - toluene

CH₃COCH₃ - acetone

COS - carbonyl sulfide

Cl₂ - chlorine

(4) Fugitive emissions are an estimate only.

(5) Based on the following MACT standards:

1 potline: 3.00 pounds (lbs) Total Fluoride (F₂)/ton of aluminum produced

2 potlines: 2.90 lbs F₂/ton aluminum produced

3 potlines: 2.80 lbs F₂/ton aluminum produced

4 potlines: 2.70 lbs F₂/ton aluminum produced

5 potlines: 2.70 lbs F_2 /ton aluminum produced
6 potlines: 2.60 lbs F_2 /ton aluminum produced

Dated September 15, 2006