

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 8518 and PSD-TX-370M3

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY
10	Glass Furnace Stack	PM/PM ₁₀	25.00	110.00
		NO _x	600.00	2630.00
		SO ₂	100.00	438.00
		H ₂ SO ₄	4.25	18.60
0600	Cutting Area	VOC (mineral spirits)	8.20	35.92
767	Bulk Elevator Baghouse Stack	PM/PM ₁₀	0.20	0.87
767A	Batch Elevator Baghouse Stack	PM/PM ₁₀	0.20	0.87
768	Sand Storage Bin Baghouse Stack	PM/PM ₁₀	0.12	0.60
768A	Soda Ash Storage Bin Baghouse Stack	PM/PM ₁₀	0.12	0.60
768B	Dolomite Storage Bin Baghouse Stack	PM/PM ₁₀	0.12	0.60
768C	Salt Cake Storage Bin Baghouse Stack	PM/PM ₁₀	0.12	0.60
768D	Limestone Storage Bin Baghouse Stack	PM/PM ₁₀	0.12	0.60
769	Cullet Storage Bin Baghouse Stack	PM/PM ₁₀	0.07	0.27
770	Cullet Elevator	PM/PM ₁₀	0.12	0.60

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Baghouse Stack

771	Batch House Fugitives (Rouge Storage Bin & Charcoal Storage Bin)	PM/PM ₁₀	0.04	0.17
-----	--	---------------------	------	------

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY
773	Coater Vacuum Exhaust	Argon	4.57	20.00
F-1	Glass Rolls Lubricant (4)	SO ₂	8.33	36.50
F-2	Tin Bath Losses (4)	PM/PM ₁₀	1.00	4.38

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) TSP - total suspended particulate matter including PM₁₀
 PM₁₀ - particulate matter less than 10 microns in diameter
 NO_x - total oxides of nitrogen
 SO₂ - sulfur dioxide
 VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
 H₂SO₄ - sulfuric acid
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.

* Emission rates are based on and the facilities are limited by the following maximum operating schedule and maximum glass production rate:

Hrs/day 24 Days/week 7 Weeks/year 52

Maximum glass production rates: Tons/hour 26 Tons/day 624

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Dated_____