EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 28237

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source		Air Contaminant		Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	<u>TPY</u>		
11	Dryer Scrubber Stack			PM ₁₀ SO ₂ NO _x CO	0.01 0.03 7.50 1.88	0.04 0.12 27.47 6.87
11**	Druger Core	ıbbor		VOC	0.15	0.55
11	Dryer Scrubber Stack (Using No. 2 Fuel Oil)			PM_{10} SO_2 NO_x CO VOC	0.01 1.13 7.62 1.91 0.08	<0.01 0.09 0.64 0.16 0.01
9512	Storage Silos Cartridge Filter			PM ₁₀	<0.01	<0.01
9513	Loadout B	aghouse		PM_{10}	<0.01	<0.01

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) PM₁₀ particulate matter less than 10 microns in diameter
 - SO₂ sulfur dioxide
 - NO_x total oxides of nitrogen
 - CO carbon monoxide
 - VOC volatile organic compounds as defined in General Rule 101.1
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- ** Emission rates are based on and the facilities are limited by the use of No. 2 fuel oil for 168 hours annually.
- * Emission rates are based on and the facilities are limited by the maximum hourly sand through

the dryer of 180 tons, maximum hourly sand handling of 200 tons, and a maximum annual sand throughput of 748,800 tons while adhering to the following maximum operating schedule:

Hrs/day 24 Days/week 7 Weeks/year 52 or Hrs/year 7,488

Permit No. 28237 Page 2

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

And based on a maximum hourly throughput of 105 tons of sand and a maximum annual throughput of 753,000 tons of sand.

_	
\ a + a d	
)ated	