

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 91823

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			lb/hr	TPY**
1	Boiler Stack	NO _x	48.75	213.53
		NO _x (startup/shutdown)	125.0	-
		SO ₂	19.50	56.94
		SO ₂ (startup/shutdown)	30.55	-
		CO	45.50	199.29
		CO (startup/shutdown)	117.0	-
		VOC	6.50	28.47
		VOC	9.10	-
		(startup/shutdown)	16.25	71.18
		PM	16.25	71.18
		PM ₁₀	16.25	71.18
		PM _{2.5}	3.45	15.09
		NH ₃	2.60	8.54
		HCl	0.03	0.14
		Pb		
2	Cooling Tower	PM	0.24	1.07
		PM ₁₀	0.14	0.60
		PM _{2.5}	0.14	0.60
3	Emergency Diesel Generator	NO _x	10.57	0.52
		CO	5.73	0.30
		VOC	10.57	0.52
		PM/PM ₁₀ /PM _{2.5}	0.33	0.02
		SO ₂	0.01	<0.01
4	Diesel Fire Pump	NO _x	2.11	0.10
		CO	2.14	0.11
		VOC	2.11	0.10
		PM/PM ₁₀ /PM _{2.5}	0.11	0.01
		SO ₂	0.66	0.03

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

5	Sorbent Storage Silo Bin Vent Filter	PM	0.01	0.05
		PM ₁₀	0.01	0.04
		PM _{2.5}	<0.01	0.01
6	Ash Storage Silo Bin Filter	PM	0.02	0.09
		PM ₁₀	0.02	0.07
		PM _{2.5}	0.01	0.02
7	Ash Storage Silo Pug Mill Conditioner	PM	0.08	0.33
		PM ₁₀	0.03	0.12
		PM _{2.5}	0.01	0.02
8	Backup Ash Storage Silo Pug Mill Conditioner	PM	0.08	0.33
		PM ₁₀	0.03	0.12
		PM _{2.5}	0.01	0.02
9	Vacuum Blower Exhaust	PM	0.03	0.13
		PM ₁₀	0.02	0.10
		PM _{2.5}	0.01	0.03
10	Spare Vacuum Blower Exhaust	PM	0.03	0.13
		PM ₁₀	0.02	0.10
		PM _{2.5}	0.01	0.03
11	Bottom Ash Transfer Conveyor	PM	<0.01	<0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
12	Bottom Ash Extraction Conveyor No. 1	PM	<0.01	<0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
13	Bottom Ash Extraction Conveyor No. 2	PM	<0.01	<0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
14	Bottom Ash Extraction	PM	<0.01	<0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

	Conveyor No. 3	PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
15	Bottom Ash Extraction Conveyor No. 4	PM	<0.01	<0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
16	Emergency Ash Container Dump to Bottom Ash Transfer Conveyor	PM	<0.01	<0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
17	Bottom Ash Transfer Conveyor from Bottom Ash Extraction Conveyor No. 1	PM	<0.01	<0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
18	Bottom Ash Transfer Conveyor from Bottom Ash Extraction Conveyor No. 2	PM	<0.01	<0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
19	Bottom Ash Transfer Conveyor from Bottom Ash Extraction Conveyor No. 3	PM	<0.01	<0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
20	Bottom Ash Transfer Conveyor from Bottom Ash Extraction Conveyor No. 4	PM	<0.01	<0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
21	Boiler Metering Bin 1	PM	<0.01	0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
22	Boiler Metering Bin 2	PM	<0.01	0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

23	Facility Feed Crossover Conveyor to Boiler Metering Bin No. 1	PM	<0.01	0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
24	Facility Feed Crossover Conveyor to Boiler Metering Bin No. 2	PM	<0.01	0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
25	Boiler Building Gate No. 1	PM	<0.01	0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
26	Boiler Building Gate No. 2	PM	<0.01	0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
27	Scalping Screen Feed to Fuel Stackout Conveyor	PM	0.01	0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
28	Wood Hog Feed to Fuel Stackout Conveyor	PM	<0.01	0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
29	Wood Hog	PM	0.10	0.11
		PM ₁₀	0.04	0.05
		PM _{2.5}	<0.01	<0.01
30	Scalping Screen	PM	0.09	0.08
		PM ₁₀	0.03	0.03
		PM _{2.5}	<0.01	<0.01
31	Fuel Preparation Tower Gate	PM	0.01	0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
32	Fuel Unloading Conveyor	PM	0.01	0.02
		PM ₁₀	<0.01	0.01
		PM _{2.5}	<0.01	<0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

33	Fuel Stackout Conveyor	PM	0.01	0.02
		PM ₁₀	<0.01	0.01
		PM _{2.5}	<0.01	<0.01
34	Facility Feed Conveyor No. 1	PM	<0.01	0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
35	Facility Feed Conveyor No. 2	PM	<0.01	0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
36	Portable Hopper Feed to Facility Feed Conveyor No. 1	PM	<0.01	<0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
37	Portable Hopper Feed to Facility Feed Conveyor No. 2	PM	<0.01	<0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
38	Facility Feed Conveyor No. 1 Feed from Screw Reclaimer No. 1	PM	<0.01	0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
39	Facility Feed Conveyor No. 2 Feed from Screw Reclaimer No. 2	PM	<0.01	0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
40	30 Day Fuel Storage Pile	PM	0.79	3.47
		PM ₁₀	0.21	0.92
		PM _{2.5}	0.06	0.26
41	Dozer Feed to Portable Hopper on Facility Conveyor No. 1 or No. 2	PM	<0.01	0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
42	1 Day Fuel Unloading Stockpile	PM	0.06	0.28
		PM ₁₀	0.02	0.08
		PM _{2.5}	<0.01	0.02

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

43	Emergency Fuel Bypass Pile No. 1	PM	0.07	0.30
		PM ₁₀	0.02	0.08
		PM _{2.5}	0.01	0.02
44	Emergency Fuel Bypass Pile No. 2	PM	0.07	0.30
		PM ₁₀	0.02	0.08
		PM _{2.5}	0.01	0.02
45	Emergency Stockpile	PM	0.07	0.30
		PM ₁₀	0.02	0.08
		PM _{2.5}	0.01	0.02
46	Dozer Feed to Portable Hopper on Fuel Unloading Conveyor	PM	<0.01	0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
47	Portable Hopper Feed to Fuel Unloading Conveyor	PM	<0.01	0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
48	Fuel Unloading Conveyor Feed from Unloading Hopper No. 1	PM	<0.01	0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
49	Fuel Unloading Conveyor Feed from Unloading Hopper No. 2	PM	<0.01	0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
50	Unloading Hopper No. 1 Gate	PM	<0.01	0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
51	Unloading Hopper No. 2 Gate	PM	0.01	0.03
		PM ₁₀	<0.01	0.01
		PM _{2.5}	<0.01	<0.01
52	Truck Dump No. 1	PM	<0.01	0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

53	Truck Dump No. 2	PM	<0.01	0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
54	Ammonia Storage/Feed System	NH ₃	0.02	0.07
55	Fuel Tank for Diesel Fire Water Pump	VOC	0.04	<0.01
56	Fuel Tank for Emergency Generator	VOC	0.04	<0.01
57	Mobile Equipment Fuel Tank	VOC	0.12	<0.01

- (1) Emission point identification - either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source names. For fugitive sources, use an area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
 NO_x - total oxides of nitrogen
 SO₂ - sulfur dioxide
 PM - particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}
 PM₁₀ - particulate matter equal to or less than 10 microns in diameter
 PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter
 CO - carbon monoxide
 HCl - hydrogen chloride
 NH₃ - ammonia
 Pb - lead

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

24 Hrs/day 7 Days/week 52 Weeks/year or 8,760 Hrs/year

** Compliance with annual emission limits is based on a rolling 12-month period.

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Dated November 24, 2010