### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## Permit Number 6630A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## AIR CONTAMINANTS DATA

| Emission      | Source  | Air Contaminant               |                               | Emission Rates *                |  |
|---------------|---|-------------------------------|-------------------------------|---------------------------------|--|
| Point No. (1) | Name (2)  | Name (3)                      | lb/hr                         | TPY **                          |  |
| 1             | Amine Reboiler Flue Gas                           | NO <sub>x</sub><br>CO         | 0.30<br>0.10                  | 0.90<br>0.40                    |  |
| 2             | Amine Regenerator Overhead                        | d VOC<br>H₂S                  | 0.50<br>0.50                  | 2.00<br>2.30                    |  |
| 3             | Dryer Regenerator Flue Gas                        | NO <sub>x</sub><br>CO         | 0.30<br>0.21                  | 1.10<br>0.94                    |  |
| 4             | CM-11.01A Compressor<br>Engine Exhaust            | $NO_{x}$ $CO$ $VOC$ $PM_{10}$ | 24.87<br>5.91<br>0.62<br>0.50 | 108.93<br>25.89<br>2.72<br>2.19 |  |
| 5             | CM-11.01B Compressor<br>Engine Exhaust            | $NO_{x}$ $CO$ $VOC$ $PM_{10}$ | 25.57<br>6.07<br>0.64<br>0.51 | 112.00<br>26.59<br>2.80<br>2.23 |  |
| 6             | Fugitive Emissions -<br>Ethane Recovery Plant (4) | VOC                           | 14.61                         | 64.00                           |  |
| 14            | Cisco Compressor C-3<br>Exhaust                   | $NO_x$ $CO$ $VOC$ $PM_{10}$   | 3.95<br>5.93<br>0.99<br>0.01  | 17.30<br>25.97<br>4.34<br>0.04  |  |
| 15            | Fugitive Emissions -<br>Cisco Compressor C-3 (4)  | VOC                           | 0.65                          | 2.85                            |  |

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

# AIR CONTAMINANTS DATA

| Emission<br>Point No. (1) | Source<br>Name (2)  | Air Contaminant<br>Name (3)  | Emission Rates * lb/hr TPY ** |                        |
|---------------------------|---|------------------------------|-------------------------------|------------------------|
| POINT NO. (1)             | Name (2)  | Name (3)                     | ID/III                        | IFI                    |
| 16                        | Glycol Reboiler No. 2   | $NO_x$                       | 0.12                          | 0.52                   |
|                           | Flue Gas  | CO                           | 0.13                          | 0.57                   |
|                           |   | VOC                          | 0.01                          | 0.02                   |
| 19                        | Glycol Reboiler No. 2   | VOC (5)                      | 8.15                          | 35.70                  |
|                           | Overhead  | Benzene                      | 0.43                          | 1.90                   |
|                           |   | Toluene                      | 0.59                          | 2.59                   |
|                           |   | Ethyl-benzene                | 0.07                          | 0.32                   |
|                           |   | Xylene                       | 0.24                          | 1.07                   |
| 20                        | Low Field Compressor  | $NO_x$                       | 3.57                          | 15.64                  |
|                           | No. 1 Exhaust   | CO                           | 5.36                          | 23.48                  |
|                           |   | VOC                          | 0.89                          | 3.90                   |
|                           |   | $PM_{10}$                    | 0.01                          | 0.04                   |
| 21                        | Fugitive Emissions - Low<br>Field Compressor No. 1 (4)            | VOC                          | 0.68                          | 2.99                   |
| 22                        | Slop Tank No. 1 Vent  | VOC                          | 0.67                          | 2.93                   |
| 23                        | Slop Tank No. 2 Vent  | VOC                          | 0.67                          | 2.93                   |
| 24                        | Loading Dock - Condensate   | VOC                          | 190.70                        | 2.86                   |
| 33                        | Loading Dock - Alternate  | VOC                          | 69.60                         | 0.35                   |
| 34                        | Loading Dock - Lube Oil   | VOC                          | 69.60                         | 0.35                   |
| 35                        | Loading Dock - Waste Oil  | VOC                          | 58.60                         | 0.12                   |
| 36                        | Waste Oil Tank  | VOC                          | 0.13                          | 0.57                   |
| 37                        | Fugitive Emissions - Tanks (4                                     | ) VOC                        | 1.48                          | 6.49                   |
| 38<br>39                  | Loading Dock - Slop Tanks<br>KC West Compressor<br>Engine Exhaust | VOC<br>NO <sub>x</sub><br>CO | 221.40<br>3.57<br>5.36        | 5.81<br>15.64<br>23.48 |

### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

#### AIR CONTAMINANTS DATA

| Emission      | Source   | Air Contaminant             | Emission Rates *             |                                |
|---------------|--|-----------------------------|------------------------------|--------------------------------|
| Point No. (1) | Name (2)   | Name (3)                    | lb/hr                        | TPY **                         |
|               |  | VOC<br>PM <sub>10</sub>     | 0.89<br>0.01                 | 3.90<br>0.04                   |
| 40            | Fugitive Emissions -<br>KC West Compressor (4)     | VOC                         | 1.6                          | 6.98                           |
| 43            | Field Compressor - No. 4<br>Waukesha L 7042-GU     | $NO_x$ $CO$ $VOC$ $PM_{10}$ | 3.95<br>5.93<br>0.99<br>0.01 | 17.30<br>25.97<br>4.34<br>0.04 |
| 44            | Fugitive Emissions -<br>Field Compressor No. 4 (4) | VOC                         | 0.20                         | 0.92                           |

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) NO<sub>x</sub> total oxides of nitrogen
  - CO carbon monoxide
  - $PM_{10}$  particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns in emitted.
  - VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
  - H<sub>2</sub>S hydrogen sulfide
- (4) Fugitive emissions are an estimate based on component count and appropriate fugitive emission factors.
- (5) Speciated pollutants listed below VOC are included in VOC emission rates.
  - \* Emission rates are based on an operating schedule of 8,760 hours/year
- \*\* Compliance with the annual emission limits shall be based on a rolling 12-month year rather than the calendar year.

| ı |   | at         | e | Ы |  |  |
|---|---|------------|---|---|--|--|
|   | • | <b>a</b> i | _ | u |  |  |