EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 3069A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

| Emission | Source |) | Air (| Contaminant | <u>Emission</u> | on Rates * |
|----------------------|-----------------------|---------------------------------------|-------|--------------------|-----------------|--------------|
| Point No. (1) | Name (2) | Name (3) | lb/hr | TPY | | |
| TO-1 | Thermal | Thermal Oxidizer | | Pentane POC | 8.1 <0.1 | 35.4 0.2 |
| F-1 | • | Fugitives from Valves and Flanges (4) | | Pentane Styrene | 0.7 <0.1 | 2.7 0.3 |
| FL-1 | Flare | | | Pentane POC | 6.8 6.8 | 29.8 29.6 |
| R-3, R-4, and R-5 | Fugitives Reactor | From Poly s (4) | | Styrene | <0.1 | 0.3 |
| T-4, T-5, and T-6 | Fugitives Tanks (4 | | | Styrene | 0.2 | 0.8 |
| P-1 through P-7 | Particulat | e Filters (5) | | PM | 0.3 | 1.4 |
| R-1, R-2, and R-8 | Fugitives Reactor | From Poly/EPS s (4) | | Styrene | <0.1 | <0.1 |

(3) PM - particulate matter

VOC - volatile organic compounds as defined in General Rule 101.1

NO_x - nitrous oxides

SO₂ - sulfur dioxide

⁽¹⁾ Emission point identification - either specific equipment designation or emission point number from plot plan.

⁽²⁾ Specific point source name. For fugitive sources use area name or fugitive source name.

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

CO - carbon monoxide

POC - products of combustion: VOC, PM, NOx, SO2, and CO VOC from POC shall not exceed 0.1 tpy Non-VOC from POC shall not exceed 29.7 tpy

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) EPNs P1 through P7 may operate at 0.6 lb/hr and 2.1 tpy of PM until June 1, 1995, at which time the particulate filters shall be installed and emission levels shall be at or below the limits specified in the above table.
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:

| Hrs/dayI | Days/week | Weeks/year | _or Hrs/ | year <u>8,760</u> |
|----------|-----------|------------|----------|-------------------|
|----------|-----------|------------|----------|-------------------|