

# Emission Sources - Maximum Allowable Emission Rates

Permit Number 17276

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lbs/hour	TPY (4)
S-6	Phenyl Acetate Surge Tank	VOC	0.03	0.02
P-10	4-HAP Dust Collection	PM	0.09	0.38
		PM <sub>10</sub>	0.09	0.38
		PM <sub>2.5</sub>	0.01	0.02
		VOC	0.01	0.01
P-11	4-HAP Flaker Fugitives (5)	PM	0.01	0.07
		PM <sub>10</sub>	0.01	0.07
		PM <sub>2.5</sub>	0.01	0.01
		VOC	0.01	0.01
S-14	4-HAP Facility Flare	VOC	2.85	12.47
		SO <sub>2</sub>	<0.01	<0.01
		NO <sub>x</sub>	0.27	1.18
		CO	1.23	6.04
		HF	<0.01	<0.01
S-15	T-508(Old SO <sub>2</sub> Scrubber)	VOC	0.06	0.29
S-17	Acetic Acid Storage Tank	VOC	0.02	0.01
S-18	Acetic Anhydride Storage Tank	VOC	5.24	0.35
S-19	Phenol Storage Tank	VOC	2.62	0.08
S-20	Fugitives Area (5)	VOC	0.51	2.25
		HF	0.03	0.15

Emission Sources - Maximum Allowable Emission Rates

S-23	Refined 2 HAP Tank	VOC	0.71	0.01
P-25	4-HAP Rework System	PM	0.06	0.24
		PM <sub>10</sub>	0.06	0.24
		PM <sub>2.5</sub>	0.05	0.23
		VOC	0.01	0.01
S-41	4-HAP Waste Water Tank	VOC	0.01	0.01
S-57	4-HAP Tower Hotwell	VOC	0.01	0.01
S-69	4-HAP Tower Vacuum System	VOC	0.01	0.01
P-70	4-HAP Packaging Room Fugitives (5)	VOC	0.69	0.48
		PM	0.01	0.03
		PM <sub>10</sub>	0.01	0.03
		PM <sub>2.5</sub>	0.01	0.03
S-70	Aluminum Lactate Area	VOC	0.03	0.01
		PM	0.60	0.28
		PM <sub>10</sub>	0.60	0.28
		PM <sub>2.5</sub>	0.60	0.28
P-93	Phenyl Acetate Truck Loading	VOC	0.02	0.10

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1  
 NO<sub>x</sub> - total oxides of nitrogen  
 SO<sub>2</sub> - sulfur dioxide  
 PM - total particulate matter, suspended in the atmosphere, including PM<sub>10</sub> and PM<sub>2.5</sub>, as represented  
 PM<sub>10</sub> - total particulate matter equal to or less than 10 microns in diameter, including PM<sub>2.5</sub>, as represented  
 PM<sub>2.5</sub> - particulate matter equal to or less than 2.5 microns in diameter  
 CO - carbon monoxide  
 HF - hydrogen fluoride
- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.

Date: November 30, 2023

Emission Sources - Maximum Allowable Emission Rates