EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 2265A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

| Emission | Source | Air Contaminant | | Emission Rates * | |
|---------------|--|---|--|---|------|
| Point No. (1) | Name (2) | | Name (3) | lb/hr | TPY |
| LGNTUNLPIT | Lignite Unloading Pit | | PM/PM ₁₀ | 0.07 | 0.31 |
| LGPTTOLSB | Transfer Lignite to Lignite Surge Bin | | | PM/PM ₁₀ 0.31 | 0.07 |
| STAMLER | Stamler Mill | | PM/PM ₁₀ | 0.99 | 4.08 |
| MHFLSDCVT | Multihearth Furnace (MHF) Silo 0.22 | | | PM/PM ₁₀ | 0.05 |
| MHFXFRDCVT | MHF Lignite Transfer Belt | | PM/PM ₁₀ | 0.05 | 0.22 |
| MHFLIGSTK | Stack for MHF | NO _x CO SO ₂ VOC | PM/PM ₁₀ 15.60 11.37 11.00 0.95 | 3.30 45.0 49.8 31.9 4.16 | 13.0 |
| MHFFUGTIV | Fugitive Emissions from MHF (4) | | PM/PM ₁₀ | 0.10 | 0.29 |
| MHFGACPT | Post-Treated Process | | PM/PM ₁₀ | 0.01 | 0.01 |
| MHFLIGSTK | Maintenance/Start-Up/Shut | NO _x CO SO ₂ VOC | 15.6 101.6 11.00 0.95 | PM/PM ₁₀ 0.30 1.40 2.91 0.99 0.09 | 3.30 |
| MHFEMERSTK | MHF Emergency Stack | NO _x | PM/PM ₁₀ 3.0 5.1 | 0.50 0.60 1.0 | 0.10 |

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

 SO2
 0.1
 0.02

 VOC
 0.4
 0.08

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source names. For fugitive sources use area name or fugitive source name.
- (3) PM particulate matter, suspended in the atmosphere, including PM₁₀
 - PM_{10} particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
 - VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

CO - carbon monoxide

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
 - * Emission rates are based on and the facilities are limited by the following maximum operating schedule:

| | Hrs/day | Days/week | Weeks/year | or Hrs/year <u>8,760</u> | | | |
|---|---------|-----------|------------|--------------------------|--|--|--|
| Production of Liquid Phase Activated Carbon | | | | | | | |
| | Hrs/day | Days/week | Weeks/year | or Hrs/year_6,810_ | | | |

Dated <u>December 13, 2005</u>