

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 7382

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates*</u>	
			lbs/hr	TPY
EF-50	P-1 Varnish Mix Room	VOC	1.29	2.38
INC-1 and INC-2	P-2 Treater	VOC	13.90	19.43
		NO _x	0.80	2.79
		SO ₂	0.22	0.55
		CO	40.00	30.00
		PM	1.75	4.85
DC-2A and DC-2B	P-3 Cloth Edge Trim	PM	0.08	0.26
DC-3	P-4 Fiberglass Slitter	PM	0.03	0.09
DC-7	P-5 Copper Slitter	PM	0.03	0.09
EF-83	P-6 Lamination Assembly	PM	0.03	0.09
F-1, 2, 3, 4 and 5	P-7 Lamination Presses	PM	0.03	0.09
EF-63 and EF 64	P-8 Plan. Plate Clean	PM	0.03	0.09
FS-5	P-9 Circuitize, Oxide Remove, Copper Plate Support, Test Oxide Remove, Core Lab, Preclean Lab, Copper Plate Lab, and Water Treatment Support	VOC	0.44	1.57
		PM	3.17	11.09
EF-54	P-10 Resist Apply, Hole Burnout, Diazo	VOC	0.06	0.18
		PM	0.27	0.96

Develop, and Expose

WFS-3, EF-61
and EF-62

P-11 Sodium Chlorite
Surface Preparation

VOC
non-VOC

0.06
0.314

0.18
1.07

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates*	
			lbs/hr	TPY
DC-064	P-12 Drill	PM	0.03	0.09
WFS-6, WFS-7, EF-32, 24, 48, and 49	P-15 Copper Plate	VOC	9.90	21.27
		PM	8.79	25.28
EF-55	P-17 Photolab Developer	VOC	0.03	0.09
		PM	0.06	0.18
CAU 5 and/or CAU 6	P-18 Photolab	VOC	1.94	1.57
EF-30	P-22 Re-Entek	VOC	0.48	1.66
		PM	0.27	0.95
EF-53, 66, 67, 73, and 74	P-23 Process Engineering Labs	VOC	0.88	2.99
		PM	0.44	1.40
A-0772, 0773, 0774, 0775, 0779, 0782, 0787, 0788, 0789, 0801, 1071, and 1072	P-24 Analytical Labs	VOC	0.06	0.18
		non-VOC	0.06	0.18
A-0790 and A-1073	P-25 Failure Analysis Lab	VOC	0.21	0.63
		PM	0.15	0.45
A-0815, 0812, and 0817	P-26 Development Lab	VOC	1.26	1.68
		non-VOC	5.75	4.73
		PM	0.28	0.82
Stack 20-CDC	S-2 Inorganic Dispense	PM	0.03	0.09
Stack 21-CDC	S-3 Non-Flammable Dispense	VOC	0.09	0.27
Stack 18-CDC	S-4 Flammable Dispense	VOC	0.18	0.18
Stacks 70NSC, and 70SC	S-5 Bulk Cupric Chloride	PM	0.06	0.18

Permit No. 7382

Page 4

Stack 7014	S-6 Bulk Sodium Hydroxide	PM	0.03	0.09
Stack 7021	S-7 Bulk MEK Tank	VOC	8.52	0.246
Stack 7024	S-8 Bulk CIBA Tank	VOC	8.52	0.735

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates*	
			lbs/hr	TPY
Stack 7023	S-9 Bulk EGME Tank	VOC	0.098	0.34
Fuel Oil Tank	S-10 Fuel Oil Tank	VOC		1.54
Stack 70SC	S-11 Bulk Hydrochloric Acid	PM	0.331	0.42
Atm. Vent	S-12 Waste Cupric Chloride Transfer Tank (Bldg 060)	PM	0.03	0.09
Atm. Vent	S-13 Dilute Organic Waste Transfer Tank (Bldg 060)	non-Voc	0.06	<0.01
Atm. Vent	S-14 Dilute Organic Waste Treatment System (Bldg 063)	non-VOC	0.06	<0.01
Vent	S-15 DOWT Carbon Transfer	non-VOC	<0.01	<0.01
Vent	S-16 Sludge Drier	VOC	0.03	0.09
		PM	0.30	0.48
Atm. Vent	S-17 Water Treatment Support Tanks (Bldg 060-1)	VOC	0.03	0.09
		SO ₂	0.11	0.40
		PM	0.09	0.27
Vent	S-18 Boilers (Bldg 062)	VOC	0.44	1.54
		NO _x	31.70	111.00
		SO ₂	29.70	9.16
		CO	18.20	64.00
		PM	2.09	7.31
Vent	S-21 (Bldg 060) Emergency Generators	VOC	0.42	0.05
		NO _x	5.02	0.55
		SO ₂	5.18	0.57
		CO	1.14	0.13
		PM	0.38	0.04
Vent	S-22 (Bldg 062) Emergency Generator	VOC	0.21	0.02
		NO _x	2.51	0.28

SO ₂	2.59	0.28
CO	0.57	0.06
PM	0.19	0.02

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates*	
			lbs/hr	TPY
Vent	S-23 (Bldg 061) Emergency Generator	VOC	0.07	0.01
		NO _x	0.88	0.10
		SO ₂	0.91	0.10
		CO	0.20	0.02
		PM	0.07	0.01
Vent	S-24 (Bldg 063) Emergency Generator	VOC	0.09	0.01
		NO _x	1.08	0.12
		SO ₂	1.12	0.12
		CO	0.25	0.03
		PM	0.08	0.01
Vent	S-25 (Bldg 045) Emergency Generator	VOC	0.10	0.01
		NO _x	1.22	0.13
		SO ₂	1.26	0.14
		CO	0.28	0.03
		PM	0.09	0.01
EF-41, and EF-42	Persulfate Supply System	PM	0.06	0.18
Fugitive	Circuit Packaging Facility	VOC	23.91	37.75
		non-VOC	0.59	2.6
		PM	0.37	1.28

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in General Rule 101.1
 NO_x - total oxides of nitrogen
 CO - carbon monoxide
 SO₂ - sulfur dioxide
 PM - particulate matter

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day 24 Days/week 7 Weeks/year 52 or Hrs/year 8,760

Permit No. 7382
Page 8

Dated _____