

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 416D

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## AIR CONTAMINANTS DATA

Emission * Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
1	Cyclone, Vertical Wet Washer, and Dynamic Precipitator Stack	PM <sub>10</sub>	7.34	2.20
		VOC(a)	23.6	7.08
		VOC(b)	34.20	10.26
		VOC(c)	262.50	8.40
		NO <sub>x</sub>	7.20	2.16
		SO <sub>2</sub>	9.57	2.87
		CO	7.60	2.28
2	Stockpile Fugitives (4)	PM	-	12.96
		PM <sub>10</sub>	-	6.20
		VOC(c)	4.20	2.52
Fug.	Roads (4)	PM	-	2.84
		PM <sub>10</sub>	-	1.27
3, 4, and 5	Raw Aggregate Process (4)	PM	5.91	1.77
		PM <sub>10</sub>	2.79	0.84

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources use area name or fugitive source name.

(3) PM - particulate matter, suspended in the atmosphere, including PM<sub>10</sub>.

PM<sub>10</sub> - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.

VOC - volatile organic compounds as defined in General Rule 101.1

VOC(a) - mainly asphalt vapors

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

VOC(b)	-	additional VOC due to the use
of recycled rubber		
VOC(c)	-	primarily diesel or kerosene
vapors		
NO <sub>x</sub>	-	total oxides of nitrogen
SO <sub>2</sub>	-	sulfur dioxide
CO	-	carbon monoxide

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

(4) Fugitive emissions are an estimate only.

\* Emission rates are based on and the facilities are limited by the following maximum operating schedule and production rates:

Hrs/day 10 Days/week 5.5 Weeks/year 50 or Hrs/year 2,750

Standard Hot Mix: Tons/hour 200 Tons/year 120,000

Hot Mix w/Recycled Rubber Option: Tons/hour 200 Tons/year 50,000

Dated \_\_\_\_\_