

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 5572B

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## AIR CONTAMINANTS DATA

Emission Rates *	Source	Air Contaminant	<u>Emission</u>	
Point No. (1)	Name (2)	Name (3)	lb/hr	
TPY **				
19/20	A and B Line Pellet Silos	VOC	2.41	9.78
23	Storage Hopper	PM <sub>10</sub>	0.055	0.24
24	A and B Finishing and Shipping Roof Fugitives	PM PM <sub>10</sub>	0.013 0.01	0.06 0.03
31	Boiler B	VOC PM <sub>10</sub> NO <sub>x</sub> SO <sub>2</sub> CO	0.27 0.37 5.56 0.03 4.12	1.18 1.63 24.33 0.13 18.04
33	Cooling Tower	VOC	0.46	2.01
43	RH Loading	VOC	13.63	0.19
44	A and B Flare	VOC NO <sub>x</sub> SO <sub>2</sub> CO	29.80 3.99 0.12 20.55	30.96 2.39 0.53 16.87
46A	Tank D-104 (5)	VOC	13.08	0.98
46B	Tank D-105 (5)	VOC	13.08	0.98
49	A and B Fugitives (4)	VOC	4.76	20.85

52	A and B Finishing and Shipping System Losses	VOC	0.35	1.56
56/57	Alumina Bed Filters	VOC	0.26	0.074

Permit Number 5572B  
Page 2

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

### AIR CONTAMINANTS DATA

Emission Rates *	Source	Air Contaminant	<u>Emission</u>	
Point No. (1)	Name (2)	Name (3)	lb/hr	
TPY **				
110	Line No. 3 Pellet Silo	PM <sub>10</sub>	0.017	0.19
		VOC	3.97	10.08
111	Pellet Blending Silo	PM <sub>10</sub>	1.75	4.41
112	Eultriator Bag Filter	PM <sub>10</sub>	1.08	2.19
114	Extrusion Vents	PM <sub>10</sub>	0.062	0.27
120	Boiler C	VOC	0.67	2.93
		PM <sub>10</sub>	0.92	4.05
		NO <sub>x</sub>	4.46	10.86
		SO <sub>2</sub>	0.07	0.32
		CO	7.42	32.48
130	New Cooling Tower	VOC	1.01	4.42
140	C Flare (6)	VOC	27.20	20.00
	(Normal Operations)	NO <sub>x</sub>	3.64	2.74
		SO <sub>2</sub>	0.01	0.01
		CO	18.75	13.70
140	C Flare (7)	VOC	31.43	0.33
	(Routine Maintenance,	NO <sub>x</sub>	4.21	0.10
	Start-Up, and Shutdowns)	CO	21.67	0.19
150	Line No. 3 Fugitives (4)	VOC	1.78	7.77
170	Wastewater Fugitives	VOC	0.11	0.47

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification - either specific equipment designation or emission point number (EPN)  
from a plot plan.
  - (2) Specific point source names. For fugitive sources use area name or fugitive source name.
  - (3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1  
PM - particulate matter suspended in the atmosphere including PM<sub>10</sub>.  
PM<sub>10</sub> - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns in emitted.  
NO<sub>x</sub> - total oxides of nitrogen  
SO<sub>2</sub> - sulfur dioxide  
CO - carbon monoxide
  - (4) Emission rate is an estimate and compliance is demonstrated by meeting the requirements of the applicable  
special conditions and permit application representations.
  - (5) Tank D-104 and Tank D-105 shall not be filled simultaneously.
  - (6) Emission rates include routine product transitions at the "C" polypropylene production line.
  - (7) Emission rates are due to routine shutdowns and start-ups of the "C" polypropylene production line for maintenance purposes.
- \* Emission rates are based on and the facilities are limited by the following maximum operating schedule:
- 8,760 hrs/year
- \*\* Compliance with annual emission limits is based on a rolling 12-month period.

Dated May 16, 2008