

Emission Sources - Maximum Allowable Emission Rates

Permit Number 19841

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lbs/hour	TPY (4)
BP-2	Batching/Milling/Glaze Prep/Glaze Lines 1 and 2 Baghouse Stack (Baghouses BP-2A, BP-2B, BP-2C, and BP-2D)	PM	4.86	20.70
		PM ₁₀	4.86	20.70
		PM _{2.5}	4.86	20.70
		CR ⁶⁺ (6)	0.01	0.02
BP-3	Spray Dryers 1 and 2 Baghouse Stack (Baghouses BP-3, BP-4A, and BP-4B)	PM	5.13	21.84
		PM ₁₀	5.13	21.84
		PM _{2.5}	5.13	21.84
		SO ₂	0.63	2.68
		NO _x	4.63	19.74
		CO	3.89	16.58
		VOC	0.25	1.09
CS	Presses 1-7 and Glaze Lines 3-9 Baghouse Stack (Baghouses CS-1, CS-2, CS-3, and CS-4)	PM	8.85	37.70
		PM ₁₀	8.85	37.70
		PM _{2.5}	8.85	37.70
		CR ⁶⁺ (6)	<0.01	0.02
PR-1	Press Dryer 1	PM	0.38	1.62
		PM ₁₀	0.38	1.62
		PM _{2.5}	0.38	1.62
		SO ₂	<0.01	0.02
		NO _x	0.13	0.57

Emission Sources - Maximum Allowable Emission Rates

PR-1	Press Dryer 1	CO	2.54	10.85
		VOC	0.01	0.05
PR-2	Press Dryer 2	PM	0.38	1.62
		PM ₁₀	0.38	1.62
		PM _{2.5}	0.38	1.62
		SO ₂	<0.01	0.02
		NO _x	0.13	0.57
		CO	2.54	10.85
		VOC	0.01	0.05
PR-3	Press Dryer 3	PM	0.38	1.62
		PM ₁₀	0.38	1.62
		PM _{2.5}	0.38	1.62
		SO ₂	<0.01	0.02
		NO _x	0.13	0.57
		CO	2.54	10.85
		VOC	0.01	0.05
PR-4	Press Dryer 4	PM	0.38	1.62
		PM ₁₀	0.38	1.62
		PM _{2.5}	0.38	1.62
		SO ₂	<0.01	0.02
		NO _x	0.13	0.57
		CO	2.54	10.85
		VOC	0.01	0.05
PR-5	Press Dryer 5	PM	0.38	1.62
		PM ₁₀	0.38	1.62

Emission Sources - Maximum Allowable Emission Rates

		PM _{2.5}	0.38	1.62
		SO ₂	<0.01	0.02
		NO _x	0.13	0.57
		CO	2.54	10.85
		VOC	0.01	0.05
PR-6	Press Dryer 6	PM	0.38	1.62
		PM ₁₀	0.38	1.62
		PM _{2.5}	0.38	1.62
		SO ₂	<0.01	0.02
		NO _x	0.13	0.57
		CO	2.54	10.85
		VOC	0.01	0.05
PR-7	Press Dryer 7	PM	0.38	1.62
		PM ₁₀	0.38	1.62
		PM _{2.5}	0.38	1.62
		SO ₂	<0.01	0.02
		NO _x	0.13	0.57
		CO	2.54	10.85
		VOC	0.01	0.05
KCSYS1	Kiln Control System 1 (Dry Scrubber) and Cooling Stacks (Kiln 1, Kiln Cooler 1, Kiln 3, Kiln Cooler 3)	PM	8.90	37.93
		PM ₁₀	8.90	37.93
		PM _{2.5}	8.90	37.93
		SO ₂	6.89	9.09

Emission Sources - Maximum Allowable Emission Rates

		NO _x	4.59	17.04
		CO	12.97	45.61
		VOC	1.78	6.49
		HF	3.42	2.85
		HCl	3.40	2.85
		Pb (5)	0.05	0.15
KCSYS2	Kiln Control System 2 (Dry Scrubber) and Cooling Stacks (Kiln 2, Kiln Cooler 2)	PM	3.50	14.93
		PM ₁₀	3.50	14.93
		PM _{2.5}	3.50	14.93
		SO ₂	22.84	34.06
		NO _x	2.69	11.72
		CO	7.61	32.64
		VOC	1.11	4.74
		HF	1.81	1.49
		HCl	1.67	1.40
		Pb (5)	0.04	0.10
BP-5	Spray Dryer 3 Baghouse Stack	PM	1.93	8.22
		PM ₁₀	1.93	8.22
		PM _{2.5}	1.93	8.22
BP-5	Spray Dryer 3 Baghouse Stack	SO ₂	0.66	2.82
		NO _x	4.39	18.71
		CO	3.69	15.72
		VOC	0.24	1.03
PR-10	Press Dryer 10	PM	0.38	1.62
		PM ₁₀	0.38	1.62

Emission Sources - Maximum Allowable Emission Rates

		PM _{2.5}	0.38	1.62
		SO ₂	<0.01	0.02
		NO _x	0.14	0.64
		CO	2.54	10.85
		VOC	0.01	0.05
PR-11	Press Dryer 11	PM	0.38	1.62
		PM ₁₀	0.38	1.62
		PM _{2.5}	0.38	1.62
		SO ₂	<0.01	0.02
		NO _x	0.14	0.64
		CO	2.54	10.85
		VOC	0.01	0.05
PR-12	Press Dryer 12	PM	0.38	1.62
		PM ₁₀	0.38	1.62
		PM _{2.5}	0.38	1.62
		SO ₂	<0.01	0.02
		NO _x	0.14	0.64
PR-12	Press Dryer 12	CO	2.54	10.85
		VOC	0.01	0.05
PR-13	Press Dryer 13	PM	0.38	1.62
		PM ₁₀	0.38	1.62
		PM _{2.5}	0.38	1.62
		SO ₂	<0.01	0.02
		NO _x	0.14	0.64
		CO	2.54	10.85

Emission Sources - Maximum Allowable Emission Rates

		VOC	0.01	0.05
PR-14	Press Dryer 14	PM	0.38	1.62
		PM ₁₀	0.38	1.62
		PM _{2.5}	0.38	1.62
		SO ₂	<0.01	0.02
		NO _x	0.14	0.64
		CO	2.54	10.85
		VOC	0.01	0.05
CS-B	Presses 10-16, Conveyor Systems, and Plant 2 Glaze Lines 10-19 Baghouse Stack (Baghouses P2-CSA and P2-CS2B)	PM	2.14	9.13
		PM ₁₀	2.14	9.13
		PM _{2.5}	2.14	9.13
		CR ⁶⁺ (6)	<0.01	0.01
KCSYS3	Kiln Control System 3 (Dry Scrubber) and Cooling Stacks (Kiln A Predryer, Kiln A1, Kiln A Cooler 1, Kiln A2, Kiln A Cooler 2)	PM	4.12	15.99
		PM ₁₀	4.12	15.99
		PM _{2.5}	4.12	15.99
KCSYS3	Kiln Control System 3 (Dry Scrubber) and Cooling Stacks (Kiln A Predryer, Kiln A1, Kiln A Cooler 1, Kiln A2, Kiln A Cooler 2)	SO ₂	29.39	41.00
		NO _x	4.72	20.62
		CO	21.74	78.84
		VOC	9.81	35.60
		HF	3.47	2.80
		HCl	3.43	2.81
		Pb (5)	0.05	0.13
KCSYS4	Kiln Control System 4 (Dry Scrubber) and Cooling Stacks (Kiln B Predryer, Kiln B1, Kiln B Cooler 1, Kiln B2, Kiln B Cooler 2)	PM	4.12	15.99
		PM ₁₀	4.12	15.99
		PM _{2.5}	4.12	15.99

Emission Sources - Maximum Allowable Emission Rates

		SO ₂	29.39	41.00
		NO _x	4.72	20.62
		CO	21.74	78.84
		VOC	9.81	35.60
		HF	3.47	2.80
		HCl	3.43	2.81
		Pb (5)	0.05	0.13
F-1	Raw Material Stockpiles	PM	0.08	0.37
		PM ₁₀	0.04	0.18
		PM _{2.5}	0.04	0.18

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) PM
 - particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}
 - PM₁₀
 - particulate matter equal to or less than 10 microns in diameter
 - PM_{2.5}
 - particulate matter equal to or less than 2.5 microns in diameter
 - SO₂
 - sulfur dioxide
 - NO_x
 - total oxides of nitrogen
 - VOC
 - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
 - CO
 - carbon monoxide
 - HF
 - hydrogen fluoride
 - HCl
 - hydrogen chloride **(02/02)**
 - Pb
 - lead or lead compounds **(1/98)**
 - Cr⁶⁺
 - hexavalent chromium **(03/07)**
- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Lead emissions are included in the total hourly and annual PM/PM₁₀ emission rates.
- (6) Hexavalent chromium emissions are included in the total hourly and annual PM/PM₁₀ emission rates.
(03/07)

Date: July 19, 2012