

Emission Sources - Maximum Allowable Emission Rates

Permit Number 51641

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

| Emission Point No. (1) | Source Name (2) | Air Contaminant Name (3) | Emission Rates (5) | |
|------------------------|---------------------------|--------------------------|--------------------|---------|
| | | | lbs/hour | TPY (4) |
| 615 | Paint Booth #1 | VOC | 5.30 | 2.26 |
| | | Exempt Solvent | 3.42 | 1.68 |
| | | PM | 0.05 | 0.01 |
| 716 | Paint Booth #2 | VOC | 5.30 | 4.51 |
| | | Exempt Solvent | 3.42 | 3.36 |
| | | PM | 0.05 | 0.02 |
| 817 | Paint Booth #3 | VOC | 5.30 | 3.41 |
| | | Exempt Solvent | 3.42 | 2.38 |
| | | PM | 0.05 | 0.02 |
| 3 | Devibliss Paint Bake Oven | VOC | 0.89 | 0.27 |
| | | Exempt Solvent | 0.30 | 0.03 |
| | | VOC | 0.01 | 0.02 |
| | | PM | 0.01 | 0.03 |
| | | SO _x | < 0.01 | < 0.01 |
| | | NO _x | 0.09 | 0.39 |
| | | CO | 0.07 | 0.33 |
| 6 | Indoco Paint Bake Oven | VOC | 0.89 | 0.27 |
| | | Exempt Solvent | 0.30 | 0.03 |
| | | VOC | < 0.01 | 0.01 |
| | | PM | < 0.01 | 0.02 |
| | | SO _x | < 0.01 | < 0.01 |
| | | NO _x | 0.04 | 0.19 |
| | | CO | 0.04 | 0.16 |

Emission Sources - Maximum Allowable Emission Rates

| | | | | |
|-----------|--|-----------------|-------|---------|
| 70 | Plant 1 Miscellaneous Solvent Use | VOC | 23.70 | 5.73 |
| | | Exempt Solvent | 13.14 | 4.27 |
| 1827 | Cold Solvent Cleaner and Foam Shop Miscellaneous Solvent Use | VOC | 15.80 | 3.16 |
| | | Exempt Solvent | 9.86 | 5.25 |
| 1424 | Food Tray Adhesive Spray Booth #1 | VOC | 2.91 | 0.73 |
| | | Exempt Solvent | 2.48 | 0.62 |
| | | PM | 0.03 | 0.01 |
| 1625 | Food Tray Adhesive Spray Booth #2 | VOC | 2.91 | 0.73 |
| | | Exempt Solvent | 2.48 | 0.62 |
| | | PM | 0.03 | 0.01 |
| 1828 | Grieve Cure Oven | VOC | 0.62 | 0.42 |
| 1120 | Foam Spray Booth #1 | VOC | 2.56 | 1.56 |
| | | PM | 0.02 | 0.02 |
| 1121 | Foam Spray Booth #2 | VOC | 2.56 | 1.56 |
| | | PM | 0.02 | 0.02 |
| TB-1 | Test Burn Facility | VOC | 0.35 | 0.06 |
| | | PM | 0.37 | 0.06 |
| | | SO _x | 0.09 | 0.04 |
| | | NO _x | 0.74 | 0.73 |
| | | CO | 0.61 | 0.23 |
| Site-wide | All Sources | Single HAP | | < 10.00 |
| | | Total HAPs | | < 25.00 |

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) Exempt Solvent - Those carbon compounds or mixtures of carbon compounds used as solvents which have been excluded from the definition of volatile organic compound.
- VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
- NO_x - total oxides of nitrogen
- SO₂ - sulfur dioxide
- PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}
- PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}

Emission Sources - Maximum Allowable Emission Rates

- PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter
- CO - carbon monoxide
- HAP - hazardous air pollutant as listed in § 112(b) of the Federal Clean Air Act or Title 40
Code of Federal Regulations Part 63, Subpart C

(4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.

(5) The allowable emission rates include planned maintenance, startup, and shutdown activities.

Date: September 6, 2013