Permit Number 162531

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates (7)	
			lbs/hour	TPY (4)
STM-01-01	Panel Stamping	voc	<0.01	<0.01
CAS-01-01 through	Casting Furnaces Cap	VOC	0.69	3.02
CAS-01-10		PM ₁₀	1.22	5.34
		PM _{2.5}	1.22	5.34
		NO _x	8.24	36.09
		СО	4.73	20.72
		SO ₂	0.08	0.33
CAS-01-21 through	Metal Trimming Machines Cap	PM ₁₀	<0.10	0.20
CAS-01-30	iviacilines Cap	PM _{2.5}	<0.10	0.20
SND-01	Sanding	PM ₁₀	0.04	0.18
BIW-01-01 through BIW-01- 15	Body in White Sealers and Adhesives	voc	1.08	2.36
PPT-01a, PPT- 02a, PPT-03a	Pretreat Line A	VOC	0.26	0.56
		Nitric Acid	0.13	0.28
		Hydrofluoric Acid	0.02	0.03
PPT-01b, PPT- 02b, PPT-03b	Pretreat Line B	VOC	0.26	0.56
020, FF1-030		Nitric Acid	0.13	0.28
		Hydrofluoric Acid	0.02	0.03
ECT-03a	E-coat Sanding Line A	PM ₁₀	0.21	0.55
		PM _{2.5}	0.21	0.55
ECT-03b	E-coat Sanding Line B	PM ₁₀	0.21	0.55
		PM _{2.5}	0.21	0.55
ECT-05-PMa	E-Coat Line A (Heavy Sanding)	PM ₁₀	<0.01	0.04
		PM _{2.5}	<0.01	0.04

ECT-05-PMb	E-Coat Line B (Heavy Sanding)	PM ₁₀	<0.01	0.04
		PM _{2.5}	<0.01	0.04
TO-01	Line A and Line B	VOC	22.36	44.24
E-coat Dip Tank, E- coat Oven, Heated Flash Basecoat 1 Booth, Basecoat 2, Booth, Clearcoat Booth, Clearcoat Oven and Purge Solvent	Exempt Solvent	0.25	0.55	
TO-01	Line A and Line B E-coat Oven Burners,	VOC	0.42	1.86
	E-coat Air Supply Air Heaters, Topcoat Oven	PM ₁₀	0.59	2.57
	Burners, Topcoat Air	PM _{2.5}	0.59	2.57
	Supply Heaters, Concentrator Burners,	NO _x	5.74	28.16
	and Redundant RTO Burners	СО	13.92	60.98
	78.82 MMBtu/hr	SO ₂	0.05	0.20
ZEO-1a	Line A Basecoat Booth 1,	voc	20.14	43.52
	Basecoat Booth 1, Basecoat Booth 2, Heated Flash, Purge, and Clearcoat Booth	Exempt Solvent	0.33	0.72
		PM ₁₀	0.04	0.16
		PM _{2.5}	0.01	0.03
ZEO-1b	Line B Basecoat Booth 1, Basecoat Booth 2, Heated Flash, Purge, and Clearcoat Booth	voc	20.14	43.52
		Exempt Solvent	0.33	0.72
		PM ₁₀	0.04	0.16
		PM _{2.5}	0.01	0.03
BRN-01	Heated Flash Line A - Burner 1, 2 and 3 4.08 MMBtu/hr	voc	0.02	0.10
		PM ₁₀	0.03	0.13
		PM _{2.5}	0.03	0.13
		NO _x	0.30	1.31
		со	1.19	5.22
		SO ₂	<0.01	0.01
BRN-02	Dehumidifier Line A Air Supply Heater 1.02 MMBtu/hr	voc	<0.01	0.02
		PM ₁₀	<0.01	0.03
		PM _{2.5}	<0.01	0.03
	2000			

		NO _x	0.07	0.33
		СО	0.30	1.30
		SO ₂	<0.01	0.01
BRN-03	Heated Flash Line B –	VOC	0.02	0.10
	Burner 1, 2 and 3 4.08 MMBtu/hr	PM ₁₀	0.03	0.13
		PM _{2.5}	0.03	0.13
		NO _x	0.30	1.31
		СО	1.19	5.22
		SO ₂	<0.01	0.01
BRN-04	Dehumidifier Line B Air	VOC	<0.01	0.02
	Supply Heater 1.02 MMBtu/hr	PM ₁₀	<0.01	0.03
		PM _{2.5}	<0.01	0.03
		NO _x	0.07	0.33
		СО	0.30	1.30
		SO ₂	<0.01	0.01
BRN-06	Air Supply Houses- ASH-01 through ASH-	VOC	0.29	1.25
	07, ASH Paint Mix	PM ₁₀	0.39	1.73
	Room, ASH Paint Hospital, ASH Clean	PM _{2.5}	0.39	1.73
	Room 52.92 MMBtu/hr	NO _x	3.86	16.89
		СО	9.63	42.19
		SO ₂	0.03	0.14
CLL-01	Cell Dust Collection System 1	PM ₁₀	0.05	0.23
	System 1	PM _{2.5}	0.05	0.23
CLL-02	Cell Dust Collection System 2	PM ₁₀	0.04	0.17
	System 2	PM _{2.5}	0.04	0.17
CLL-03	Cell Dust Collection System 3	PM ₁₀	<0.01	<0.01
	System s	PM _{2.5}	<0.01	<0.01
CLL-04	Cell Dust Collection System 4	PM ₁₀	<0.01	<0.01
	System 4	PM _{2.5}	<0.01	<0.01

CLL-05	Cell Assembly	voc	0.24	1.03
		Exempt Solvent	0.39	1.73
CTU-01	Cooling Tubes	voc	<0.01	<0.01
BTM-01	Battery Module Assembly	voc	3.03	5.26
INV-01	Inverter lines	VOC	0.27	1.18
STR-01-01	Stator Lines	VOC	1.67	7.33
BRO-01	Brazing Oven	VOC	0.02	0.07
GAA-07	General Assembly Area Adhesives	VOC	0.84	1.84
GAA-01	Windshield Washer Fluid Tank No. 1	VOC	2.41	0.02
GAA-02	Windshield Washer Fluid Tank No. 2	VOC	2.41	0.02
GAA-03	Windshield Washer Fluid Tank No. 3	VOC	0.36	<0.01
GAA-04	Coolant Tank No. 1	VOC	1.43	0.01
GAA-05	Brake Fluid Tank No. 1	voc	0.06	<0.01
GAA-06	General Assembly Tote Filling	voc	2.89	1.47
PRA-01a and PRA-01b	Paint Repair Area (Offline – Paint Shop)	voc	0.29	1.26
		Exempt Solvent	0.07	0.31
		PM ₁₀	<0.01	0.01
		PM _{2.5}	<0.01	<0.01
PRA-02a and PRA-02b	Paint Repair Area (General Assembly)	VOC	0.29	1.26
1100020		Exempt Solvent	0.07	0.31
		PM ₁₀	<0.01	0.01
		PM _{2.5}	<0.01	<0.01
WIP-01	Plantwide Wipe Cleaning – 2 Lines	VOC	9.45	41.40
BLR-01-01	Boiler No. 1 6.0 MMBtu/hr	voc	0.03	0.14
		PM ₁₀	0.04	0.20
		PM _{2.5}	0.04	0.20
		NO _x	0.07	0.29

		СО	0.49	2.16
		SO ₂	<0.01	0.02
BLR-01-02	Boiler No. 2 6.0 MMBtu/hr	VOC	0.03	0.14
	6.0 MINIBLU/III	PM ₁₀	0.04	0.20
		PM _{2.5}	0.04	0.20
		NO _x	0.07	0.29
		со	0.49	2.16
		SO ₂	<0.01	0.02
BLR-01-03	Boiler No. 3 6.0 MMBtu/hr	voc	0.03	0.14
	0.0 WIWIDIU/III	PM ₁₀	0.04	0.20
		PM _{2.5}	0.04	0.20
		NO _x	0.07	0.29
		СО	0.49	2.16
		SO ₂	<0.01	0.02
BLR-01-04	Boiler No. 4 6.0 MMBtu/hr	voc	0.03	0.14
	0.0 WIWIDIU/III	PM ₁₀	0.04	0.20
		PM _{2.5}	0.04	0.20
		NO _x	0.07	0.29
		СО	0.49	2.16
		SO ₂	<0.01	0.02
BLR-01-05	Boiler No. 5 6.0 MMBtu/hr	VOC	0.03	0.14
	0.0 WWDta/W	PM ₁₀	0.04	0.20
		PM _{2.5}	0.04	0.20
		NO _x	0.07	0.29
		СО	0.49	2.16
		SO ₂	<0.01	0.02
BLR-01-06	Boiler No. 6 6.0 MMBtu/hr	VOC	0.03	0.14
	5.5 WINDOM	PM ₁₀	0.04	0.20
		PM _{2.5}	0.04	0.20

		NO	0.07	0.00
		NO _x	0.07	0.29
		СО	0.49	2.16
		SO ₂	<0.01	0.02
BLR-01-07	Boiler No. 7 6.0 MMBtu/hr	voc	0.03	0.14
		PM ₁₀	0.04	0.20
		PM _{2.5}	0.04	0.20
		NO _x	0.07	0.29
		СО	0.49	2.16
		SO ₂	<0.01	0.02
BLR-01-08	Boiler No. 8 6.0 MMBtu/hr	VOC	0.03	0.14
	O.O WIIVIDIA/III	PM ₁₀	0.04	0.20
		PM _{2.5}	0.04	0.20
		NO _x	0.07	0.29
		со	0.49	2.16
		SO ₂	<0.01	0.02
CT-1	Cooling Tower	РМ	0.20	0.87
		PM ₁₀	0.20	0.87
		PM _{2.5}	0.10	0.43
WWTP-1	Wastewater Treatment Plant	voc	0.15	0.67
	Fiant	PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
		Exempt Solvent	0.04	0.17
MSS-01-01	MSS for Basecoat/Topcoat	VOC	0.07	0.30
	Filter Changeout	Exempt Solvent	0.03	0.12
TO-01	MSS for Booth	VOC	1.43	6.23
	Cleaning	Exempt Solvent	0.58	2.54
PILOT BLD	Startup and Pilot Build -	VOC	55.24	0.93
FUG	Coating Lines Without Abatement	PM ₁₀	0.02	<0.01
		PM _{2.5}	<0.01	<0.01
		<u> </u>		

CAS-01-02	Casting Furnaces – 2 Total During Startup/Shakedown for no more than 120 Days	voc	0.14	0.20
		PM ₁₀	0.20	0.29
	The more than 120 Days	PM _{2.5}	0.20	0.29
		NO _x	1.64	2.36
		со	0.94	1.35
		SO ₂	0.02	0.03
CAS-01-01 through CAS-01-	Casting Furnace During Filtration System Bypass for Filtration System Maintenance	voc	0.26	0.02
10		PM ₁₀	0.36	0.03
		PM _{2.5}	0.36	0.03
		NO _x	3.09	0.23
		со	1.77	0.13
		SO ₂	0.03	<0.01
All EPNs	All Sources at the Site	Individual HAP		<10
		Total HAP		<25

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources, use area name or fugitive source name.

(3) Exempt Solvent - Those carbon compounds or mixtures of carbon compounds used as solvents which have been excluded from the definition of volatile organic compound.

VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented

PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as

represented

PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter

CO - carbon monoxide

 HAP - hazardous air pollutant as listed in § 112(b) of the Federal Clean Air Act or Title 40 Code of Federal Regulations Part 63, Subpart C

(4) Compliance with annual emission limits (tons per year) is based on a 12-month rolling period.

(5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.

(6) Products of combustion.

(7) Includes planned maintenance, startup and shutdown activities.

Date:	Anril 7 2021