

Emission Sources - Maximum Allowable Emission Rates

Permit Number 56656

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

| Emission Point No. (1) | Source Name (2) | Air Contaminant Name (3) | Emission Rates (6) | |
|------------------------|---|--------------------------|--------------------|---------|
| | | | lbs/hour | TPY (4) |
| 1 | Railcar Receiving Pit Fugitives (5) | PM | 0.53 | -- |
| | | PM ₁₀ | 0.13 | -- |
| | | PM _{2.5} | 0.02 | -- |
| 2 | Truck Receiving Pit No. 1 Fugitives (5) | PM | 0.90 | -- |
| | | PM ₁₀ | 0.30 | -- |
| | | PM _{2.5} | 0.05 | -- |
| 3 | Truck Receiving Pit No. 2 Fugitives (5) | PM | 0.90 | -- |
| | | PM ₁₀ | 0.30 | -- |
| | | PM _{2.5} | 0.05 | -- |
| | Total Receiving Fugitives (5) | PM | -- | 0.90 |
| | | PM ₁₀ | -- | 0.30 |
| | | PM _{2.5} | -- | 0.05 |
| 4 | Railcar Loadout Fugitives (5) | PM | 4.46 | 1.35 |
| | | PM ₁₀ | 0.36 | 0.11 |
| | | PM _{2.5} | 0.06 | 0.02 |
| 5 | Truck Loadout Spout No. 1 Fugitives (5) | PM | 25.80 | -- |
| | | PM ₁₀ | 8.70 | -- |
| | | PM _{2.5} | 1.47 | -- |
| 6 | Truck Loadout Spout No. 2 Fugitives (5) | PM | 25.80 | -- |
| | | PM ₁₀ | 8.70 | -- |
| | | PM _{2.5} | 1.47 | -- |
| 7 | Truck Loadout Spout No. 3 Fugitives (5) | PM | 25.80 | -- |
| | | PM ₁₀ | 8.70 | -- |
| | | PM _{2.5} | 1.47 | -- |

Emission Sources - Maximum Allowable Emission Rates

| | | | | |
|----|---|-------------------|-------|-------|
| | Total Truck Loadout Fugitives (5) | PM | -- | 36.55 |
| | | PM ₁₀ | -- | 12.33 |
| | | PM _{2.5} | -- | 2.08 |
| 8 | Baghouse No. 1 Stack (Truck Receiving Pits, Gallery Area, and Upper Head House) | PM | 2.10 | 4.20 |
| | | PM ₁₀ | 2.10 | 4.20 |
| | | PM _{2.5} | 0.36 | 0.71 |
| 9 | Baghouse No. 2 Stack (Railcar Receiving Pit and Railcar Loadout) | PM | 0.36 | 0.73 |
| | | PM ₁₀ | 0.36 | 0.73 |
| | | PM _{2.5} | 0.06 | 0.12 |
| 10 | Baghouse No. 3 Stack (Conveyor Galleries and Conveyor Tunnels) | PM | 0.30 | 0.61 |
| | | PM ₁₀ | 0.30 | 0.61 |
| | | PM _{2.5} | 0.05 | 0.10 |
| 11 | Baghouse No. 4 Stack (Conveyor Galleries and Conveyor Tunnels) | PM | 0.30 | 0.61 |
| | | PM ₁₀ | 0.30 | 0.61 |
| | | PM _{2.5} | 0.05 | 0.10 |
| 13 | Cotton Seed Pile Receiving (Portable Auger, Portable Conveyor, or Front-end Loader) (5) | PM | 8.10 | 1.13 |
| | | PM ₁₀ | 2.66 | 0.37 |
| | | PM _{2.5} | 0.45 | 0.06 |
| 14 | Cotton Seed Pile Loadout (Portable Auger, Portable Conveyor, or Front-end Loader) (5) | PM | 25.80 | 5.38 |
| | | PM ₁₀ | 8.70 | 1.81 |
| | | PM _{2.5} | 1.47 | 0.31 |
| 15 | Grain Storage Pile Receiving (Portable Auger, Portable Conveyor, or Front-end Loader) (5) | PM | 8.10 | 1.35 |
| | | PM ₁₀ | 2.66 | 0.44 |
| | | PM _{2.5} | 0.45 | 0.08 |
| 16 | Grain Storage Pile Loadout (Portable Auger, Portable Conveyor, or Front-end Loader) (5) | PM | 25.80 | 6.45 |
| | | PM ₁₀ | 8.70 | 2.18 |
| | | PM _{2.5} | 1.47 | 0.37 |

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
(2) Specific point source name. For fugitive sources, use area name or fugitive source name.

Emission Sources - Maximum Allowable Emission Rates

- (3) VOC
 - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
- NO_x
 - total oxides of nitrogen
- SO₂
 - sulfur dioxide
- PM
 - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented
- PM₁₀
 - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as represented
- PM_{2.5}
 - particulate matter equal to or less than 2.5 microns in diameter
- CO
 - carbon monoxide
- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) Planned startup and shutdown emissions are included. Maintenance activities are not authorized by this permit.

Date: October 22, 2019