

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 21538

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY
<u>Train 8</u>				
ES-801	Package Boiler	VOC	0.43	1.90
		NO _x	2.90	12.69
		SO ₂	0.02	0.10
		PM ₁₀	0.72	3.17
		CO	7.97	34.88
ES-802	Alkyl Flare	VOC	0.43	0.08
		NO _x	0.08	0.11
		SO ₂	<0.01	<0.01
		CO	0.31	0.89
ES-805	Train 8 Flare	VOC	3.21	0.15
		NO _x	0.45	1.18
		SO ₂	<0.01	<0.01
		CO	2.69	6.03
ES-203	Waste Heat Boiler (5)	VOC	0.36	1.63
		NO _x	7.25	31.74
		PM	2.02	8.85
		CO	2.23	9.75
		HCl	<0.01	0.03
F-8	Fugitives (4)	VOC	0.35	1.55
EF-806	Cooling Towers	VOC	0.57	2.48
EV-811	Cooling Water Additive Tanks	VOC	1.20	0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			lb/hr	TPY
EV-871	Carlot Silo Blender Vent Filter	VOC	1.20	2.00
		PM	0.19	0.74
EV-872	Additive Feed Hopper Vent Filter	PM	0.04	0.01
EV-873	Pellet Dryer Exhaust	VOC	1.2	2.0
EV-875	Powder Master Batch Weigh Bin Vent Filter	PM	1.44	0.03
EV-878-1	Railcar Loading Elutriator Bag Filter	VOC	1.25	0.13
		PM ₁₀	0.06	0.06
EV-878-2	Railcar Loading Elutriator Bag Filter	VOC	1.25	0.13
		PM ₁₀	0.06	0.06
EV-854	Railcar Wash Vacuum Filter	PM	0.27	0.15
<u>Train 9</u>				
EF-906	Cooling Tower	VOC	0.20	0.88
F-9	Fugitives (4)	VOC	0.51	2.22
EV-971	Carlot Silo Blender Vent Filter	VOC	0.56	2.25
		PM ₁₀	0.19	0.74
EV-972A	Additive Hopper Vent Filter	PM	0.02	0.01
EV-972B	Additive Hopper Vent Filter	PM	0.02	0.01
EV-978	Elutriator Bag Filter	VOC	0.94	2.25
		PM ₁₀	0.06	0.14

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY
EV-973-A	Pellet Dryer Exhaust	VOC	0.28	1.13
EV-973-B	Pellet Dryer Exhaust	VOC	0.28	1.13
ES-975	Blender/Feeder Vent Gas Thermal Oxidizer	VOC	<0.01	0.03
		PM ₁₀	<0.01	0.04
EV-911	Cooling Water Additive Tanks	VOC	1.20	<0.01
EV-869	Additive Storage Tank Vent	VOC	<0.01	<0.01
EV-808	Catalyst Building Guard Oil Tank Vent	VOC	0.19	<0.01
EV-820	Mineral Oil Drying Tank Vent	VOC	0.02	<0.01
EV-197	Mineral Oil Storage Tank Vent	VOC	<0.01	<0.01

(1) Emission point identification - either specific equipment designation or emission point number (EPN) from plot plan.

(2) Specific point source name. For fugitive sources use area name or fugitive source name.

(3) PM - particulate matter

PM₁₀ - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall

be assumed that no particulate matter greater than 10 microns is emitted.

VOC - volatile organic compounds as defined in 30 Texas Administrative Code Section 101.1

NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

CO - carbon monoxide

HCl - hydrogen chloride

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) Emissions from the waste heat boiler are permitted in Permit No. 3908B. EPN ES-203 is for information only.
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day ____ Days/week ____ Weeks/year ____ or Hrs/year 8,760

Dated February 28, 2000