

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 1498

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			lb/hr	TPY
E405	Boiler No. 8A	PM	0.51	1.22
		SO ₂	10.65	2.37
		NO _x	5.06	15.68
		CO	2.96	12.66
		VOC	0.19	0.83
E406	Boiler No. 8B	PM	0.51	1.22
		SO ₂	10.65	2.37
		NO _x	5.06	15.68
		CO	2.96	12.66
		VOC	0.19	0.83
E407	Boiler No. 8C	PM	0.51	1.22
		SO ₂	10.65	2.37
		NO _x	5.06	15.68
		CO	2.96	12.66
		VOC	0.19	0.83
E408	Boiler No. 8D	PM	1.38	3.30
		SO ₂	29.4	5.65
		NO _x	13.80	42.71
		CO	8.06	34.51
		VOC	0.53	2.24
E409	Boiler No. 8E	PM	1.38	3.30
		SO ₂	29.4	5.65
		NO _x	13.80	42.71
		CO	8.06	34.51
		VOC	0.53	2.24
E416	Enclosed Biogas Flare	SO ₂		<0.1
		NO _x		<1.0

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

CO

<1.0

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources use area name or fugitive source name.

(3) PM - particulate matter, suspended in the atmosphere, including PM₁₀.

PM₁₀ - particulate matter equal to or less than 10 microns in diameter.

Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.

VOC - volatile organic compounds as defined in 30 Texas Administrative Code Section 101.1.

NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

CO - carbon monoxide

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day 24 Days/week 7 Weeks/year 52 or Hrs/year _____ with no more than 336 hours per year of fuel oil firing.

Dated _____